

RECEIVED

FEB 20 2009

Page 1

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 2-10343

DEPARTMENT OF
WATER RESOURCES

Date of Priority: March 13, 2008

Maximum Diversion Rate: 2.00 CFS
Maximum Diversion Volume: 50.0 AF

Comes now TFR PARTNERSHIP
C/O RICHARD CALDWELL
45625 MANZO DR
INDIAN WELLS CA 92210

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 2-10343, and requests that the permit be changed as follows:

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DIVERSION TO STORAGE	01/01 to 12/31	2.00 CFS	
WILDLIFE STORAGE	01/01 to 12/31		50.0 AF


LOCATION OF POINT(S) OF DIVERSION:

SNAKE RIVER L3 (SW $\frac{1}{4}$ SW $\frac{1}{4}$) Sec. 33, Twp 04N, Rge 05W, B.M. OWYHEE County

PLACE OF USE: WILDLIFE STORAGE

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N 05W 4						X											
03N 05W 5	X					L3											
04N 05W 32																X	
04N 05W 33										X						L4	

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 17th day of FEBRUARY, 2009.


(Signature)
JOHN C. BINGERICH
TFR PARTNER

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 2-10343

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 50- Received by SR7 # C088053 Date 2-20-2009


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, DAVID R. TUTHILL, JR., of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 2-10343 with the following:

CONDITIONS OF APPROVAL

1. Water shall not be diverted under this right when flows in the Snake River are below established minimum flow amounts at any of the following locations: Weiser, 4750 cfs; Johnson Bar, 5000 cfs; Lime Point 13,000 cfs.
2. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
3. This right authorizes the diversion of water to fill the reservoir and the diversion of water to replace evaporation and seepage losses from the reservoir, up to a combined annual total of 50 AF.

Witness my hand this 23rd day of February, 2009.


For DAVID R. TUTHILL, JR.
Director