

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 21-13081

Priority: July 31, 2008

Maximum Diversion Rate: 2.30 CFS

This is to certify, that ISLAND PARK WATER CO
PO BOX 2521
IDAHO FALLS ID 83403

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	2.30 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NE $\frac{1}{4}$ NE $\frac{1}{4}$	Sec. 2	Twp 14N	Rge 43E, B.M.	FREMONT County
GROUND WATER	NW $\frac{1}{4}$ NE $\frac{1}{4}$	Sec. 2	Twp 14N	Rge 43E, B.M.	FREMONT County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N	43E	2	X	X	X	X													
			L 1	L 2															

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **March 01, 2014**.
2. Subject to all prior water rights.
3. Domestic use is for 250 homes.
4. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
5. Point of diversion is located within Lot 31, Blk. 2, Division No 2 and Lot 351 Block 9 Division No 4, Island Park Water Company.
6. After specific notification by the Department, or request by the PUC, the right holder shall install, and maintain a suitable magnetic meter measuring device.
7. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 21-13081

8. Place of use is located within Lot 101-180, Block 1, Lot 1-80, Block 2, Lot 81-110, Block 21, Lot 346-350, Block 4, Lot 336-345, Block 5, Lot 326-335, Block 6, Lot 316-325, Block 7, Lot 306-311, Block 8, Lot 301-305, Block 9, and Lot 352-361, Block 10, Aspen Ridge # 1 and Aspen Ridge #2.
9. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 25 day of February, 2009.

for Ernest Carlson
DAVID R. TUTHILL, JR., Director