

RECEIVED
AUG 17 2007
WATER RESOURCES
WESTERN REGION

Ident. No. 63-32835 12/99

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name of Applicant City of Nampa Phone 208-468-5409
Mailing address 411 3rd Steet South, Nampa, ID 83651
2. Source of water supply Ground Water which is a tributary of _____
3. Location of point of diversion is Township 3N Range 2W Sec. 1, in the _____ $\frac{1}{4}$,
SW $\frac{1}{4}$, SW $\frac{1}{4}$, Govt. Lot _____, B.M., _____ Canyon _____ County;
additional points of diversion if any: 3N 2W S1 SWSW, 3N 2W S1 SWSW (up to 3 wells)
4. Water will be used for the following purposes:
Amount 5.0 cfs for Municipal purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 5.0 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source Up to 3 wells & pumps, existing municipal distribution system.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet;
total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is 18 inches; proposed depth of well is 1000 feet
 - d. Is ground water with a temperature of greater than 85°F being sought? No
 - e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in kW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. City of Nampa
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

9. Description of place of use: **Within the service area of of the City of Nampa municipal water supply system.**

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. Several municipal rights owned and operated by the applicant that serve the City of Nampa.

- Who owns the property at the point of diversion? No
- Who owns the land to be irrigated or place of use? N/A
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Memorandum of Understanding (MOU) between Atlantic Pacific Construction, Inc. and the City of Nampa


12. Remarks: Due to development and population growth, the City seeks 5.0 cfs additional ground water to help meet current municipal needs. If a test well proves productive, Atlanta will deed the City the well site in exchange for municipal service. Up to three wells will be drilled at the well site identified on the attached map. Water bearing zone to be appropriated is from 100 to 1000 feet.

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Terrence J. Smith CITY ENGR
 Signature of Applicant (and title, if applicable)

Received by *J. C. [Signature]* Date Aug 18, 07 Time 2:50 PM Preliminary check by JFW
 Fee \$ 410.00 Receipted by *[Signature]* # 035747 Date Aug 18, 07
 Publication prepared by DB Date 1/28/2009 Published in PRESS TRIBUNE
 Publication approved DATE: DATE 71 FEBRUARY 5 & 12, 2009



63-32835

The following application(s) have been filed to appropriate the public waters of the State of Idaho:
63-32835

CITY OF NAMPA
411 3RD ST S
NAMPA ID 83651

Point(s) of Diversion	SWSW	S1	T03N	R02W	CANYON County	Source GROUND WATER
Point(s) of Diversion	SWSW	S1	T03N	R02W	CANYON County	Source GROUND WATER
Point(s) of Diversion	SWSW	S1	T03N	R02W	CANYON County	Source GROUND WATER

Use: MUNICIPAL 01/01 To 12/31 5 CFS
Total Diversion: 5 CFS
Date Filed: 08/18/2007
Remark: Water bearing zone to be appropriated is from 100 to 1000 feet.
Municipal use is for applicants service area.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 02/23/2009. The protestant must also send a copy of the protest to the applicant.

DAVID R. TUTHILL, JR., Director

February 5 & 12, 2009

06560632

Received by Press Tribune to check.

✓ ok / proofed DB 1-28-09

Buffington, Denise

From: Buffington, Denise
Sent: Wednesday, January 28, 2009 3:09 PM
To: legals@idahopress.com
Subject: Legal Notice
Attachments: Canyon County Ads - Cover Letter.RTF; 63-32835 Ad.RTF

Attached please find (1) legal notice being submitted for publication. Please contact me if you have any questions or if you are not able to run the ad on the dates listed.

Thank You,

Denise Buffington
Administrative Assistant
Dept of Water Resources
Western Region

1/28/2009

January 28, 2009

Legal Notice Department
PRESS-TRIBUNE
PO BOX 9399
NAMPA ID 83652

RE: Application for Permit No. 63-32835

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 02/23/2009. Your cooperation is appreciated.

Sincerely,

Denise Buffington
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-32835

CITY OF NAMPA
411 3RD ST S
NAMPA ID 83651

Point(s) of Diversion SWSW S1 T03N R02W CANYON County Source GROUND WATER

Point(s) of Diversion SWSW S1 T03N R02W CANYON County Source GROUND WATER

Point(s) of Diversion SWSW S1 T03N R02W CANYON County Source GROUND WATER

Use: MUNICIPAL 01/01 To 12/31 5 CFS

Total Diversion: 5 CFS

Date Filed: 08/18/2007

Remark: Water bearing zone to be appropriated is from 100 to 1000 feet.
Municipal use is for applicants service area.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 02/23/2009. The protestant must also send a copy of the protest to the applicant.

DAVID R. TUTHILL, JR., Director

Published on February 5th & 12th, 2009



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

January 20, 2009

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

City of Nampa
Attn: Roxanne Brown
SPF Water Engineering LLC
300 S Mallard Ste 350
Boise ID 83706

Applications for Permit #63-32835 & #63-33022-City of Nampa

Dear Ms. Brown:

This letter is a follow-up to our office conversation last week concerning the City of Nampa applications for permit. Our office has initiated processing both applications together to avoid duplication of resources. Our initial review of the applications reveals the intent of the new water allocations needs to be clarified. If the City's intent is to only add additional points of diversion (wells) to their system and there is no need of additional water, a transfer should be filed to add additional wells to existing water rights. However, if additional water is needed by the City now or reasonably in the future, then applications for permit are proper.

Pursuant to Idaho Code (IC) §42-202 & 42-202B: Please provide the following:

-Please provide a statement regarding the intent of the applications.

Are the applications for current or future anticipated water needs by the City?

-Provide growth and planning documentation/pumping data showing the City's intent-present demand, future anticipated needs, or a combination. Attached is a summary of the City's current water rights and permits for reference.

-Provide a current City service area map.

The map may also include anticipated planned boundaries for service.

Should you have questions, please contact me at the Western Regional Office, phone 334-2190.

Sincerely,


John Westra, Manager
Western Region

Enclosure: City of Nampa water rights & permit summary, permit application copies