

IDAHO DEPARTMENT OF WATER RESOURCES

Water Permit Report 95-10027

WATER RIGHT NUMBER: 95-10027

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	PAUL WOOD 227 LOST IN THE WOODS LN ATHOL, ID 83801 (208)683-3480
Current Owner	JUDITH WOOD 227 LOST IN THE WOODS LN ATHOL, ID 83801 (208)683-3480

Priority Date: 11/30/2006

Basis:

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
DOMESTIC	01/01 to 12/31	0.040 CFS	
IRRIGATION	04/01 to 10/31	0.030 CFS	
	<u>Total Diversion:</u>	0.070 CFS	

Location of Point(s) of Diversion

GROUND WATER	NE1/4SW1/4	Sec. 33, Twp 54N, Rge 03W, B.M.
BONNER County		

Place of Use

DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	03W	33									X								

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	03W	33									1.0								1.0

Total Acres: 1

IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit Report 95-10027

Conditions of Approval:

1. 071 The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
2. 26A Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
3. 174 This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the management plan approved by the director for the RPGWMA.
4. 132 Domestic use is for 2 homes. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
5. 046 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. 01R When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
7. R66 This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
8. X60 Place of use is located within Lots 1 and 2, Northern Sky Subdivision.
9. 175 When notified by the Department, the right holder shall record the quantity of water diverted and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code, and/or the management plan for the Rathdrum Prairie Ground Water Management Area.
10. X59 Point of diversion is located within Lot 1, Northern Sky Subdivision.

Comments:

1. eretelle 5/16/2007 POD
Comment: Updated shape
2. eretelle 5/16/2007 POU
Comment: Updated Shape
3. eretelle 5/16/2007 POU
Comment: Updated Shape
4. Renumber 1/13/2009 8:24:44 AM Renumber WR 95-10027
Comment: This has been renumbered from 96-9311

Dates and Other Information:

Permit Proof Due Date:
Permit Proof Made Date:
Permit Approved Date:
Permit Moratorium Expiration Date:
Enlargement Use Priority Date:
Enlargement Statute Priority Date:
Field Exam Date:
Date Sent to State Office:
Date Received at State Office:
State or Federal:
Owner Name Connector: And
Water District Number:
Generic Max Rate Per Acre: 0.03
Generic Max Volume Per Acre: 3
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Carey Act Number:
Mitigation Plan: False

Combined Use Limits:Water Supply Bank: