

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 23-11387

Priority: February 27, 2008

Maximum Diversion Rate: 0.03 CFS

This is to certify, that MICHELLE ALEIXO
And
JEFFREY ALEIXO
C/O HOLDEN KIDWELL HAHN & CRAPO PLLC
PO BOX 50130
IDAHO FALLS ID 83405-0130

has applied for a permit to appropriate water from:

Source: PALISADES CREEK

Tributary: SNAKE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.03 CFS	
AESTHETIC STORAGE	01/01 to 12/31		3.0 AF
RECREATION STORAGE	01/01 to 12/31		3.0 AF
DIVERSION TO STORAGE	04/15 to 10/15	0.03 CFS	

LOCATION OF POINT(S) OF DIVERSION:

PALISADES CREEK SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 25, Twp 01N, Rge 44E, B.M. BONNEVILLE County

PALISADES CREEK SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 25, Twp 01N, Rge 44E, B.M. BONNEVILLE County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	44E	25							.1				1.4						1.5

Total Acres: 1.5

PLACE OF USE: AESTHETIC STORAGE AND RECREATION STORAGE


Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	44E	25							X				X						

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 23-11387

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **December 1, 2011**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 01, Snake River and tributaries.
5. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
6. The right holder shall use a pump installed outside the high water mark of Palisades Creek to divert water in connection with this right. Only a flexible pipe may extend from the pump to the water below the high water mark. The intake for the pipe shall be screened with 1/4 inch or smaller mesh to protect fish and wildlife.
7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
8. To prevent injury to senior right holders, when the 2/27/2008 priority is not being filled on either Palisades Creek or the Irwin to Heise Reach of the Snake River, the right holder shall provide storage water for the Water District #1 watermaster to release into the Irwin to Heise Reach of the Snake River equal to the daily amount being diverted. If storage is not provided to the watermaster by the right holder to mitigate for water diverted from Palisades Creek, the right holder shall not divert water under this right.
9. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
10. Aesthetic and recreation storage is for a pond with a capacity of 3 acre feet.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 18th day of December, 2008.


for DAVID R. TUTHILL, JR., Director