

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 95-9921

WATER RIGHT NUMBER: 95-9921

<u>Owner Type</u>	<u>Name and Address</u>
Present Owner	STERLING A SNYDER N 1589 FAIRMONT LP COEUR D ALENE, ID 83814
Current Owner	LINDA DICKINSON 380 E TWIN LAKES RD RATHDRUM, ID 83858-8703
Present Owner	MARILYNN SNYDER N 1589 FAIRMONT LP COEUR D ALENE, ID 83814 (208)664-6285
Current Owner	DAVID DICKINSON 380 E TWIN LAKES RD RATHDRUM, ID 83858-8703

Priority Date: 07/29/1985

Basis: License

Status: Active

<u>Source</u>	<u>Tributary</u>
SAGE CREEK	SINKS
UNNAMED STREAM	SINKS

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
STOCKWATER FROM STORAGE	1/01 to 12/31		8.60 AF
STOCKWATER	1/01 to 12/31	0.010 CFS	0.70 AF
STOCKWATER STORAGE	1/01 to 12/31		8.60 AF
	<u>Total Diversion:</u>	0.010 CFS	9.30 AF

Location of Point(s) of Diversion

SAGE CREEK	NW1/4SW1/4	Sec. 35, Twp 53N, Rge 03W, B.M.
KOOTENAI County		
UNNAMED STREAM	SE1/4SW1/4	Sec. 35, Twp 53N, Rge 03W, B.M.
KOOTENAI County		

Place of Use

STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N	03W	35									X	X		X					

STOCKWATER STORAGE

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 95-9921

Twp	Rge	Sec	NE				NW				SW				SE				Totals
53N	03W	35	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
												X		X					

STOCKWATER FROM STORAGE same as STOCKWATERConditions of Approval:

1. Stockwater use is for 50 range cattle.

Remarks:Comments:

1. Renumber 12/21/2008 3:53:15 PM Renumber WR 95-9921
Comment: This has been renumbered from 96-8438

Dates and Other Information:

Licensed Date: 10/16/1992
 Decreed Date:
 Enlargement Use Priority Date:
 Enlargement Statute Priority Date:
 State or Federal:
 Owner Name Connector: AND
 Water District Number:
 Generic Max Rate Per Acre:
 Generic Max Volume Per Acre:
 Decree Defendant:
 Decree Plaintiff:
 Civil Case Number:
 Judicial District:
 Swan Falls Trust or Nontrust:
 Swan Falls Dismissed:
 DLE Act Number:
 Carey Act Number:
 Mitigation Plan: False

Combined Use Limits:Water Supply Bank: