

AFFIDAVIT of PUBLICATION

State of Idaho
County of Blaine

Tam Morris, being the first duly sworn, deposes and says that he is the printer (publisher) of the Idaho Mountain Express, a newspaper published every week in Ketchum, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once


each week for 2 (two) consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 3rd day of

December, 20 08, and the date of the last publication was on the 10th day of December, 20 08

Subscribed and sworn to before me this 12 day of

Dec, 20 08.



Connie N. Johnson
NOTARY PUBLIC

IDAHO MOUNTAIN EXPRESS
P.O. Box 1013
Ketchum, Idaho 83340

COST OF PUBLICATION

Number of Picas per Line 11.5
Number of Lines in Notice 46
Number of Insertions 2 (two)

Lines tabular at 9.0 cents/pica
46 Lines straight at 42.32 8.0 cents/pica
46 Subsequent lines at 37.03 7.0 cents/pica
TOTAL COST \$79.35

RECEIVED

DEC 15 2008

DEPT. OF WATER RESOURCES
SOUTHERN REGION

COPY OF NOTICE

Notice of application
TITLE OF NOTICE for term

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Idaho dept. of water
BILL TO Resources

NOTICE OF APPLICATION FOR PERMIT

The following application has been filed to appropriate the public waters of the State of Idaho, Blaine County.

Application No. 37-22395

CRAIG JOHNSON and SHAWN UNDERWOOD
16327 MAPLEWILD AVE. S.W.
BURIEN, WA 98166

Point of Diversion and Place of Use: L3

(NWSE) S13 T04N R17E

Source: GROUND WATER

Use: 01/01 To 12/31

HEATING (0.07 CFS)

Total Diversion: 0.07 CFS

Date Filed: 10/30/2008

Remark: Application for permit proposes to divert 0.07 cfs of groundwater for a non-consumptive heating system from a new proposed well located approximately 0.55 miles west and 0.12 miles south of the Highway 75 and Sun Valley Road intersection at the center of Ketchum. Permit will be subject to all prior water rights. For specific details regarding the application, please contact IDWR Southern Regional Office at 208-736-3033 or visit the website for the Department at <http://www.idwr.idaho.gov/apps/ExtSearch/WRFiling.asp> Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code. Protests against approval must be filed with IDWR, Southern Region, 1341 Fillmore St.-Suite 200; Twin Falls, ID 83301 with a protest fee of \$25.00 for each application on or before December 22, 2008. The protestant must also send a copy of the protest to the applicant. David R. Tuthill, JR., Director

PUBLISH:

IDAHO MOUNTAIN EXPRESS

Dec. 3 & 10, 2008