

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 96-09405

Priority: August 19, 2008

Maximum Diversion Rate: 0.03 CFS

This is to certify, that HENRY V HALSETH
And/Or EVELYN J HALSETH
1991 GYPSY BAY RD
SAGLE ID 83860

has applied for a permit to appropriate water from:

Source: PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

PEND OREILLE RIVER L4(SE¼SE¼) Sec. 27, Twp 57N, Rge 03W, B.M. BONNER County


PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals	
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
57N 03W 27																	.3	.3
57N 03W 34	.3																L 4	.3
	L 1																	
Total Acres:	0.5																	

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **December 01, 2009**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 1.5 afa at the field headgate for irrigation of the land described above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 17th day of November, 2008.


DAVID R. TUTHILL, JR., Director