STARTING LEFT SIDE OF FILE

SCANNED
MAR 0 5 2008

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~ORIGINAL APPLICATION~~	~~36-08475~~	~~SIMPLOT, J.R. CO.~~	~~6.40~~
FULL ASSIGNMENT	36-08475	YOUNG, STEVEN D. & MARIA YOUNG, ROY M.	6.40

MAY 21, 1998

MICROFILMED
JUN 0 2 1998

RECEIVED
MAY 08 1998
Department of Water Resource
Southern Region

final copy.

Received 5-8-98
by JE Stanton

State of Idaho

Department of Water Resources

RECEIVED
MAY 14 1998
Receipt 5021081
Department of Water Resources

ASSIGNMENT OF PERMIT

J. R. Simplot Company, a Nevada Corporation, of Post Office Box 27, Boise, Idaho 83707, assigns to Steven D. Young and Maria Young, husband and wife as to an undivided fifty percent interest and Roy M. Young individually as to an undivided fifty percent interest, all of 300A E. 1500 N., Rupert, Idaho 83350 the following IDWR permit:

All right, title and interest in and to Permit No. **36-08475** to appropriate the public waters of the State of Idaho.

Made effective as of the December 1, 1997.

Permit Holder
J. R. Simplot Company

Stephen G. Beebe
Stephen, A. Beebe, President and CEO

STATE OF Idaho)
)ss.
County of Ada)

On this 25th day of November, 1997, before me, a Notary Public in and for said State, personally appeared Stephen A. Beebe, known to me to be the President and C. E. O. of the J. R. Simplot Company whose name is subscribed to the within instrument, and acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Kelline Bond
Notary Public for Idaho
Residing at: Boise, Idaho

KELLINE BOND NOTARY PUBLIC STATE OF IDAHO seal

My commission expires: 10-13-98

MICROFILMED
JUN 02 1998

7/94

Amt. of Fee $: 250.00
Receipt No. 0033647
Receipt By: RT
Date Receipted: 10/3/95

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
OCT 0 2 1995
Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08475 Telephone No. 208-336-2110

2. Name(s) of Permit Holder(s): J.R. Simplot Company

3. Mailing Address: Post Office Box 27, Boise, Idaho 83707

4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. Completed / yr. 1991

   a. Well Driller: Eaton Drilling & Pump Service, Inc. Drilling Permit Number: 36 - 90 - S - 078

   b. ***OPTIONAL:***
   Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

   Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

   Irrigation (No. of acres): 320 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 6.4 cfs **OR** _____ acre feet

7. Measuring Device Requirement: **(refer to the approval conditions on your permit and respond accordingly)**
   *(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)*

   Measuring Device: Is a measuring device required? Yes X **or** No ____
   Has the measuring device been installed? Yes X **or** No ____

   Flow Measurement Port: Is a flow measurement port required? Yes X **or** No ____
   Has the measurement port been installed? Yes X **or** No ____

8. Fee Enclosed: $ 250.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

   Name: Ron Robertson Telephone Number: 208-349-5511

   Address: Star Route, Box 75, Declo, Idaho

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

J.R. Simplot Company

Signature of permit holder: By: _____ Date: 9-29-95
(include your title, if on behalf of company of organization)
James D. Crawford, Treasurer

RECEIVED
OCT 27 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
36-08475 IN THE NAME OF J.R.)
SIMPLOT COMPANY)
)

ORDER

This matter having come before the Idaho Department of Water Resources (department), as a result of a response by the permit holder to an order issued by the department, the department makes the following Findings of Fact, Conclusions of Law and Order:

FINDINGS OF FACT

1. On November 9, 1994, the Director of the department issued an Order for Temporary Stay of Development and Notice of Formal Proceedings (order) in connection with certain permits within the Eastern Snake River Plain Aquifer for which proof of beneficial use of water has not been filed with the department.

2. On February 1, 1995 the holder of Permit No. 36-08475 (permit) filed a response to the order with the Director in connection with Order Condition 2.B.1) to show that the permit holder has a substantial investment in facilities to divert and beneficially use water authorized for diversion under the permit.

CONCLUSIONS OF LAW

1. The permit holder has provided sufficient evidence to demonstrate that substantial investment has been made in facilities to divert and beneficially use the water contemplated under the permit.

2. The Director should allow the permit holder to continue the development authorized by the permit.

ORDER

IT IS THEREFORE, HEREBY ORDERED that the permit holder is authorized to continue with development under terms of the existing permit.

Dated this 3RD day of FEBRUARY, 1995.

R. Keith Higginson

R. KEITH HIGGINSON
Director

MICROFILMED

FEB 14 1995

CERTIFICATE OF MAILING

I HEREBY CERTIFY that on this 8th day of February, 1995, I mailed a true and correct copy, postage prepaid, of the foregoing **ORDER** to the following:

J.R. Simplot Company
P.O. Box 27
Boise, ID 83707

Julie L. Yarbrough
JULIE L. YARBROUGH
Senior Secretary

MICROFILMED
FEB 14 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF APPROVED PERMITS FOR THE APPROPRIATION OF GROUND WATER FROM THE EASTERN SNAKE RIVER PLAIN AQUIFER FOR WHICH PROOF OF BENEFICIAL USE HAS NOT BEEN SUBMITTED AND IS NOT PAST DUE	**ORDER FOR TEMPORARY STAY OF DEVELOPMENT AND NOTICE OF FORMAL PROCEEDINGS**

The Director of the Idaho Department of Water Resources (Director), having responsibility for the administration of the appropriation of the water of the state of Idaho, the protection of rights to the use of water within the state, the protection of the public interest in the waters of the state and the conservation of the water resources of the state enters the following Findings of Fact, Conclusions of Law and Order for temporary stay; and provides the following notice of formal proceedings:

FINDING OF FACTS

1. On May 15, 1992, the Director issued an order establishing a moratorium on the processing and approval of applications for permit to appropriate water from all surface and ground water sources upstream from the USGS Gauge on the Snake River near Weiser, Idaho. On April 30, 1993, the Director issued an Amended Moratorium Order covering the Eastern Snake River Plain Aquifer. The 1994 session of the Idaho Legislature enacted section 42-1806, Idaho Code, requiring that the moratorium relating to the the Eastern Snake River Plain area shall continue in effect until December 31, 1997.

2. The state of Idaho has experienced seven (7) recent years of drought conditions resulting in lowered ground water levels and decreased discharge from surface water sources. The Idaho Legislature has authorized a study to examine the implications of these changes and the relationships between surface and ground water resources. The study is expected to be completed in approximately two (2) years.

3. Delivery calls have been made by the holders of senior-priority surface and ground water rights against the holders of junior-priority ground water rights from the Eastern Snake Plain Aquifer which could result in the curtailment of diversion and use of water under junior-priority ground water rights including rights which might otherwise be developed under permits which are the subject of this order and notice.

RECEIVED
FEB 14 1995

CONCLUSIONS OF LAW

1. Section 42-1805, Idaho Code, provides in part as follows:

> In addition to other duties prescribed by law, the director of the department of water resources shall have the following powers and duties:
> ...
> (7) After notice, to suspend the issuance or further action on permits or applications as necessary to protect existing vested water rights or to ensure compliance with the provisions of chapter 2, title 42, Idaho Code, or to prevent violation of minimum flow provisions of the state water plan.

2. Water Appropriation Rule 55.02. of the Department of Water Resources (IDAPA 37.03.08055.02) provides as follows:

> 02. PERMITS
>
> a. To the extent a permit has not been developed, the director may cancel, or modify permits for which proof of beneficial use has not been submitted in a designated geographical area as an extension of Rule 55.01.
>
> b. Notice of the director's action to cancel or modify permits shall be by:
>
> i. Summary Order served by certified mail upon the affected permit holders in the designated area.
>
> ii. Publication of the order for three (3) consecutive weeks in a newspaper or newspapers of general circulation in the area.
>
> c. Objections to the director's action shall be considered under the department's adopted rules of procedure and applicable law.

3. Rule of Procedure 104 of the Department of Water Resources (IDAPA 37.01.01104) provides in part as follows:

> Formal proceedings may be initiated by a document from the agency informing the party(ies) that the agency has reached an informal determination that will become final in the absence of further action by the person to whom the correspondence is addressed, provided that the document complies with the requirements of Rules 210 through 280.

4. Protection of prior rights to the diversion and use of surface and ground water of the Eastern Snake River Plain Aquifer

FEB 14 1995

and the Snake River may require that the further development of water under existing undeveloped permits be suspended indefinitely to assure that the effects and conditions caused by drought, changes in irrigation practices and resulting aquifer recharge, and diversion and use of ground water from the aquifer under prior established water rights are properly evaluated.

5. Section 42-204, Idaho Code, provides in part as follows:

> Every holder of a permit which shall be issued under the terms and conditions of an application filed hereafter appropriating twenty-five (25) cubic feet or less per second must, within one (1) year from the date upon which said permit issues from the office of the department of water resources, commence the excavation or construction of the works by which he intends to divert the water, and must prosecute the work diligently and uninterruptedly to completion, unless temporarily interrupted through no fault of the holder of such permit by circumstances, over which he has no control.

ORDER

IT IS THEREFORE, HEREBY ORDERED as follows:

1. The owners of all permits to appropriate ground water within the boundaries of the Eastern Snake Plain Aquifer, as that area is defined by Rule 50 of the rules for Conjunctive Management of Surface and Ground Water Resources (IDAPA 37.03.11), shall, effective immediately upon receipt of this order, temporarily stop further development under the permit until the Director authorizes further development.

2. The owners of all permits for appropriation of ground water within the boundaries of the Eastern Snake River Plain Aquifer shall on or before February 1, 1995, either:

A. File proof of beneficial use to cover the extent of diversion and beneficial use of water that has been accomplished prior to receipt of this order; or

B. File a response with the Director in this proceeding to satisfy the requirements of either subparagraph 1) or 2) below:

1) Document with supporting information that a "substantial investment" has been made, prior to receipt of this order, in facilities to divert and beneficially use water under the permit that merits the granting of additional time to complete all or part of the project. Substantial investment means an actual expenditure or written commitment for development of the project which meets the following requirements:

RECEIVED
FEB 14 1995

a) The actual expenditure or written commitment for the diversion and related equipment must equal or exceed the amount of fifteen thousand dollars ($15,000) or exceed twenty five (25) percent of the estimated cost of the system for diverting and beneficially using the water, whichever is less; and
b) The actual expenditure or written commitment must have been made before receipt of this order.

2) Request an indefinite stay in the development period for the project, or any part of the project for which a substantial investment has not been made, until the conditions that resulted in this order have been alleviated if such should ever occur. Upon approval of any such stay, no further development is to occur until such time as the department has issued an extension of time setting a date for completion of the project.

3. Failure to submit either proof of benefical use or a satisfactory response shall result in cancellation of the permit without further notice.

4. Before receiving approval for either additional time to complete a project under subparagraph 2.B.1) or a stay under subparagraph 2.B.2) above, the owner of the permit shall provide information to demonstrate compliance with the provisions of Sections 42-204, Idaho Code, with respect to commencing and diligently proceeding to develop the project authorized under the permit.

5. This order does not prevent the Director from reviewing continued development of a permit on a case-by-case basis if,

a. The Director determines that protection and furtherance of the public interest justifies continued development of a permit; or

b. The Director determines that continued development and use of water will have no effect on prior water rights because of its location, insignificant consumption of water or mitigation provided by the permit holder to offset injury to other rights.

Dated this 9TH day of NOVEMBER, 1994.

R. Keith Higginson

R. KEITH HIGGINSON
Director

MICROFILMED
FEB 14 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08475

Proposed Priority: October 31, 1989 Maximum Diversion Rate: 6.40 CFS

This is to certify, that **JR SIMPLOT CO**
PO BOX 27
BOISE ID 83707

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION
IRRIGATION	03/15 to 11/15	6.40 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESW Sec. 2, Township 07S, Range 23E
SWSW Sec. 2, Township 07S, Range 23E
MINIDOKA County

PLACE OF USE: IRRIGATION

TWN	RGE	SEC		ACRES		ACRES		ACRES	TOTAL
07S	23E	11	NENE	40	NWNE	40	SWNE	40	
			SENE	40	NENW	40	NWNW	40	
			SWNW	40	SENW	40			320

Total number of acres irrigated: 320

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 2, 1995.**
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
7. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

MICROFILMED

NOV 15 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08475

CONDITIONS/REMARKS:

8. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
9. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 8th day of October, 1991.

for R. Keith Higginson, Director

RECORDED
NOV 15 1991

Form 202
6/85

Ident. No. 36-08475

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

OCT 31 1989

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant J. R. Simplot Company Phone 336-2110

   Post office address P.O. Box 27 Boise, Idaho 83707

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ ¼ of SW ¼ of SW ¼, Govt. Lot _____

   Sec. 2 Township 7S Range 23E B.M. Minidoka County; additional

   points of diversion if any: SE¼ SW¼ Sec 2 T. 7S R. 23E

4. Water will be used for the following purposes:

   Amount 6.4 cfs (cfs or acre-feet per annum) for Irigation purposes from 3/15 to 11/15 (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated is (a) 6.4 c.f.s. (cubic feet per second) and/or (b) _____ (acre feet per annum)

6. Proposed diverting works:

   a. Description of ditches, flumes, pumps, headgates, etc. 2 wells, 2 pumps

   b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

   c. Proposed well diameter is 16" inches; proposed depth of well is 350 feet.

   d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (*minimum 1 year*).

MICROFILMED

NOV 15 1991

8. Description of proposed uses (*if irrigation only, go to item 9*):
   a. Hydropower; show total feet of head and proposed capacity in KW. _____
   b. Stockwatering; list number and kind of livestock. _____
   c. Municipal; show name of municipality. _____
   d. Domestic; show number of households. _____
   e. Other; describe fully. _____

9. Description of place of use:
   a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
   b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	23E	11	40	40	40	40	40	40	40	40									320

Total number of acres to be irrigated 320

10. Describe any other water rights used for the same purposes as described above. _____


11. a. Who owns the property at the point of diversion? J. R. Simplot Company
    b. Who owns the land to be irrigated or place of use? J. R. Simplot Company
    c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

NOV 15 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J. R. SIMPLOT COMPANY

(Applicant)

Ronald N. Graves, Secretary

Received by D.K. Date 10-31-89 Time 3:51 pm Preliminary check by JRS

Fee $ 165.00 Receipted by DK # C012610 Date 10-31-89

Publication prepared by BLM Date 4-24-91 Published in South Idaho Press

Publication approved yf Date 5-16-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.


   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

   c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

   d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

   e. Other:

RECEIVED
NOV 15 1991


Application For Permit
= points of Diversion
= place of Use
23E
78
LINCOLN CO.
MINIDOKA CO.
Steve Young Purchase 1985
Kimama
Landing Strip
Adelaide
Well
Clawson Substation
Norland
UNION
Main
R 22 E
R 23 E
R 24 E
1348
1312
1319
NOV 15 2004

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

91-198

NOTICE OF APPLICATION FOR TRUST WATER RIGHT
36-08475

J.R. SIMPLOT CO.
P.O. BOX 27
BOISE, ID 83707
Source: GROUNDWATER
Diversion Pt: SWSW Sec 2 T 07S R 23E
SESW Sec 2 T 07S R 23R
SESW Sec 2 T 07S R 23E
Use: IRRIGATION (6.400 CFS)
Total Diversion: (6.400 CFS)
Date Filed: 10/31/1989
In: T07S R 23E S11 NENE NWNE SWNE SENE
NENW NWNW SWNW SENW
320.0 ACRES TOTAL
The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before MAY 20, 1991.
/s/ R. Keith Higginson, Director
Published in the South Idaho Press on May 3 and 10, 1991.

OR Ltr 5-16-91

County of Cassia, }
STATE OF IDAHO } ss.

Monique Jones being first duly sworn, deposes and says that She is the Clerk of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of The South Idaho Press for two consecutive weeks, commencing with the issue dated May 3 19 91, and ending with the issue dated May 10, 19 91. Monique Jones


STATE OF IDAHO
COUNTY OF Cassia }

On this 15 day of May in the year of 1991, before me, a Notary Public, personally appeared Monique Jones, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and adknowledged to me that he executed the same.

Dolores Makey
Notary Public for Idaho
Residing at Burley Id
My commission expires: 2/4/93

Cost of Publication: 28.08
Notary Fee: .50
Total Cost: 28.58

MICROFILMED
NOV 15 1991



SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,
STATE OF IDAHO } ss.

Monique Jones being first duly sworn, deposes and says that She is the Clerk of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of The South Idaho Press for two consecutive weeks, commencing with the issue dated May 3 19 91, and ending with the issue dated May 10, 19 91. Monique Jones

OR Eff. 5-16-91

STATE OF IDAHO
COUNTY OF Cassia }

On this 15 day of May in the year of 1991, before me, a Notary Public, personally appeared Monique Jones, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and adknowledged to me that he executed the same.

Dolores Makey
Notary Public for Idaho
Residing at Burley Id
My commission expires: 2/4/93

Cost of Publication: 28.08
Notary Fee: .50
Total Cost: 28.58

MICROFILMED
NOV 15 1991

STARTING RIGHT SIDE OF FILE

Walker, Kay

From: Skinner, Corey
Sent: Wednesday, April 23, 2003 11:50 AM
To: Brown, Roxanne
Cc: Walker, Kay; Stanton, Jim
Subject: FW: Permit No. 36-8475 - Young & Young

Roxanne,

Kay sent me the attached e-mail regarding a permit she is working on. Apparently, there is some SRBA work on numerous overlapping rights that needs to be done before the permit can be issued. Down on this end, Brockway Engineering is working on three transfer applications that will involve the Young & Young rights (from the SRBA and the permit Kay is working on). The transfer applications were filed around the first of April, but were returned to Brockway Engineering due to several items that needed further clarification. Once the transfer applications are refiled, and assuming the various items have been clarified, the SRBA work for the Young & Young rights will have to be completed before the processing, in particular the data entry, of the transfer can start.

In a nutshell, any work that can be done to expedite the needed SRBA updates on the Young & Young rights would be appreciated.

Thanks,

Corey

-----Original Message-----
From: Walker, Kay
Sent: Wednesday, April 23, 2003 9:52 AM
To: Skinner, Corey
Cc: Stanton, Jim
Subject: Permit No. 36-8475 - Young & Young

Corey: In review of Jim's licensing exam, Transfer 66087 and all overlapping rights, I find that the SRBA has not decreed about 1/2 of the rights involved in the transfer. When I did my overlap review I was only coming up with a few of the rights involved in this system since I prepare my overlaps on water rights only. I am not going to proceed with the licensing of this permit until the SRBA finalizes the decrees on other overlapping rights. When I found that some of the rights had not been completed in SRBA I discussed with Roxanne and she says she is working on them. It could be awhile before they are all done (was the impression I got)... If this is a problem with the "new" transfer you are preparing let me know, otherwise I have put the permit on hold until all issues are resolved. Just thought I would give you an update on my progress on this one. Kay

Walker, Kay

From: Skinner, Corey
Sent: Thursday, April 10, 2003 3:56 PM
To: Skaggs, Pam
Cc: Stanton, Jim; Walker, Kay
Subject: RE: 66087 Y & Y Transfer

Pam,

Attached is a memo that outlines the discrepancies in the Young & Young PODs between the Transfer 66087 approval document and what Jim found in his field exam for 36-8475 (pending licensing). I checked a couple of the rights involved in Transfer 66087 in Workflow and they only listed 32 wells. I think the Transfer 66087 approval document lists the first eight POD descriptions twice. It appears to be a problem with just the Transfer 66087 approval document based on the couple of rights I looked at in Workflow. Jim's field exam for 36-8475 revealed only 31 wells (the well located in the SW1/4NE1/4NW1/4 Sec. 26, Twp 06S, Rge 23E was never found).

Thanks for looking into this one,

Corey



Young & Young
POD memo.doc

-----Original Message-----
From: Skaggs, Pam
Sent: Wednesday, April 09, 2003 2:58 PM
To: Skinner, Corey
Subject: 66087 Y & Y Transfer

Corey,

Sharla & I looked at the approval & can see that perhaps it is an editing problem on the approval. If you send over a memo identifying all the correct p/ds we may issue an amended couple of pages & correct them. You did say that the transfer in workflow (& hopefully the updated records) have the correct p/ds? Hopefully it is just a document problem. Also, we found the application in 36-2058B.

Pam

MEMORANDUM

TO: Transfer 66087 and License 36-8475 Files

FROM: Corey Skinner

DATE: April 10, 2003

SUBJECT: Point of Diversion Clarification

Examination of the current approval document for Transfer 66087 and the draft license for 36-8475 reveals some discrepancies between the points of diversion descriptions listed on the two documents. The two documents describe the same common system and the point of diversion descriptions should match. Jim Stanton completed the beneficial use field exam for license 36-8475 and verified well locations using a combination of WIMIS data and field collected GPS points. This revealed some discrepancies in well locations between the draft 36-8475 license and what is described on the Transfer 66087 approval. These discrepancies can be attributed to one well that does not actually exist, and some wells actually being located in adjacent tracts, rather than the tracts described in the Transfer 66087 approval. In addition, examination of the Transfer 66087 approval document reveals that 40 point of diversion descriptions are listed on the document, while 32 point of diversion descriptions appear to be reflected in the Department's database. The draft license for 36-8475 lists 31 point of diversion descriptions. It appears that eight duplicate point of diversion descriptions are listed on the Transfer 66087 approval document. Based on Jim's beneficial use field exam for license 36-8475, it appears that in reality, there are actually only 31 wells under the system described by Transfer 66087 and right 36-8475. A breakdown of the point of diversion description discrepancies on the Transfer 66087 approval document follows…

POD as described on Transfer 66087 Approval Document	**Comment**
SW1/4NE1/4NW1/4 Sec. 26, Twp 06S, Rge 23E*	(Well does not exist according to 36-8475 Field Exam)
SW1/4NE1/4SW1/4 Sec. 26, Twp 06S, Rge 23E*	(Description matches 36-8475 Field Exam)
SW1/4SW1/4SE1/4 Sec. 32, Twp 06S, Rge 23E*	(Actually SESESW of Section 32 per 36-8475 Field Exam)
NW1/4NW1/4NE1/4 Sec. 33, Twp 06S, Rge 23E*	(Description matches 36-8475 Field Exam)
NE1/4SE1/4SW1/4 Sec. 33, Twp 06S, Rge 23E*	(Description matches 36-8475 Field Exam)
SW1/4NE1/4NE1/4 Sec. 31, Twp 06S, Rge 24E*	(Description matches 36-8475 Field Exam)
L7 (SE1/4NE1/4SW1/4) Sec. 31, Twp 06S, Rge 24E*	(Description matches 36-8475 Field Exam)
SE1/4SE1/4NE1/4 Sec. 32, Twp 06S, Rge 24E*	(Actually NENESE of Section 32 per 36-8475 Field Exam)
SW1/4NE1/4NW1/4 Sec. 26, Twp 06S, Rge 23E	* Duplicate Point of Diversion Description

POD as described on Transfer 66087 Approval Document	Comment
SW1/4NE1/4SW1/4 Sec. 26, Twp 06S, Rge 23E	* Duplicate Point of Diversion Description
SW1/4SW1/4SE1/4 Sec. 32, Twp 06S, Rge 23E	* Duplicate Point of Diversion Description
NW1/4NW1/4NE1/4 Sec. 33, Twp 06S, Rge 23E	* Duplicate Point of Diversion Description
NE1/4SE1/4SW1/4 Sec. 33, Twp 06S, Rge 23E	* Duplicate Point of Diversion Description
SW1/4NE1/4NE1/4 Sec. 31, Twp 06S, Rge 24E	* Duplicate Point of Diversion Description
L7 (SE1/4NE1/4SW1/4) Sec. 31, Twp 06S, Rge 24E	* Duplicate Point of Diversion Description
SE1/4SE1/4NE1/4 Sec. 32, Twp 06S, Rge 24E	* Duplicate Point of Diversion Description
NW1/4NW1/4SW1/4 Sec. 32, Twp 06S, Rge 24E	(Description matches 36-8475 Field Exam)
NE1/4SW1/4NW1/4 Sec. 33, Twp 06S, Rge 24E	(Description matches 36-8475 Field Exam)
SW1/4SE1/4SW1/4 Sec. 33, Twp 06S, Rge 24E	(Actually SESWSW of Section 33 per 36-8475 Field Exam)
NE1/4NE1/4SW1/4 Sec. 1, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
L3 (NE1/4NE1/4NW1/4) Sec. 3, Twp 07S, Rge 23E	(Actually (lot 2) NWNWNE of Section 3 per 36-8475 Field Exam)
SE1/4SE1/4NW1/4 Sec. 11, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
SE1/4NW1/4SW1/4 Sec. 11, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
NE1/4SW1/4SE1/4 Sec. 11, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
SW1/4SE1/4NE1/4 Sec. 12, Twp 07S, Rge 23E	(Actually SESWNE of Section 12 per 36-8475 Field Exam)
NW1/4SE1/4NW1/4 Sec. 12, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
NW1/4SE1/4SW1/4 Sec. 12, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
NE1/4SW1/4NE1/4 Sec. 13, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
NE1/4SW1/4NW1/4 Sec. 13, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)

POD as described on Transfer 66087 Approval Document	**Comment**
NE1/4SW1/4NE1/4 Sec. 14, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
SE1/4NE1/4SW1/4 Sec. 14, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
NE1/4NE1/4NE1/4 Sec. 24, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
NE1/4SW1/4SW1/4 Sec. 24, Twp 07S, Rge 23E	(Description matches 36-8475 Field Exam)
NW1/4NE1/4SE1/4 Sec. 4, Twp 07S, Rge 24E	(Description matches 36-8475 Field Exam)
NE1/4NE1/4SE1/4 Sec. 6, Twp 07S, Rge 24E	(Description matches 36-8475 Field Exam)
SW1/4NW1/4NE1/4 Sec. 7, Twp 07S, Rge 24E	(Actually NWSWNE of Section 7 per 36-8475 Field Exam)
NW1/4SW1/4NW1/4 Sec. 11, Twp 07S, Rge 24E	(Description matches 36-8475 Field Exam)
NE1/4NW1/4SW1/4 Sec. 16, Twp 07S, Rge 24E	(Description matches 36-8475 Field Exam)
SE1/4SW1/4NE1/4 Sec. 20, Twp 07S, Rge 24E	(Description matches 36-8475 Field Exam)
SW1/4NW1/4NW1/4 Sec. 21, Twp 07S, Rge 24E	(Description matches 36-8475 Field Exam)

Walker, Kay

From: Stanton, Jim
Sent: Thursday, April 03, 2003 11:26 AM
To: Walker, Kay
Cc: Stanton, Jim
Subject: Draft Lic 36-8475, Young & Young

Kay - As we discussed, I am now recommending 70 more acres and 280 afa more volume for this right. I have modified my exam comments, and have created a 2nd draft license (attached). One condition has been modified - please review



2nd draft Lic 36-8475.RTF

and make whatever changes you think necessary.

Walker, Kay

From: Stanton, Jim
Sent: Tuesday, April 01, 2003 1:43 PM
To: Walker, Kay
Cc: Stanton, Jim
Subject: Permit 36-8475, Young & Young

Kay - I checked the 1995 FSA slide & their 1996 base photo of the permitted p/u. It only appeared that the NE 1/4 of Sec. 11 was irrigated with a pivot (no corners). Most of the NW 1/4 is still dry. So I stand by my recommendation of not allowing any new land or annual volume, just additional cfs. It would take me hours and hours of research to be 100% sure about this, and I just don't have the time. If Steve Young wants to contest this, then he can provide the evidence.

4/3

→ 4 acres are included in Jim's shape — He will recommend more volume for these 70 acres — Held for new memo from Jim.

Form 219
6/92

RECEIVED
MAR 2 7 2003
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 36-8475

1. Owner: Steven D & Roy M Young dba Young & Young of Idaho ~~Partnership~~ Phone No. 436-7550

Current Address: ~~300 A East 1600 North~~, Rupert, ID 83350 PO Box 707

2. Accompanied by: Bruce Hunsaker per telecon. Site visit EXAM DATE: 12-5-02, 3-18-03

Address: Same & lone Phone No. _____

Relationship to Permit Holder: employee

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 36-2058D etc

2. Other water rights with the same point of diversion: 36-2058D etc.

C. DIVERSION AND DELIVERY SYSTEM


1. **Point(s) of Diversion:** See T. ~~5169~~ 66087

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
									GPS data

2. **Place(s) of Use:** Indicate Method of Determination ~~See T, 5169 66087~~ V

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																			~~8574~~
																			8742

3. **Delivery System Diagram**: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

__✓__ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Various						

2. **Measurements:** Measured 129.38cfs by various IDWR employees & others.

E. NARRATIVE/REMARKS/COMMENTS

The land & wells covered by this permit are part of the large PPU allowed under T.5167. Of the 32 covered wells, 31 are active. The well in the NE/NW Sec. 26 T.6S R. 23E has been capped, but could be put back into service if needed. The total measured flow of the active wells is 129.4 cfs. The transfer allowed 119.01 cfs, so 10.39 cfs extra is being diverted. I therefore recommend that this permit be licensed for the permitted flow rate, with no additional volume, and limited to 320 acres per year within the 8574-acre ppu.

Have conditions of permit approval been met? ✓ yes ___ no

F. FLOW CALCULATIONS ____ Additional Computation Sheets Attached

Measured Method:

Existing rights under T, 66087 = 119.01 cfs, but system produces 129.98 cfs
Allow 6.4 cfs permitted amount.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R}$ = (Acres Irrigated) x (Irrigation Requirement) = _____

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = _____

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	Period of Use To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Irrigation	3-15	11-15	6.4	–
		Totals:	6.4	–

2. Recommended Amendments

√ Change P.D. as reflected above √ Add P.D. as reflected above ___ None
√ Change P.U. as reflected above √ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name J Eftanton Date 3-26-03

Reviewer _____ Date _____ SEAL

MEMORANDUM

Date: March 26, 2003

To: Water Right File 36-8475

From: jstanton

Re: Field Report Narrative

There are 31 wells in the system that was established under T. 5167 & amended by T. 5720 (now T. 66087) last year. One well was capped while some of the land was been in CRP, and has not been put back into service; it could be reactivated if needed, however. All the working wells have been measured by IDWR or by the Magic Valley Groundwater District, with a total pumping rate of 129.38 cfs. T. 66087 allowed 119.01 cfs on 8644 ac (8574 ac/yr), & T. 66074 added 1.4 cfs on 98 acres; this leaves 8.97 cfs of unlicensed capacity. This permit is for 6.4 cfs, so all of it can be licensed to the place of use covered by these transfers. The transfers appear to describe all the land irrigated by these wells, and allow the full volume for these acres. So I am recommending licensing of the permitted flow rate, with no additional acres or volume in the recommended place of use. I do not plan to do a full field exam on this huge system, as the SRBA has already cofirmed the water rights and points of diversion on this property. I did visit several of the wells to GPS locations that were unclear. All the recommend pods are based on GPS readings rather than on the approved transfers, and several legal descriptions have been changed in the draft license because of this. The north well in Sec. 23 T. 6S R. 23E no longer exists, so is not recommended for licensing. I do not plan to ask Steve Young to file another transfer to correct the record for all the other rights on this property.

Comment Report

36-8475

1. jstanton 1/21/2003 Field Report Narrative
Comment: There are 31 wells in the system that was established under T. 5167 & amended by T. 5720 (now T. 66087) last year. One well was capped while some of the land was been in CRP, and has not been put back into service; it could be reactivated if needed, however. All the working wells have been measured by IDWR or by the Magic Valley Groundwater District, with a total pumping rate of 129.38 cfs. T. 66087 allowed 119.01 cfs on 8644 ac (8574 ac/yr), & T. 66074 added 1.4 cfs on 98 acres; this leaves 8.97 cfs of unlicensed capacity. This permit is for 6.4 cfs, so all of it can be licensed to the place of use covered by these transfers. The transfers appear to describe all the land irrigated by these wells, but with an annual limit that is 70 acres less than the full ppu. FSA records show that a pivot was installed on the permitted ground by the time proof was filed, adding about 132 acres to the system; this pivot was subsequently covered by water moved there by transfer from other licensed ground, so it appears that the 70-acre shortfall can be covered by this permit. I do not plan to do a full field exam on this huge system, as the SRBA has already cofirmed the water rights and points of diversion on this property. I did visit several of the wells to GPS locations that were unclear. All the recommend pods are based on GPS readings rather than on the approved transfers, and several legal descriptions have been changed in the draft license because of this. The north well in Sec. 23 T. 6S R. 23E no longer exists, so is not recommended for licensing. I do not plan to ask Steve Young to file another transfer to correct the record for all the other rights on this property.

2. SCURTIS 10/4/1995 Proof of Beneficial Use Rcvd
Comment: Proof of Beneficial Use Rcvd

SDE:

Right Number	POD ID #	Shape Updated	POU ID #	Shape Updated
36-8475	584209	✓	675640	✓
	204	✓	(95 pivots)	
	248	✓		
	249	✓		
	250	✓		
	251	✓		
	252	✓		
	253	✓		
	254	✓		
	255	✓		
	256	✓		
	257	✓		
	258	✓		
	259	✓		
	260	✓		
	261	✓		
	262	✓		
	263	✓		
	264	✓		
	265	✓		
	266	✓		
	267	✓		
	268	✓		
	271	✓		
	272	✓		
	273	✓		
	274	✓		
	275	✓		
	276	✓		
	277	✓		
	278	✓		
			J E Stanton 3-26-09	

State of Idaho
Department of Water Resources

DRAFT

Water Right License

WATER RIGHT NO. 36-08475

Priority: October 31, 1989 Maximum Diversion Rate: 6.40 CFS

It is hereby certified that YOUNG & YOUNG OF IDAHO
PO BOX 707
RUPERT ID 83350 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 31, 1989; and has submitted Proof of Beneficial Use on October 02, 1995. An examination indicates that the works have a diversion capacity of 129.38 cfs of water from:

keep for future information

SOURCE
GROUND WATER

and a water right has been established as follows:

BENEFICIAL USE	PERIOD OF USE	DIVERSION RATE	ANNUAL DIVERSION VOLUME
IRRIGATION	03/15 to 11/15	6.40 CFS	

LOCATION OF POINT(S) OF DIVERSION:

			POD ID
GROUND WATER MINIDOKA County	NW1/4NW1/4SW1/4	Sec. 32, Twp 06S, Rge 24E, B.M.	584203
GROUND WATER MINIDOKA County	NW1/4SE1/4NW1/4	Sec. 12, Twp 07S, Rge 23E, B.M.	584204
GROUND WATER MINIDOKA County	L2 (NW1/4NW1/4NE1/4)	Sec. 3, Twp 07S, Rge 23E, B.M.	584248
GROUND WATER MINIDOKA County	NE1/4NE1/4SE1/4	Sec. 32, Twp 06S, Rge 24E, B.M.	584249
GROUND WATER MINIDOKA County	NE1/4NW1/4SW1/4	Sec. 16, Twp 07S, Rge 24E, B.M.	584250
GROUND WATER MINIDOKA County	SE1/4SW1/4NE1/4	Sec. 20, Twp 07S, Rge 24E, B.M.	584251
GROUND WATER MINIDOKA County	NE1/4SW1/4NW1/4	Sec. 13, Twp 07S, Rge 23E, B.M.	584252
GROUND WATER MINIDOKA County	L7 (SE1/4NE1/4SW1/4)	Sec. 31, Twp 06S, Rge 24E, B.M.	584253
GROUND WATER MINIDOKA County	SE1/4SE1/4NW1/4	Sec. 11, Twp 07S, Rge 23E, B.M.	584254
GROUND WATER MINIDOKA County	SW1/4NW1/4NW1/4	Sec. 21, Twp 07S, Rge 24E, B.M.	584255
GROUND WATER LINCOLN County	NW1/4NW1/4NE1/4	Sec. 33, Twp 06S, Rge 23E, B.M.	584256
GROUND WATER MINIDOKA County	SE1/4NE1/4SW1/4	Sec. 14, Twp 07S, Rge 23E, B.M.	584257
GROUND WATER MINIDOKA County	SE1/4NW1/4SW1/4	Sec. 11, Twp 07S, Rge 23E, B.M.	584258

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 36-08475


GROUND WATER MINIDOKA County	NW1/4SE1/4SW1/4	Sec. 12, Twp 07S, Rge 23E, B.M.	584259
GROUND WATER MINIDOKA County	NE1/4NE1/4SW1/4	Sec. 1, Twp 07S, Rge 23E, B.M.	584260
GROUND WATER MINIDOKA County	NE1/4SW1/4SE1/4	Sec. 11, Twp 07S, Rge 23E, B.M.	584261
GROUND WATER LINCOLN County	NE1/4SE1/4SW1/4	Sec. 33, Twp 06S, Rge 23E, B.M.	584262
GROUND WATER MINIDOKA County	SW1/4NE1/4NE1/4	Sec. 31, Twp 06S, Rge 24E, B.M.	584263
GROUND WATER MINIDOKA County	SW1/4NE1/4SW1/4	Sec. 26, Twp 06S, Rge 23E, B.M.	584264
GROUND WATER MINIDOKA County	NW1/4NE1/4SE1/4	Sec. 4, Twp 07S, Rge 24E, B.M.	584265
GROUND WATER MINIDOKA County	NW1/4SW1/4NE1/4	Sec. 7, Twp 07S, Rge 24E, B.M.	584266
GROUND WATER MINIDOKA County	NW1/4SW1/4NW1/4	Sec. 11, Twp 07S, Rge 24E, B.M.	584267
GROUND WATER MINIDOKA County	SE1/4SW1/4SW1/4	Sec. 33, Twp 06S, Rge 24E, B.M.	584268
GROUND WATER MINIDOKA County	NE1/4SW1/4SW1/4	Sec. 24, Twp 07S, Rge 23E, B.M.	584271
GROUND WATER MINIDOKA County	NE1/4SW1/4NW1/4	Sec. 33, Twp 06S, Rge 24E, B.M.	584272
GROUND WATER MINIDOKA County	NE1/4SW1/4NE1/4	Sec. 14, Twp 07S, Rge 23E, B.M.	584273
GROUND WATER MINIDOKA County	NE1/4NE1/4SE1/4	Sec. 6, Twp 07S, Rge 24E, B.M.	584274
GROUND WATER LINCOLN County	SE1/4SE1/4SW1/4	Sec. 32, Twp 06S, Rge 23E, B.M.	584275
GROUND WATER MINIDOKA County	NE1/4SW1/4NE1/4	Sec. 13, Twp 07S, Rge 23E, B.M.	584276
GROUND WATER MINIDOKA County	SE1/4SW1/4NE1/4	Sec. 12, Twp 07S, Rge 23E, B.M.	584277
GROUND WATER MINIDOKA County	NE1/4NE1/4NE1/4	Sec. 24, Twp 07S, Rge 23E, B.M.	584278

KECO

2002

17 April 2002

Pump Numbers



Burbank
Std Norkotah
Burbank Seed
Std Nork Seed
Beets
Winter Wheat
Spring Wheat

LAND VIEW FERTILIZER INC.
Clint R Young
P. O. BOX 86 925 NORTH HWY 24 MINIDOKA, ID 83343
Office: (208) 531-4500 Cell: (208) 431-5595
TO SOLVE A PROBLEM YOU NEED A SOLUTION


RECEIVED
FEB 07 2003
Department of Water Resources
Southern Region

Desert View

2002

17 April 2002
Watered Acres

Pump Numbers




Burbank
Std Norkotah
Burbank Seed
Std Nork Seed
Beets
Winter Wheat

LAND VIEW FERTIL ZER INC.
Clint R Young
P. O. BOX 86 925 NORTH HWY 24 MINIDOKA, ID 83343
Office: (208) 531-4500 Cell: (208) 431-9595

RECEIVED
FEB 07 2003
Department of Water Resources
Southern Region

IDAHO DEPARTMENT OF WATER RESOURCES

Proposed POU - License 36-8475



Section Lines

Quarter/Quarter Lines

General Location: North of Norland, Idaho

Place of Use To Be Licensed

Points of Diversion

N
W
E
S

Prepared By J E Stanton 3-26-2003

1986/87 NAPP Data

Organizational ID / Filing number: C24801
Filed 03 Feb 1950
CORPORATION
FORFEITED

YOUNG & KING, INC.

Organizational ID / Filing number: C47309
Filed 24 Apr 1973
CORPORATION
FORFEITED

YOUNG & POWELL, INC.

Organizational ID / Filing number: C28869
Filed 02 Oct 1956
CORPORATION
FORFEITED

YOUNG & TITUS, INC.

Organizational ID / Filing number: C28816
Filed 04 Sep 1956
CORPORATION
FORFEITED

YOUNG & YOUNG OF IDAHO

Organizational ID / Filing number: D42568
PO BOX 707
RUPERT, ID 83350
Filed 12 Feb 2001
ASSUMED BUSINESS NAME
CURRENT

YOUNG AMERICA PRODUCTS, INC.

Organizational ID / Filing number: C75858
5135 SORRENTO DRIVE
BOISE, ID 83704
Filed 18 May 1984
CORPORATION
FORFEITED

YOUNG AMERICAN HOMES

Organizational ID / Filing number: D9965
P O BOX 190210
BOISE, ID 83719
Filed 24 Nov 1997
ASSUMED BUSINESS NAME
CANCELLATION

[<<< more results previous page] [more results next page >>>]

Idaho Secretary of State's Main Page State of Idaho Home Page

Comments, questions or suggestions can be emailed to: sosinfo@idsos.state.id.us

227

CERTIFICATE OF ASSUMED BUSINESS NAME

(Please type or print legibly. See instructions on reverse.)

To the SECRETARY OF STATE, STATE OF IDAHO
Pursuant to Section 53-504, Idaho Code, the undersigned gives notice of adoption of an Assumed Business Name.

1. The assumed business name which the undersigned use(s) in the transaction of business is:

   YOUNG & YOUNG OF IDAHO

FILED/EFFECTIVE
01 FEB 12 AM 9:21
SECRETARY OF STATE
STATE OF IDAHO

2. The true name(s) and business address(es) of the entity or individual(s) doing business under the assumed business name is/are:

Name	Complete Address
Desert View Farms, Inc.	300A East 1600 North
C 71605	Rupert, Idaho 83350

3. The general type of business transacted under the assumed business name is:
   (mark only those that apply)

☐ Retail Trade	☐ Manufacturing	☐ Transportation and Public Utilities
☐ Wholesale Trade	☒ Agriculture	☐ Finance, Insurance, and Real Estate
☐ Services	☐ Construction	☐ Mining

4. The name and address to which future correspondence should be addressed:

   Desert View Farms, Inc.
   PO Box 707
   Rupert, Idaho 83350

   Phone number (optional): (208) 436-7500

5. Name and address for this acknowledgment copy is (if other than # 4 above):

Signature: Steven D Young Pres

Printed Name: Steven D. Young

Capacity: President

(see instruction # 3 on back of form)

Submit Certificate of Assumed Business Name and **$20.00** fee to:

Secretary of State
700 West Jefferson
Basement West
PO Box 83720
Boise ID 83720-0080
208 334-2301

Secretary of State use only

IDAHO SECRETARY OF STATE
02/12/2001 09:00
CK: 5629 CT: 134413 BH: 378267
1 @ 20.00 = 20.00 ASSUM NAME # 2

D42568

g:\corp\forms\sion.p65 Revision 12/99

S1
4/92

IDAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS: PERMIT NO. 36-8475

A. Items To Be Placed In Exam File (Items A & B to be Completed by Compiler)

(✓) Blank Field Report & Notice of Completed Exam

(✓) Copy of App. for Permit, Approved Permit, Amendments, Orders, Assignments, Proof of Beneficial Use, SRBA Claim (Claim Filed? _____ Required? _____)

(✓) Well Inspection Form, Dairy Water-Use Worksheet (if applicable)

( ) Well Log(s) & Groundwater Measurement Analysis Form (if applicable)

( ) Copy of Orthophotoquad Map

( ) 660-Scale Aerial Photo (Examiner Will Obtain If Applicable)

( ) Government Lot Plats (If Applicable)

RECEIVED
MAR 27 2003
Department of Water Resources

B.1. P/D Overlap - Yes or No? If Yes, Include Copy of Overlapping Rights & Claims

If Yes, Type of Overlap: ( ) Add Acres or Uses to Existing System

(✓) Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or No? If Yes, Include Copies of Overlapping Rights & Claims

If Yes, Type of Overlap: (✓) Increase Rate of Flow or Volume

( ) Add Supplemental Water Source

( ) Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date _____ Time _____ Place _____

_____

Contact Person & Phone _____

D. Post-Exam Review & Processing

Exam Completed 3-18-03 Notice of Completion Turned In 3-26-03

Field Report Completed 3-26-03 JE Stanton 3-26-03

Signature of Examiner & Date

Field Report Reviewed by Sr. Agent _____ (Initial & Date)

Field Report Reviewed by Region Mgr. _____ (Initial & Date)

Field Report Sent to S.O. _____ Region Card File Updated _____

IDAHO DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION
1341 FILLMORE ST STE 200
TWIN FALLS ID 83301-3380
(208) 736-3033

DIRK KEMPTHORNE
GOVERNOR

KARL J DREHER
DIRECTOR

CHANGE IN ADDRESS

RECEIVED
FEB 10 2003
Department of Water Resources

RECEIVED
FEB 07 2003
Department of Water Resources
Southern Region

☐ Water Right Number(s): 36 - 8475

and all others for

Young and Young of Idaho

☐ Old Mailing Address: 300A E 1600N

Rupert, Id. 83350

☐ New Mailing Address: P.O. Box 707

Rupert, Idaho 83350

☐ New Telephone Number: (208) 436 - 7560

☐ Signature of Claimant(s): Maria Young

Date: 2/6/03

FOR IDWR USE ONLY
Initial Review and Data Entry
Date: 2/11/2003 By: J. Stanton
Further Action Needed:

Further Action Taken
Date: By:
Final Review and Data Entry
Date: 2/13/2003 By: S. Keen

MICROFILMED
MAR 11 2003

Idaho Secretary of State Search Results

Search Result Summary

[New Search]

Search Results 1 through 1
(YOUNG & YOUNG OF IDAHO ... YOUNG & YOUNG OF IDAHO)

YOUNG & YOUNG OF IDAHO

Organizational ID / Filing number: D42568
PO BOX 707
RUPERT, ID 83350

Filed 12 Feb 2001
ASSUMED BUSINESS NAME
CURRENT

Idaho Secretary of State's Main Page

State of Idaho Home Page

Comments, questions or suggestions can be emailed to: sosinfo@idsos.state.id.us

MICROFILMED
MAR 1 1 2003

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 21, 1998

STEVEN D YOUNG
MARIA YOUNG
ROY M YOUNG
300A E 1500 N
RUPERT ID 83350

RE: ASSIGNMENT OF PERMIT 36-08475

Dear Water Right Holder(s):

We acknowledge receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address **PRIOR TO** July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a $100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

MICROFILMED
JUN 0 2 1998

October 18, 1995

JR SIMPLOT CO
PO BOX 27
BOISE ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08475

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED
OCT 27 1995

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 36-8475 Reviewed by JW Date 10-17-95

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

TYPES OF USE

Irr.

SOURCE OF WATER

_____ Surface water source

✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 36-9-5-0078.000
200.00 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
250.00 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
_____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____		_____
Date proof due	_____	-	_____
No. of days late	_____	=	_____
Priority Date	_____	+	_____
New Priority Date	_____		_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 10/2/95
_____

J.R. SIMPLOT COMPANY ONE CAPITAL CENTER 999 MAIN STREET SUITE 1300
P.O. BOX 27 BOISE, IDAHO 83707-0027 (208) 336-2110 FAX (208) 389-7515

CORPORATE HEADQUARTERS

September 29, 1995

RECEIVED
OCT 0 2 1995
Department of Water Resources

Certified Mail
Julie L. Yarbrough
Senior Secretary
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83720-9000

Re: IDWR Permit No. 36-08475

Dear Julie:

Enclosed is a complete statement of Proof of Beneficial Use for the above referenced permit. The Proof was prepared on a form provided by the IDWR. Also enclosed is a $250.00 check to cover your license examination fee.

Please file the enclosed Proof and arrange for a receipt to be mailed to me at the address above.

Sincerely,

Vic Conrad
Simplot Land and Development

Enclosures

ACKNOWLEDGED
OCT 2 7 1995

July 31, 1995

JR SIMPLOT CO
PO BOX 27
BOISE ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 36-08475

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
OCT 27 1995

CERTIFIED MAIL
NO. 142209

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 7, 1995

RE: Permit No. 36-08475 in the name of J.R. Simplot Co.

Dear Interested Parties:

I have enclosed a copy of the **ORDER** which authorizes you to continue with development of the above referenced water right under the terms of the existing permit.

If you have any questions regarding the enclosed order, please feel free to contact me at (208)327-7953.

Sincerely,

Julie L. Yarbrough

JULIE L. YARBROUGH
Senior Secretary

Enclosure

MICROFILMED
FEB 14 1995

J.R. SIMPLOT COMPANY ONE CAPITAL CENTER 999 MAIN STREET SUITE 1300
P.O. BOX 27 BOISE, IDAHO 83707-0027 (208) 336-2110 FAX (208) 389-7515

CORPORATE HEADQUARTERS

RECEIVED
FEB 0 1 1995
Department of Water Resources

February 1, 1995

Hand Delivery
L. Glen Saxton
Chief, Water Allocation Bureau
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83720-9000

Subject:

- **J. R. Simplot Company's Response to the State of Idaho Department of Water Resources Order for Temporary Stay of Development and Notice of Formal Proceedings dated November 9, 1994.**

- **IDWR Permit No. 36-08475.**

Dear Mr. Saxton:

Pursuant to our telephone conversation on the 30th, the J. R. Simplot Company is responding to the requirements of the above referenced order with a letter rather than using the form of pleadings described in Rules 300 through Rule 349 in the Rules of Procedure of the Department of Water Resources. The J. R. Simplot Company responds to the order as follows:

The J. R. Simplot Company owns a farm located in Minidoka and Lincoln Counties. Before filing application for permit no. 36-08475, the farm was irrigated with several center pivots. The center pivots were grouped into two separate irrigation distribution systems, one in the northerly portion of the farm, the other in the southerly portion of the farm.

Application for permit no. 36-08475 was filed in an effort construct a well to supply three new center pivots that would be located between the northerly and southerly systems. The intent was to join the northerly and southerly systems with the three new center pivots and the new well using underground pipelines. The application was filed with the expectation that by joining the systems, the farm could be irrigated more efficiently and economically.

MICROFILMED
FEB 1 4 1995

In 1991 a productive well was drilled at a total cost of $40,750.00. By August, 1994, an underground pipeline to connect the well with the southerly irrigation system was buried, a pump installed in the well, and one center pivot was erected at a total cost of $132,697.00. The total amount spent towards completing the project to date is $173,477.00 ($40,750.00 + $132,697.00 = $173,477.00).

These expenditures and the timing for completing a substantial portion of the project demonstrate that the J. R. Simplot Company meets the criteria described in subparagraph 2.B.1 of the IDWR's November 9, 1994 order. First, the J. R. Simplot Company has already made a "substantial investment" in facilities to divert and beneficially use water under permit no. 36-08475, as defined in the order. Second, the substantial investment was made before receiving this order.

Progress towards completing the permitted project and the level of financial expenditure to date demonstrates that the J. R. Simplot Company has diligently pursued completion of the project. The J. R. Simplot Company has complied with all other appropriate provisions of § 42-204, Idaho Code and has therefore also satisfied the Department's criteria in paragraph 4 of the order.

For these reasons the J. R. Simplot Company requests the IDWR's approval in allowing additional time to complete the project permitted under IDWR permit no. 36-08475.

Please arrange for a photo-copy of this letter with your date stamp indicating receipt to be returned to the representative of the Company delivering this letter. Should you need any additional information about that portion of the irrigation project that is complete, or if you would like a representative of the Department to visit the irrigation project, please call me at 389-7359 so I can make those arrangements.

Sincerely,

Vic Conrad
Associate, Simplot
Land and Development

MICROFILMED
FEB 14 1995

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1994

JR SIMPLOT CO
PO BOX 27
BOISE ID 83707

RE: Water Right No. 36-08475 Certified Mail No. 141819

Dear Water Right Holder(s):

Enclosed is a copy of an Order for Temporary Stay of Development and Notice of Formal Proceedings in connection with the above referenced water right permit. Also enclosed is a form and instructions for filing proof of beneficial use of water.

If you have questions related to the order and its effect upon your permit, please feel free to contact the department.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

MICROFILMED
FEB 14 1995

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 10, 1991

JR SIMPLOT CO
PO BOX 27
BOISE ID 83707

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08475

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

APPROVED
NOV 15 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

MICROFILMED
NOV 15 1991

APPLICATION FOR PERMIT REVIEW

Application #: 36-8475 Reviewer: Pam Skaggs PS
Date: 10-04-91

Existing:
- No - 26A-P17
  - Complete in 1 year - P16
- Yes
  - Proof not submitted - P16
  - Proof submitted - N/A

Groundwater:
- GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)
- LT. 0.2 cfs - N/A

Drilling Permit:
- Approved w/permit - P99
- Not included - 046-P23(All GW, even existing wells)

Location:
- Water Districts - WD No. 01
  - Surface water - 005, 005-01H-P01(LT.2 w/pump)
    005-01J-P08(GT.2)
  - Groundwater - P05
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater)
- Swan Falls Flag - 7 (1, Blank or Other)
- Trust - 051-052-053-P74(Consumptive Uses)
- Non Trust - 048-049

River Basins:
- (Surface Water) - Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:
- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One), 042(req.), 002-P06(MD), 07A(Spec.), 044(Policy 5G)
- Power - _____ Use Power Review
- Mining - 06A or 010, 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD), 18B-P09(Size)
- Rec. & Aesthetic - 027(Non-Consumptive)
- Domestic - 021(restricted areas)

Ownership:
- Non land owner - 004

Protested:
- Agreement - 020

MICROFILMED
NOV 15 1991

Beneficial Use Due Date: - 10-02-1995
Other Conditions Recommended _____

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 36-8475/Trust Water Processing & Rule 4,5,3. Information

DATE: 10-4-91

The above application is a trust water filing which has been processed in sequence with other filings.

As per the trust water information questionnaire submitted earlier this year, there has been no prior development under this application and the filing represents new irrigation development. All acreage under the application therefore will be counted as trust acreage.

The applicants have submitted the Water Appropriation Rule 4,5,3. information which is required for all filings seeking appropriation of more than 5.0 cfs and/or irrigation of more than 200 acres. The information submitted is acceptable. I recommend continued processing of the application and attaching trust conditions to any approval.

RECEIVED
NOV 15 1991

J. R. SIMPLOT COMPANY ONE CAPITAL CENTER 999 MAIN STREET SUITE 1300
P.O. BOX 27 BOISE, IDAHO 83707 (208) 336-2110 FAX (208) 389-7515

CORPORATE HEADQUARTERS

September 27, 1991

RECEIVED
SEP 3 0 1991
Department of Water Resources

State of Idaho
Department of Water Resources
ATTN: Tim Luke
1301 North Orchard Street, 83720

Re: Application for Permit No. 36-08475.

Response to Notice of Information Required by Water Appropriation Rule 4,5,3.

Dear Tim:

At your request I have enclosed copy of a portion of the Norland, Idaho 7.5′ USGS topographic map. In complying with Water Appropriation Rule 4,5,3, I drew two circles, each with an approximate one-half mile radius around the points of diversion for the above referenced application. The property within a one-half mile radius of either point of diversion is owned by J.R. Simplot Company.

In searching your data base by point-of-diversion I did not locate a water right or permit referencing a well or surface water diversion within a one-half mile radius of the proposed points-of-diversion on the above referenced application. I also searched the Department's well log micro-fiche and was unsuccessful in locating a well within one-half mile of the proposed points of diversion.

Recently, we completed a well under IDWR Permit No. 36-07804. Because of the location of the new well it is our intent to use it to irrigate the N½ of Section 11 Twp. 7S R. 23E (the proposed place of use on the above referenced application). The irrigation project, which will put to beneficial use water appropriated under 36-07804 and water applied for under 36-08475, is intended to be completed before the 1992 irrigation season. The total cost of the project which includes the well, mainline, underground wiring, and three pivots is estimated at $227,000.00. To date approximately $28,000.00 was expended toward completing the project.

I contacted the groundwater data section of the USGS requesting any historical information they held for the aquifer near our newly constructed well. I was informed that the USGS does not maintain any monitoring wells in the area and consequently does not have any historical data for the aquifer.

MICROFILMED
NOV 1 5 1991

To help identify characteristics of the aquifer from which we will be pumping I have enclosed copy of several Well Driller's Reports for wells beyond the aforementioned one-half mile radius on record at IDWR. The following information was taken from those reports for wells close to the well we recently completed:

Old Water Right Number	New Water Right Number	Twp	Rng	Location Section	1/4	of 1/4	Depth of Well (in feet)	Static Water Level (in feet)
23847	36-02202	7S	23E	16	NE	NW	300	245
29195	36-02454	6S	23E	29	SE	NE	401	357
29205	36-02455	6S	23E	21	NW	SE	429	365
32591	36-02630	6S	23E	29	NW	SW	365	290
32682	36-02632	7S	23E	4	SE	SW	371	292
	36-07007	6S	23E	28	NW	SE	591	511
	36-07021	6S	23E	22	NW	SW	477	387
	36-07035	7S	23E	4	SE	NE	330	260
	36-07042	7S	23E	12	SW	NE	515	348
	36-07412	7S	23E	23	NE	NW	387	286

I have enclosed copy of the well driller's report for the well we recently completed. The well is 460 ft. deep and the static water level was measured at 381 ft..

Once complete it is our intent to irrigate the acreage described under 36-08475 with center pivots. A diversion rate of .02 c.f.s per acre brings the anticipated maximum diversion rate to 6.4 c.f.s for the 320 acres described on the application. We estimate that to effectively irrigate the ground described under 36-08475 a total annual volume of 4 acre ft. per year per acre will be necessary. This brings the total annual volume to 1,280 acre ft. for the entire 320 acres.


I hope the enclosed information will meet your requests for additional information pursuant to Water Appropriation Rule No. 4,5,3. If you feel you need any additional information please don't hesitate to call me at 389-7359. Thank you for your help.


Sincerely,

Vic Conrad

Vic Conrad
Associate, Simplot
LAND and DEVELOPMENT
cc: G. Young
Enclosures

MICROFILMED
NOV 15 1991


As per Water Appropriation Rule No. 4,5,3 the circles on this map are drawn with an approximate ½ mile radius around the 2 proposed points of Diversion on App. No. 36-08475.
4750000m.N.
Borrow Pit
Well
Well 4506
Well 4413
Well 4378
Well 4409
Well 4368
Well 4388
Trailer Park
LANDING STRIP
WEST ROAD
1600 N RD
SHOSHONE 35 MI.
KIMAMA 2.7 MI.
NOV 15 1991


4750000m.N.
Borrow Pit
Adel 4647
Well
4551
4531
Well
4506
4489
4495
4444
Well
4420
T 6 S
T 7 S
Corrals
1600 N RD
LINCOLN CO
MINIDOKA CO
4408
4400
4450
4426
4469
R 23 E
R 24 E
4423
4435
4434
4420
ROAD
Well
4413
4413
4417
Well
4378
Well
4409
4412
4387
4390
WEST
4386
4365
4380
4381
Well
4368
Well
4388
200
4376
4367
LANDING STRIP
4372
Trailer Park
SHOSHONE 35 MI.
KIMAMA 2.7 MI.

Form 238-7
8/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name JR Simplot Co.
Address Po Box 27 Boise Id 83707
Drilling Permit No. 36-90-5-c 78
Water Right Permit No. 36-7804

2. NATURE OF WORK

☑ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☑ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☑ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	26 inches	+ 1 feet	12 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was casing drive shoe used? ☐ Yes ☑ No
Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches

Number		From	To
_____	perforations	_____ feet	_____ feet
_____	perforations	_____ feet	_____ feet
_____	perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ____ Slot size ____ Set from _____ feet to _____ feet
Diameter ____ Slot size ____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 12 Material used in seal: ☑ Cement grout
☐ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☑ Overbore to seal depth
Method of joining casing: ☐ Threaded ☑ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port 2" pipe inside of casing

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____
County Minidoka
SE ¼ NW ¼ Sec. 11, T. 7 N ☐ S ☑ R. 23 E ☑ W ☐

7. WATER LEVEL

Static water level 381 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature ~85 °F. Quality good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☑ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
2725	386	3

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
20	0	2	Top Soil		✓
20	2	29	Gray Basalt Hard		✓
20	29	126	Black Cynders Some Hard Places		✓
~~20~~	~~126~~	~~133~~	~~Gray~~		
20	126	133	Gray Basalt Hard		✓
20	133	145	Black Cynders		✓
20	145	154	Gray Basalt Hard		✓
20	154	157	Red Cynders		✓
20	157	161	Brown Lava Soft		✓
20	161	227	Brown Lava Hard		✓
20	227	234	Gray Basalt Hard		✓
20	239	246	Red Cynders		✓
20	246	274	Brown Lava		✓
20	274	279	Red Basalt		✓
20	279	305	Black Basalt Hard		✓
20	305	351	Black Basalt Med Hard		✓
20	351	381	Red Basalt		✓
20	381	Hlo	Lost all cuttings	✓	

RECEIVED
NOV 15 1991

10.

Work started July 2, 1991 finished Aug 9, 1991

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Kohtz Drilling Firm No. 493
Address Eden, Idaho Date 11/12/91
Signed by (Firm Official) [signature]
and
(Operator) [signature]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

217

Received 9-26-57 Dept. of Reclamation

WELL LOG AND REPORT OF THE STATE RECLAMATION ENGINEER OF IDAHO

Permit No. G. 23847 Well No. _____ County Minidoka

Owner Stanley Mortenson

Address Rupert, Idaho

Driller Commons Drilling Company

Address Box 126 Rupert, Idaho

Well location NE ¼ NW ¼ Sec. 16, T. 7 N/S, R. 23 E/W

Size of drilled hole 300' of 16" hole

Total depth of well 300'

Locate well in section

NW¼	NE¼
SW¼	SE¼

Give depth to standing water from the ground 245' Water temp. _____ °Fahr.

On "Pumping Test" delivery was _____ g.p.m. or _____ c.f.s. Drawdown was _____ feet.

Size of pump and motor used to make test _____

Length of time of test _____ hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____
(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Irrigation Weight of casing per lineal foot 42 lbs.

Thickness of casing .250 wall Casing material Steel
(STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 0 to 8' of 16 OD casing
(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
16 OD	1' above ground level		8'	none

MICROFILMED NOV 15 1991

Number and size of perforations _____ located _____ feet to _____ feet from ground

Date of commencement of well May 16, 1957 Date of completion of well June 11, 1957

NENW S.16 7S 23E

USGS

WELL LOG

From Feet	To Feet	Type of Material	Water-bearing Formation Ans. Yes or No	Casing Perforated Ans. Yes or No
0	3	Topsoil		
3	5	Boulders		
5	53	Gray lava		
53	67	Red lav		
67	93	Brown lava		
93	108	Red lava		
108	115	Gray lava		
115	119	Reddish black lava - loose		
119	130	Red lava - loose		
130	145	Brown lava		
145	160	Red lava		
160	165	Brown lava		
165	174	Gray lava		
174	193	Brown lava		
193	207	Red lava		
207	228	Gray lava		
228	275	Red lava - loose	yes	
275	285	Gray lava - loose	yes	
285	300	Hard gray lava	no	
		If more space is required use Sheet No. 2		

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is true and correct to the best of my knowledge and belief.

Signed Commons Drilling Company

By Roy L. Commons

License No. 46

Dated August 24, 1960 19

RECEIVED
NOV 15 1991

Well Log Form 1
4M - 5/62

RECEIVED
AUG 1 1963
Department of Reclamation

WELL LOG AND REPORT OF THE STATE RECLAMATION ENGINEER OF IDAHO

Permit No. 23919 5 Well No. _____ County Lincoln

Owner Juan Guerry

Address Box 83, Paul, Idaho

Driller R.J.Strasser Drilling Co.

Address Box 155, Rupert, Idaho

Well location NE ¼ NW ¼ Sec. 29, T. 6 ~~N~~S, R. 23 E~~W~~

Size of drilled hole 20"

Total depth of well 401 ft.

Locate well in section

NW¼	NE¼
SW¼	SE¼

Give depth to standing water from the ground 357 Water temp. _____ °Fahr.

On "Pumping Test" delivery was _____ g.p.m. or _____ c.f.s. Drawdown was _____ feet.

Size of pump and motor used to make test _____

Length of time of test _____ hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____ (TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Irrigation Weight of casing per lineal foot 70 lbs.

Thickness of casing .340 Casing material Steel (STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 20" OD pipe from 0-14 ft. (CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
20"	0	14	14	Grouted
				used

Number and size of perforations _____ located _____ feet to _____ feet from ground

_____ _____ _____

_____ _____ _____

RECEIVED

Date of commencement of well March 12, 1963 Date of completion of well May 11, 1963

NOV 15 1991

SENE 5.29 6S 23E

WELL LOG

From Feet	To Feet	Type of Material	Water-bearing Formation Ans. Yes or No	Casing Perforated Ans. Yes or No
0	2	Overburden and boulders		
2	69	Rough grey lava with some cinders		
69	76	Grey and brown lava		
76	123	Red and grey lava, loose and rough		
123	154	Rough grey lava		
154	164	Broken grey lava, very rough		
164	169	Red cinders		
169	181	Broken grey lava, very rough		
181	201	Grey lava and grey cinders, very loose		
201	227	Broken grey lava, some red cinders.		
227	239	Broken brown lava, very loose.		
239	242	Very hard grey lava		
242	270	Broken grey lava and red cindrs. Hole won't hold water.		
270	289	Broken brown lava and cinders		
289	297	Hard grey lava		
297	316	Red cinders and broken grey lava, rough and loose.		
316	358	Grey lava with some cinders		
358	366	Grey lava.	Small amount.	
366	374	Broken grey lava and grey cinders		
374	393	Broken grey lava and red cinders. Loseing some cuttings	Yes	
393	401	Lost all cuttings	Yes	
		If more space is required use Sheet No. 2		

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is complete, true and correct to the best of my knowledge and belief.

Signed R.J.Strasser Drilling Co.

By R J Strasser

License No. 95

Dated July 30, 1963.

MICROFILMED

NOV 15 1991

Well Log Form 1
4M - 5/62

GREENWELL
JAN 11 1963
...gua-... ...amation

WELL LOG AND REPORT OF THE STATE RECLAMATION ENGINEER OF IDAHO

Permit No. G-29205 Well No. _____ County Lincoln

Owner Mrs. Florence Greenwell

Address Paul, Idaho

Driller R.J.Strasser Drilling Co.

Address Box 155, Rupert, Idaho

Well location NW ¼ SE ¼ Sec. 21, T. 6 N/S, R. 23 E/W

Size of drilled hole 20"

Total depth of well 427

Locate well in section

NW¼	NE¼
SW¼	D SE¼

Give depth to standing water from the ground 365 Water temp. _____ °Fahr.

On "Pumping Test" delivery was _____ g.p.m. or _____ c.f.s. Drawdown was _____ feet.

Size of pump and motor used to make test No Test

Length of time of test _____ hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____ (TYPE AND SIZE OF VALVE ETC.) 18"--56 lbs.

Water will be used for Irrigation Weight of casing per lineal foot 20"--76 lbs.

Thickness of casing 20"inch .250 18 inch .340 Casing material Steel (STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 20" O.D. from 0-8ft. 6 inches. 18" O.D. from 267-369'6" (CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
20"OD	0	8' 6"	8' 6"	Grouted
18"OD	267	369' 6"	102' 6"	

Number and size of perforations 6 rows, 3/8 x 6 located 359 feet to 364 feet from ground

Date of commencement of well Oct. 20, 1962 Date of completion of well Dec. 30, 1962

NW SE 5.21 6S 23E

MICROFILMED
NOV 15 1991

WELL LOG

From Feet	To Feet	Type of Material	Water-bearing Formation Ans. Yes or No	Casing Perforated Ans. Yes or No
0	1	Top soil		
1	7	Yellow clay		
7	13	Cinders--lost cuttings		
13	27	Grey lava		
27	101	Rough broken grey lava, crevices.		
101	103	Broken brown lava		
103	108	Crevice--lost all cuttings		
108	122	Rough grey lava		
122	125	Brown lava		
125	130	Hard grey lava		
130	150	Rough brown and grey lava, crevices.		
150	171	Hard grey lava		
171	220	Loose brown lava		
220	240	Rough grey lava		
240	249	Brown lava		
249	292	Very hard grey lava		
292	316	Rough red lava		
316	320	Grey lava		
320	324	Broken red lava, very loose.		
324	364	Very loose grey cinders.		
364	389	Rough red lava. First water at 365		
389	426	Broken grey lava. Lost all cuttings 423-426	Yes	
426	429	Lost all cuttings. Hole filled in to 427, unable to clean out. Bottom of hole, 427	Yes	
		If more space is required use Sheet No. 2		

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is complete, true and correct to the best of my knowledge and belief.

Signed R.J. Strasser Drilling Co.

By W.H. Strasser

Dated Jan. 10, 19 63.

License No. 95

RECEIVED

NOV 15 1991

RECEIVED
FEB 9 1967
Department of Reclamation


REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Henry Aschenbrenner
Address Rupert, Idaho

Owner's Permit No. 2-32591
NATURE OF WORK (check): Replacement well ☐
New well [x] Deepened ☐ Abandoned ☐
Water is to be used for: Irrigation
METHOD OF CONSTRUCTION: Rotary ☐ Cable [x]
Dug ☐ Other ☐ (explain)
CASING SCHEDULE: Threaded ☐ Welded [x]
22 "Diam. from 0 ft. to 10 ft.
____ "Diam. from ____ ft. to ____ ft.
____ "Diam. from ____ ft. to ____ ft.
____ "Diam. from ____ ft. to ____ ft.
Thickness of casing: ¼ Material:
Steel [x] concrete ☐ wood ☐ other ☐ (explain)
PERFORATED? Yes ☐ No [x] Type of perforator used:
Size of perforations: ____ " by ____ "
____ perforations from ____ ft. to ____ ft.
____ perforations from ____ ft. to ____ ft.
____ perforations from ____ ft. to ____ ft.
____ perforations from ____ ft. to ____ ft.
WAS SCREEN INSTALLED? Yes ☐ No [x]
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.
CONSTRUCTION: Well gravel packed? Yes ☐
No. ☐ size of gravel Gravel placed from ft. to ft. Surface seal provided? Yes ☐ No ☐ To what depth? ft. Material used in seal:
Did any strata contain unusable water? Yes ☐
No. [x] Type of water:
Depth of strata ft. Method of sealing strata off:
Surface casing used? Yes [x] No. ☐
Cemented in place? Yes [x] No ☐

Locate well in section



LOCATION OF WELL: County Lincoln
NW ¼ SW ¼ Sec. 29 T. 6 N/S R. 23 E/W

Use other side for additional remarks

Size of drilled hole: 20" Total depth of well: 365 Standing water level below ground: 290 Temp. Fahr. ° Test delivery: gpm or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:
Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft. above land surface Give flow cfs or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No [x]

DEPTH FROM FEET	DEPTH TO FEET	MATERIAL	WATER YES OR NO
0	4	Boulders and overburden	
4	37	Grey lava	
37	51	Red cinders and grey lava	
51	71	Hard grey lava	
71	95	Broken grey lava and red cinders	
95	102	Grey lava	
102	128	Broken brown lava and red cinders	
128	147	Rough grey lava	
147	166	Broken brown lava and red cinders	
166	176	Red cinders	
176	209	Hard grey lava	
209	214	Broken grey lava	
214	229	Loose red cinders and broken lava	
229	285	Rough, creviced grey lava	
285	301	Broken brown lava	
301	306	Grey lava	
306	315	Red cinders--lost 25% cuttings	Yes
315	341	Broken grey lava and some red	No
341	350	Red lava. Lost 50% cuttings	Yes
350	361	Lost all cuttings	Yes
361	365	Grey lava	No

NOV 15 1991

Work started: June 14, 1966
Work finished: July 23, 1966
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: R.J. Strasser Drilling Co.
Address: Box 155, Rupert, Idaho
Signed by:
License No. 95 Date: Feb. 8, 1967

USGS

RECEIVED
DEC 18 1967
Department of Reclamation


REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the Department of Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Glenn W. Harris
Address Heyburn, Idaho

Owner's Permit No. 1-32682
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for Irrigation
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other (explain)
CASING SCHEDULE: Threaded ☐ Welded ☐
20 "Diam. from 0 ft. to 16 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: .250 Material:
Steel ☒ concrete ☐ wood ☐ other ☐
(explain)
PERFORATED? Yes ☐ No ☐ Type of perforator used:
Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
WAS SCREEN INSTALLED? Yes ☐ No ☐
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.
CONSTRUCTION: Well gravel packed? Yes ☐
No. ☐ size of gravel Gravel placed from ft. to ft. Surface seal provided? Yes ☐ No ☐ To what depth? ft. Material used in seal:
Did any strata contain unusable water? Yes ☐
No. ☒ Type of water:
Depth of strata ft. Method of sealing strata off:
Surface casing used? Yes ☒ No. ☐
Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Lincoln
SE ¼ SW ¼ Sec. 4 T. 7 N/S R. 23 E/W

Size of drilled hole: 20" Total depth of well: 371 ft. Standing water level below ground: 292 ft. Temp. Fahr. ° Test delivery: gpm or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:
Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft. above land surface Give flow cfs or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH FROM FEET	DEPTH TO FEET	MATERIAL	WATER YES OR NO
0	8	Soil	
8	18	Grey basalt	
18	60	Broken grey basalt & red cinders	
60	78	Rough grey basalt	
78	117	Red cinders and broken grey basal	
117	146	Grey basalt	
146	172	Brown basalt	
172	185	Grey basalt	
185	216	Red cinders and grey basalt	
216	230	Crevice-lost cuttings	
230	261	Red cinders and grey basalt	
261	292	Broken brown basalt	
292	311	Lost all cuttings	Yes
311	324	Red cinders	
324	348	Grey basalt	
348	352	Black basalt	
352	365	Lost all cuttings	Yes
365	371	Red cinders	

RECEIVED
NOV 15 1991

Work started: October 26, 1967
Work finished: November 21, 1967
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: R.J.Strasser Drilling Co.
Address: Box 155, Rupert, Idaho
Signed by: R J Strasser
License No. 95 Date: Dec. 16, 1967

USGS

Use other side for additional remarks

RECEIVED
APR 18 1991
Department of Reclamation

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Gus Engstrom, Declo, Idaho
~~Address~~ Roy Matheson, Burley, Idaho


Owner's Permit No. 367007
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: Irrigation
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐ (explain)
CASING SCHEDULE: Threaded ☐ Welded ☐
21 "Diam. from 0 ft. to 21 ft.
____ "Diam. from ____ ft. to ____ ft.
____ "Diam. from ____ ft. to ____ ft.
____ "Diam. from ____ ft. to ____ ft.
Thickness of casing: .250 Material:
Steel ☒ concrete ☐ wood ☐ other ☐
(explain)
PERFORATED? Yes ☐ No ☐ Type of perforator used:

Size of perforations: ____ " by ____ "
____ perforations from ____ ft. to ____ ft.
____ perforations from ____ ft. to ____ ft.
____ perforations from ____ ft. to ____ ft.
____ perforations from ____ ft. to ____ ft.
WAS SCREEN INSTALLED? Yes ☐ No ☐
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.
CONSTRUCTION: Well gravel packed? Yes ☐
No. ☐ size of gravel Gravel placed from ft. to ft. Surface seal provided? Yes ☒ No ☐ To what depth? ft. Material used in seal:

Did any strata contain unusable water? Yes ☐
No. ☒ Type of water:
Depth of strata ft. Method of sealing strata off:

Surface casing used? Yes ☒ No. ☐
Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Lincoln
NW ¼ SE ¼ Sec. 28 T. 6 N/S R. 23 E/W

Size of drilled hole: 20" Total depth of well: 591 Standing water level below ground: 511 Temp. Fahr. ° Test delivery: gpm or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:

Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft. above land surface Give flow cfs or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH FROM FEET	DEPTH TO FEET	MATERIAL	WATER YES OR NO
0	9	Soil	
9	51	Red cinders and grey basalt	
51	65	Med. hd. grey basalt	
65	210	Red cinders and broken grey basalt	
210	218	Loose grey basalt, caved badly	
218	245	Very loose broken grey basalt and brown clay. Installed 11 yds of concrete, from 220-245	
245	277	Broken brn. basalt and cinders	
277	293	Broken red basalt & red cinders	
293	298	Hard grey basalt	
298	338	Broken brown basalt & red cinders	
338	385	Rough grey basalt, had crevices	
385	394	Red cinders	
394	413	Hard, rough grey basalt	
413	442	Broken grey basalt & red cinders	
442	455	Hard grey basalt	
455	537	Broken grey basalt and red cinders. First water at 52%	
537	557	Lost all cuttings	Yes
557	561	Loose grey basalt	
561	591	Soft grey basalt	

RECEIVED
NOV 15 1991

Work started: Jan. 20, 1968
Work finished: March 30, 1968
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: R.J. Strasser Drilling Co.
Address: Box 155, Rupert, Idaho
Signed by:
License No. 95 Date: April 16, 1968

Use other side for additional remarks

USGS

RECEIVED

JAN 17 1969

Department of Reclamation


REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Maxine Engstrom, Gustof Engstrom
Address Burley Idaho

Owner's Permit No. 36-7024
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: Irrigation
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐ (explain)
CASING SCHEDULE: Threaded ☐ Welded ☐
21 "Diam. from 0 ft. to 13 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: .330 Material:
Steel ☒ concrete ☐ wood ☐ other ☐ (explain)
PERFORATED? Yes ☐ No ☒ Type of perforator used:
Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
WAS SCREEN INSTALLED? Yes ☐ No ☐
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.
CONSTRUCTION: Well gravel packed? Yes ☐
No ☒ size of gravel Gravel placed from ft. to ft. Surface seal provided? Yes ☒ No ☐ To what depth? 13 ft. Material used in seal: Cement
Did any strata contain unusable water? Yes ☐
No ☒ Type of water:
Depth of strata ft. Method of sealing strata off:
Surface casing used? Yes ☒ No. ☐
Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Minidoka
NW ¼ SW ¼ Sec. 22 T. 6 N/S R. 23 E/W

Use other side for additional remarks

Size of drilled hole: 20" Total depth of well: 477 ft. Standing water level below ground: 387 ft. Temp. Fahr. ° Test delivery: gpm or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:
Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft. above land surface Give flow cfs or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH FROM FEET	DEPTH TO FEET	MATERIAL	WATER YES OR NO
0	3	Soil	
3	23	Broken grey basalt	
23	53	Broken grey basalt and red cinder	
53	120	Red cinders, lost cuttings	
120	125	Rough, hard grey basalt	
125	145	Red cinders, some grey basalt	
145	164	Fractured grey basalt	
164	198	Hard grey basalt	
198	230	Hard grey basalt	
230	242	Crevice-lost cuttings	
242	261	Broken grey basalt	
261	283	Grey basalt and red cinders	
283	297	Rough grey basalt	
Filled hole to 255 with 7 yds of concrete, as ledge of rock from 260-295 moved into hole approx. one foot. Re-drilled hole between these depths.			
297	320	Hard, rough grey basalt	
320	348	Grey basalt and red cinders	
348	362	Hard grey basalt	
362	377	Crevice-lost cuttings	
377	392	Grey basalt and some grey clay	
392	432	Grey basalt	
432	455	Red cinders. Lost 80% of cuttings	Yes
455	463	Grey basalt	
463	477	Lost all cuttings	Yes

Work started: July 21, 1968
Work finished: Sept. 20, 1968
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: R.J.Strasser Drilling Co.
Address: Box 155, Rupert, Idaho
Signed by:
License No. 95 Date: Jan 16, 1969

USGS

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

RECEIVED

1. WELL OWNER

Name Earnest Eagon

Address 10th Ave. North- Twin Falls, Idaho

Owner's Permit No. 26 7035

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 18" inches Total depth 330 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness		Diameter		From		To	
1/4	inches	18	inches	0	feet	20	feet
	inches		inches		feet		feet
	inches		inches		feet		feet
	inches		inches		feet		feet
	inches		inches		feet		feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number		From		To	
	perforations		feet		feet
	perforations		feet		feet
	perforations		feet		feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter ___ Slot size ___ Set from _____ feet to _____ feet

Diameter ___ Slot size ___ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 20 feet

Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



NOV 15 1991

County Lincoln

¼ ¼ Sec. 4, T. 7 N/S, R. 23 E/W

7. WATER LEVEL

Static water level 260 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
18"	0	7	Top Soil and Hardpan		
	7	23	Gray Poris Lava		
	23	26	Gray Cinders		
	26	55	Dk Brown Basalt(Broken)		
	55	77	Gray Basalt (hard)		
	77	142	Lite Brown Basalt		
	142	155	Lite Brown Scoria		
	155	170	Dk Brown Scoria		
	170	182	Cinders (Crevice)	X	
	182	260	Red Lava (poris)		
	260	275	Dark Brown Basalt		
	275	290	Brown Scoria		
	290	305	Dark Brown Basalt		
	305	330	Dark Brown Scoria		

10.

Work started March 4, 1970 finished April 7, 1970

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Mack Gray Well Drilling 84

Driller's or Firm's Name Number

Kimberly, Idaho

Address

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

RECEIVED JAN 23 1970 Division of Water Administration

1. WELL OWNER

Name Ray Commons

Address Rupert, Idaho

Owner's Permit No. 36-7042

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 18 inches Total depth 515 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
3 inches	18 inches	-01 feet	195XX feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name ____

Type ____ Model No. ____

Diameter ____ Slot size ____ Set from ____ feet to ____ feet

Diameter ____ Slot size ____ Set from ____ feet to ____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel ____


Placed from ____ feet to ____ feet

Surface seal? ☒ Yes ☐ No To what depth 19 feet

Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



RECEIVED NOV 15 1991

County Minidoka

SW ¼ NE ¼ Sec. 12 T. 7 N/S, R. 23 E/W

7. WATER LEVEL

Static water level 348 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow ____

Temperature 62 ° F. Quality ____

Artesian closed-in pressure ____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
18	0	5	top soil		
	5	32	Basalt, gray, solid		
	32	45	Basalt, red brown		
	45	54	Basalt, gray, solid		
	54	70	Basalt, red, cinders		
	70	85	Basalt, gray		
	85	96	Basalt, red brown		
	96	105	Basalt, gray, solid		
	105	124	Basalt, brown, loose & cavey		
	124	136	Basalt, gray, loose & cavey		
	136	160	Basalt, gray, solid		
	160	164	Basalt, red brown		
	164	190	Basalt, soft		
	190	212	Basalt, reddish brown		
	212	215	Basalt, gray, loose		
	215	260	Basalt, red brown		
	260	272	Basalt, gray		
	272	285	Basalt, red cinders		
	285	304	Basalt, gray, solid		
	304	315	Basalt, red brown, loose		
	315	343	Basalt, gray, solid		
	343	357	Basalt, red brown, loose		
	357	375	Basalt, gray, loose	x	
	375	389	Basalt, red brown, loose	x	
	389	400	Basalt, gray, loose	x	
	400	405	Basalt, gray, lost 75% of cuttings		
	405	427	Basalt, gray, solid		x
	427	440	Basalt, red brown, lost 75% of cuttings	x	
	440	445	Basalt, gray, soft	x	
	445	462	Orange clay		x
	462	485	Basalt, gray, soft	x	
	485	515	Basalt, black & cinders lost most all cuttings and water is clean	x	

10.

Work started Dec. 3, 1969 Finished Jan. 20, 1970

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Commons Drilling Co. 46
Driller's or Firm's Name Number

P. O. Box 126, Rupert, Idaho 83350
Address

Ray L. Commons Feb. 30-1970
Signed By Date

USE ADDITIONAL SHEETS IF NECESSARY

RECEIVED
APR 29 1974
Department of Water Administration

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name: Blincoe Farms Inc.

Address: Heyburn, Idaho

Owner's Permit No.: 36-7412

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)

☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 387 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	20 inches	+1 feet	19 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation ____ inches by ____ inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name

Type Model No.

Diameter ___ Slot size ___ Set from ___ feet to ___ feet

Diameter ___ Slot size ___ Set from ___ feet to ___ feet

Gravel packed? ☐ Yes ☒ No Size of gravel


Placed from feet to feet

Surface seal depth 19 Material used in seal ☒ Cement grout ☐ Puddling clay ☐ Well cuttings

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name

Lot No. Block No.

County Lincoln

NE ¼ NW ¼ Sec. 9, T. 7 ☒ N/S, R. 23 E/W ☒

7. WATER LEVEL

Static water level 286 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow

Temperature ° F. Quality

Artesian closed-in pressure p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
22	0	10	Overburden		
22	10	12	Yellow clay & gravel		
22	12	19	Med. hd. Grey basalt		
20	31	33	Loose grey basalt		
20	33	56	Rough grey basalt		
20	56	77	Red cinders & grey basalt		
20	77	130	Med. hd. grey basalt		
20	130	164	Loose grey basalt		
20	164	188	Red cinders & grey basalt		
20	188	202	Brown basalt		
20	202	241	Hard grey basalt		
20	241	298	Broken grey & brown basalt		
20			First water at 290		
20	298	306	Grey basalt. Lost 80% of cuttings	X	
20	306	313	Hard grey basalt		
20	313	331	Grey basalt. Lost 60% of cuttings	X	
20	331	359	Lost all cuttings	X	
20	359	387	Broken grey basalt		

10.

Work started Feb. 16, 1974 finished Apr. 6, 1974

11. DRILLERS CERTIFICATION

Firm Name R.J. Strasser Drilling Co. Firm No. 95

Address Box 155, Rupert, Ida. Date Apr. 29, 1974

Signed by (Firm Official) R.J. Strasser

and (Operator) Wm Tunnicliff

UNCONFINED
NOV 15 1991

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

S T A T E O F I D A H O
PARTMENT OF WATER RESOUR
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

APRIL 24, 1991

South Idaho Press
Box 190
Burley, ID 83318

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 20, 1991.

Yours truly,

BRENDA L. MILLER
Clerical Specialist

Encl.

MICROFILMED
NOV 15 1991

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08475

J.R. SIMPLOT CO.
P.O. BOX 27
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: SWSW Sec 2 T 07S R 23E
SESW Sec 2 T 07S R 23E

Use: IRRIGATION (6.400 CFS)
Total Diversion: (6.400 CFS)

Date Filed: 10/31/ 1989

In: T07S R23E S11

NENE	NWNE	SWNE	SENE
NENW	NWNW	SWNW	SENW

320.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before MAY 20, 1991.

R. KEITH HIGGINSON, Director

Published 5/ 3/1991 & 5/10/1991

NOV 15 1991

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

copy

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

April 15, 1991

Re: Application for Permit No. 36-8475

Notice of Information Required by Water Appropriation Rule 4,5,3.

Dear Applicant:

The Department acknowledges receipt of the Trust Water Information Questionnaire for the above referenced application. On behalf of the Department, I wish to thank you for your cooperation in returning the questionnaire. The required advertising for this application will soon be completed.

In the letter that accompanied the questionnaire, I informed you that you would need to submit additional information required by Water Appropriation Rule 4,5,3. if the undeveloped portion of the application exceeds 200 acres, or if the rate of diverison is more than 5.0 cfs. The returned questionnaire indicates that you wish to pursue completion of the irrigation project as proposed under your application. The project proposes diversion of more than 5.0 cfs of groundwater and includes more than 200 acres. The filing therefore is subject to the additional information requirements of Rule 4,5,3. In particular, you must submit the information outlined in Rules 4,5,3,1. through 4,5,3,5 (copy attached). A guideline for assisting you with submittal of the additional information is also enclosed.

The information must be submitted within 30 days of the date of this notice. **Failure to submit the required information within the time period allowed may be cause for the Department to void the applicaction.** The Department may grant an extension of time in which to submit the information upon request and a showing of good cause. Requests for extension of time must be in writing. Please contact me at this office or call me directly at 327-7864 if you have any questions concerning the contents of this notice and/or the information requested under Rule 4,5.

Sincerely,

Tim Luke
Sr. Water Resource Spec.

MICROFILMED
NOV 15 1991

J. R. SIMPLOT COMPANY ONE CAPITAL CENTER 999 MAIN STREET SUITE 1300
P.O. BOX 27 BOISE, IDAHO 83707 (208) 336-2110 TELEX 368432

CORPORATE HEADQUARTERS

RECEIVED
APR 12 1991
Department of Water Resources

April 11, 1991

Tim Luke
Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000

Re: Application No. 36-08475

Dear Tim:

Please find enclosed your Trust Water Information Questionnaire, completed on behalf of the J.R. Simplot Company, for the above referenced application. If you need any additional information or have any questions please don't hesitate to call me at (208) 389-7359.

Kindest Regards,

Vic Conrad
Associate, Simplot
Land and Development

encl.

MICROFILMED
NOV 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

Application No. 36-8475

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes X No_____
b. If you are not the property owner, please descibe the arrangement enabling you to develop the proposed project.
NA

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes_____ No X
b. If yes, please describe the extent of development and number of acres irrigated.(Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain conditions. You may be asked to verify uses established prior to October, 1984.)

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. 0 acres

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. 320 acres

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.
NA

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant J.R. Simplot Company Date 4/11/91

by: Ronald N. Graves

Ronald N. Graves
Secretary, J.R. Simplot Company

MICROFILMED
NOV 15 1991

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

February 26, 1991

RE: APPLICATION FOR PERMIT NO. _____

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, or if the application proposes diversion of more than 5.0 cfs, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

MICROFILMED
NOV 15 1991

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,

Tim Luke

TIM LUKE
Sr. Water Resource Spec.

Enclosures

MICROFILMED
NOV 15 1991

SF

Form No.
7/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

CHECKLIST OF REQUIREMENTS
LARGE DIVERSION SUPPLEMENTARY ANALYSIS SHEET*

Generate during processing

EFFECT ON EXISTING RIGHTS

☐ Yes ☒ No Springs/surface streams with 5 or less existing users
- ☐ Identify number of impacted rights
- ☐ Name and address of users
- ☐ Location of points of diversion
- ☐ Nature of use of the existing rights

☒ Yes ☐ No Groundwater
- ☐ Plat showing proposed well and any other wells &/or springs within ½ mile radius

☐ Yes ☒ No Statement of design construction, or operation techniques which will be used to reduce impact on existing rights

SUFFICIENCY OF WATER SUPPLY

Water Requirements of Proposed Project
- ☐ Required diversion rate during peak use (Maximum rate)
- ☐ Required diversion rate during average use period
- ☐ Annual volume
- ☐ Season of use
- ☐ Volume to be consumptively used/year

Quantity of Water Available from Source
- ☐ Flow rates for surface water sources available during peak and average water demand period
- ☐ Properties of aquifers
- ☐ Other sources available for supplementation

GOOD FAITH, DELAY OR SPECULATION

☐ Copies of deeds, leases, easements, and right-of-ways from _____

☐ Power applications affidavit form 205/206 is required

☐ Yes ☒ No Other needed permits, licenses, or approvals required. If yes, _____.

FINANCIAL RESOURCES

- ☐ Current certified financial statement
- ☐ Financial commitment letter/financial statement from committed party
- ☐ Project design/plans along with cost estimation to complete project

*For applications of more than 5 cfs. or more than 500 AF.

36-08475

LOCAL PUBLIC INTEREST

Comments received from:

☐ City	☐ Idaho Fish & Game	☐ Irrigation District
☐ County	☐ Idaho Health & Welfare	☐ Canal Company
☐ Reservations	Division of Environment	☐ Other _____

Project impacts/implications report

COMMENTS

_____

_____

_____

_____

_____

_____

_____

_____

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

ST

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DRJ. DATE 11/3/89 APPLICATION NUMBER 36-08475

REQUIRED INFORMATION

- ✓ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ✓ Address
- ✓ Source (See USGS Quad for names of water sources)
- ✓ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ✓ County
- ✓ Quantity (flow and/or volume)
- ✓ Period of Use
- ✓ Nature of proposed use (Include description of use.)
- ___ Description of diverting works
- ___ Time required for beneficial use of water
- ✓ Place of use or acres irrigated
- ✓ Map
- ✓ Signature (If applicant is corp. partnership, or minicipality, title of signator is required)
- ✓ Fee
- ___ Yes ✓ No* In form to receipt (Receipted by State Office anyway.) DRJ

ADDITIONAL INFORMATION

- ✓ Overlapping place of use (Describe source & relationship to present application on the back.)
- ✓ Overlapping point of diversion
- ___ Yes ✓ No Field check required
  Field check by _____
- ___ Yes ✓ No Field report attached
- ___ Yes ✓ No Critical groundwater area
- ___ Yes ✓ No Groundwater management area
- ___ Yes ✓ No Send dam safety information
- ___ Yes ✓ No Send power requirement letter
- ___ Yes ✓ No Send fish farm requirement letter
- ___ Yes ✓ No Power residency affidavit
- ___ Yes ✓ No Power efficiency form
- ✓ Yes ___ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ✓ Yes ___ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ✓ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT well diameters, depths, Time required

_____ Date Requested _____

PROCESSING /Yes N/A No In form for advertising
___Yes /No Statewide advertising
/Yes ___No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ___Idaho Dept. of Health & Welfare ___U.S. BLM
___Idaho Dept. of Fish & Game ___U.S. Forest Service
___Idaho Dept. of Lands ___Water District
___Adjudication Bureau Unit ___Other_____

FINAL REGIONAL PROCESSING REVIEW

___Yes ___No Affidavit of publication received
___Yes ___No Application published correctly. If not, record action taken.

___Yes ___No Publication dates & paper, recorded on application
___Yes ___No Protests received
Final date for protest _____
___Yes ___No Protests, dates, resolution of protest, recorded on application
___Yes ___No Recommendations attached
___Yes ___No Measuring device required
___Yes ___No Access port required
___Yes ___No Will water be delivered by watermaster? If yes, what Dist._____
___Yes ___No Special conditions of approval or cover letter below._____

___See below for additional information
Date of priority recommended _____
By _____ Date _____

STATE OFFICE REVIEW _____

___See below for additional information
By _____ Date _____

ADDITIONAL INFORMATION

P/U: 36-2213 is on record as covering NE¼ Sec 11, Vic Conrad of JR Simplot informs me that adj claim has transferred this to tracts in South ½ of Sec 11.
P/D: Wells are same as those of permits 36-7803 and -7804

LOCAL PUBLIC INTEREST

Comments received from:

____City	____Idaho Fish & Game	____Irrigation District
____County	____Idaho Health & Welfare	____Canal Company
____Reservations	Division of Environment	____Other_____

Project impacts/implications report

COMMENTS

03-Nov-1989

J.R. Simplot Company
c/o Ronald N. Graves, Secretary
P.O. Box 27
Boise, ID 83707

Re: Application for permit No. 36-08475

Dear Mr. Graves:

The Department of Water Resources acknowledges receipt of the water right application for permit on behalf of J.R. Simplot Company. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

Because your application proposes to appropriate water which has been identified as "trust water" in the Swan Falls agreement, it will be processed under rules and regulations for water appropriation that have been adopted as required by law.

Under the rules, applications will be processed at a rate which allows development of 20,000 acres per year. The oldest applications will be processed first, provided that applicants are willing and able to proceed.

For this reason, it is not possible to estimate at this time when action will be taken on your application.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED
NOV 15 1991