

Jordan, Blake

From: Paul Arrington [pla@idahowaters.com]
Sent: Tuesday, September 30, 2008 2:51 PM
To: Jordan, Blake
Subject: RE: FMC Transfer application

Sorry for the delay. I thought that I had responded. This is the response that I received on the POU:

Part 1, Item B. 5. - Place of Use

Section 7 should have an asterisk which says "Section 7 POU also includes Lots 5, 8 and 9"

Section 12 - delete the notation for the NW1/4 of the SW 1/4

Section 14 - delete the notation for the SE 1/4 of the SE 1/4

They are using the existing well.

Paul L. Arrington

Barker Rosholt & Simpson LLP

(208) 733-0700 - telephone

(208) 404-9436 - mobile

CONFIDENTIALITY NOTICE: This e-mail and its attachments are confidential and may be privileged. If you believe this e-mail has been sent to you in error, please notify the sender immediately and delete this email. Do not deliver, distribute or copy this transmission.

From: Jordan, Blake [mailto:Blake.Jordan@idwr.idaho.gov]
Sent: Tuesday, September 30, 2008 2:38 PM
To: Paul Arrington
Subject: RE: FMC Transfer application

Paul,

Just following up on the FMC transfer application. Did you find an answer for the following?

Place of Use:

The proposed place of use checked out except for two locations. FMC doesn't own land in 06S 33E 12 NWSW and 06S 33E 14 SESE. Do you want these two locations dropped from the application, or do you have any proof of ownership that we are not aware of?

Point of Diversion:

Also, Is FMC using an existing well or is this a new well?

Blake Jordan

Water Resource Agent

Department of Water Resources

900 N Skyline Drive Suite A

525-7161 Phone

525-7177 Fax

From: Paul Arrington [mailto:pla@idahowaters.com]

9/30/2008

Sent: Wednesday, September 03, 2008 10:38 AM
To: Jordan, Blake
Subject: RE: FMC Transfer application

Jordan:

I apologize for the errors on my part.

Purpose of Transfer: The change in period of use box should be checked.

Point of Diversion: This is a typographical error. The POD should be in section 13.

Place of Use: I am checking and will get back to you ASAP.

Please make these changes. Thanks.

Paul L. Arrington
Barker Rosholt & Simpson LLP
(208) 733-0700 - telephone
(208) 404-9436 - mobile

From: Jordan, Blake [mailto:Blake.Jordan@idwr.idaho.gov]
Sent: Wednesday, September 03, 2008 10:18 AM
To: Paul Arrington
Cc: Carlson, Dave
Subject: FMC Transfer application

Paul:

I have been working on FMC's water right transfer (73993) and have run into a few problems and questions about the submitted application.

Purpose of transfer:

The purpose of this transfer is to

- 1) Change point of diversion
- 2) Change place of use
- 3) Change period of use

The change period of use box was not marked.

Point of Diversion:

The point of diversion location on the application is incorrect. The map that you submitted shows the point of diversion in 06S 33E 13 NWNW. The application indicates the point of diversion to be in 06S 33E 3 NWNW. Also, is FMC using an existing well or is this a new well?

Place of Use:

The proposed place of use checked out except for two locations. FMC doesn't own land in 06S 33E 12 NWSW and 06S 33E 14 SESE. Do you want these two locations dropped from the application, or do you have any proof of ownership that we are not aware of?

Let me know what you want done. I can make necessary changes for you. Just send an e-mail indicating an approval of any changes made.

Thanks,

Blake Jordan
Water Resource Agent
Department of Water Resources

9/30/2008

900 N Skyline Drive Suite A
525-7164 Phone
525-7177 Fax