

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 96-09401

Priority: August 06, 2008

Maximum Diversion Rate: 0.05 CFS

This is to certify, that ROBERT R HAZELBAKER
And SANDRA M HAZELBAKER
2230 RAPID LIGHTNING CREEK RD
SANDPOINT ID 83864

has applied for a permit to appropriate water from:

Source: RAPID LIGHTNING CREEK **Tributary:** PACK RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.05 CFS

LOCATION OF POINT(S) OF DIVERSION:

RAPID LIGHTNING CREEK NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24, Twp 58N, Rge 01W, B.M. BONNER County


PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58N	01W	24				1.0													1.0
Total Acres: 1																			

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **October 01, 2009**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 23rd day of September, 2008.



DAVID R. TUTHILL, JR., Director