

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: FRANK D RICHARDSON 208-331-3430
Address: 6205 W BARKER 18330 S Clover L
KUNA ID 83634

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWNWSW Sec. 10, Township 01N, Range 01E
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.200		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:
0.200 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, PIPELINE
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is 350
feet.
d. Is groundwater with a temperature greater than 85F being sought? NO
e. If well is already drilled, when?
Drilling Firm
Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 year(s).

8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
01N	01E	10	NWSW 10			10

Total number of acres irrigated: 10

Place of Use: DOMESTIC, same as IRRIGATION use

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Domestic use is for one home.
Place of use is within Lot 2 Block 1, Wednesday Subdivision.
Water bearing zone to be appropriated is 180 to 350 feet.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank D. Richardson
Applicant

Received by CJH Date 11-1-95 Time 1400 Preliminary check by ly

Fee \$ 50.00 Received by CJH #W020059 Date 11/ 1/1995

Publication prepared by ST Date 11-8-95 Published in Id. Statesman

Publication approved ST Date 12-8-95

4795 EMERALD
BOISE, IDAHO
83706
336-1054


MASTER

BK. 14 p. 1449

PLAT OF
WEDNESDAY SUBDIVISION

A PORTION OF THE E 1/2, SE 1/4 OF SECTION 9
AND A PORTION OF THE W 1/2, SW 1/4, OF SECTION 10
T.1N., R.1E., B.M.,
ADA COUNTY, IDAHO
1993

SCANNED
OCT 16 2018



---	BOUNDARY LINE
==	LOT LINE
- - -	CENTER LINE
⊙	FOUND BRASS CAP
○	FOUND 5/8" IRON PIN
●	SET 5/8" X 30" IRON PIN w/CAP
•	SET 1/2" X 24" IRON PIN w/CAP

1. ALL LOTS ARE DEDICATED AS HAVING A PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT OVER THE 12' ADJACENT TO ANY STREET THAT IS DEDICATED TO THE USE OF THE PUBLIC. THE EASEMENT SHALL NOT PRECLUDE THE CONSTRUCTION OF HARD-SURFACED DRIVEWAYS TO THE LOTS.
2. A 12' PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT IS LOCATED ALONG THE EXTERIOR BOUNDARY LINES.
3. THERE IS A 12' PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT BEING 6' ON EITHER SIDE OF THE INTERIOR LOT LINES.
4. LOTS 2 & 3, BLOCK 1, LOTS 4 & 5, BLOCK 1, LOTS 1 & 2, BLOCK 2 AND LOTS 3 & 4, BLOCK 2 SHALL SHARE COMMON DRIVEWAYS TO ACCESS SOUTH CLOVERLEAF EASEMENTS. THE COMMON DRIVEWAYS SHALL BE LIMITED TO THE SHARED DRIVEWAY ACCESS EASEMENTS AS SHOWN ON THE PLAT.
5. SUBDIVIDER WILL COMPLY WITH THE DISCLOSURE REQUIREMENTS OF SECTION 31-3805 OF THE IDAHO CODE.
6. BUILDING SETBACKS AND DIMENSIONAL STANDARDS IN THIS SUBDIVISION SHALL BE IN COMPLIANCE WITH THE APPLICABLE ZONING REGULATIONS OF ADA COUNTY.
7. ANY RE-SUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE REGULATIONS IN EFFECT AT THE TIME OF THE RE-SUBDIVISION.
8. THIS DEVELOPMENT RECOGNIZES SECTION 22-4501, ET SEQ., IDAHO CODE, RIGHT TO FARM.
9. BUYER FULLY ACCEPTS EXISTING PROPERTY USE BY AMALGAMATED SUGAR COMPANY AS DOCUMENTED BY THE HISTORICAL USE OF THEIR BEET STORAGE AND STAGING AREA, INCLUDING AND ACCEPTING RELATED VEHICLE AND TRUCK TRAFFIC, NOISE, AND DUST, AND, BUYER AGREES TO ALLOW AMALGAMATED SUGAR COMPANY'S UNINTERRUPTED USE OF THEIR STORAGE AND STAGING AREA AND AGREES NOT TO TRESPASS UPON AMALGAMATED SUGAR COMPANY PROPERTY AND WILL CONTROL CHILDREN OF THE DEVELOPMENT TO PREVENT TRESPASS UPON AMALGAMATED SUGAR COMPANY PROPERTY.


63-12280

TEALEY'S LAND SURVEYING

109 S. 4th ST. ● ● BOISE, IDAHO

Project No. 1182

Sheet 1 of 2



PERMIT 63-12289 INIT CH
T. R. S. Q/Q
P/D IN IE 10 NWSW
SCALE _____
PHOTO ID. Y-8



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

November 6, 1995

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Frank D Richardson
6205 W Barker
Kuna ID 83634

RE: Application for Permit 63-12289

Dear Applicant:

Your application for permit to appropriate waste water for irrigation/domestic purposes was received on 11/01/1995. Processing of your application must be delayed.

Due to continued drought and to protect existing water rights and water supplies, the Director of this agency declared a moratorium on 5/15/1992 concerning water right applications proposing new consumptive uses of public water. The moratorium has now been lifted, but a backlog of applications filed during the moratorium must first be processed before new applications may be considered.

This office will hold your application and will begin processing as soon as our backlog has been eliminated. All applications received will be processed in priority order. Delays related to department actions do not affect the date of priority or seniority of your application, once established.

To facilitate handling of your filing once it can be processed, please provide the proposed depth(s) of the water bearing zone(s) to be developed within the aquifer. For example, a well with total depth of 250 feet might be developed to secure water from a water bearing zone in the 140-190 feet depth interval.

If you have any questions, please feel free to contact me at 334-2190.

Sincerely,

Lori Graves
Sr. Water Resource Agent

63-12289

RICHARDSON, FRANK D
6205 W BARKER
KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt: SWNWSW Sec 10 T 01N R 01E in ADA County.

Use: IRRIGATION	(	0.200 CFS)
DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.200 CFS)

Date Filed: 11/ 1/1995

In: ADA County
T01N R01E S10 NWSW

10.0 ACRES TOTAL