

Transfer No. _____

74688

RECEIVED
MAR 13 2008
WATER RESOURCES
WESTERN REGION

APPLICATION FOR TRANSFER OF WATER RIGHT

PART 1

WITHDRAWN

Post Office address 411 3rd Street South, Nampa ID 83651

1. ☐ Change point of diversion ☒ Add diversion point(s) ☐ Change place of use
☐ Change nature of use ☐ Change period of use ☐ Other _____
2. Describe the reason for the proposed changes. Additional well for diversion capacity and reliability.

- | 1. Right Number | Priority | Amount (cfs/ac-ft) | Nature of Use | Period of Use |
|-----------------|-----------|--------------------|---------------|---------------|
| 63-9180 | 9/27/1978 | 4.0 cfs | Municipal | 1/1 to 12/31 |
| | | | | to |
| | | | | to |
| | | | | to |
2. Total amount of water being transferred 4.0 cubic feet per second and/or _____ acre-feet per annum.
3. Source of water Ground Water tributary to _____
4. Point(s) of Diversion: _____

[illegible]

5. Lands irrigated or place of use: **Place of use is within applicant's municipal service area**

[illegible]

Total Acres

PART 1

6. General Information:

a. Description of diversion system Two wells piped to applicant's municipal distribution system.

b. Are the lands from which you propose to transfer the water right subject to any liens, deeds of trust, mortgages, or contracts?
 _____ Yes X No. If yes, provide a notarized statement from the holder of the lien, deed of trust, mortgage or contract agreeing to the proposed changes.

c. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer:

N/A

d. Remarks:

A new well was drilled 2/12/2008 (drilling permit no. 420057) to replace the less productive original well. The drilling permit requires abandonment of the original well. To maximize the well site diversion potential and reliability, applicant now requests authorization for a second well at the site. The second well will be either the rehabilitated original well or a new well. If a new well is drilled, the original well will be abandoned. The applicant requests, via this notarized document, that the abandonment condition for the original well listed on drilling permit no. 420057 be removed to allow the well to rehabilitated if practical. If rehabilitation is unsuccessful, the applicant will abandon the well. A copy of drilling permit no. 420057 and associated well log are attached. Also attached is a memo from Terry Scanlan to John Westra requesting expedited processing of this transfer, and a response letter from John Westra..

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. _____

And the said application is hereby _____, subject to the following conditions:

Witness my hand this _____ day of _____, 20 _____.

 For the Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

**APPLICATION FOR TRANSFER OF WATER RIGHT
PART 2**

(Attach one copy for each right)

A. DESCRIPTION OF RIGHT AS RECORDED

1. Right as evidenced by: **See attached proof report for recommendation 63-9180**

- a. Decree No. _____ Decreed to _____
in case of _____ vs. _____
dated _____ in _____ county of _____
- b. License No. _____ issued by the Idaho Department of Water Resources.
- c. Claim No. _____ on file with the Idaho Department of Water Resources.
- d. Transfer No. _____ which produced this right.

2. Attach copy of last year's tax notice for the property to which the water right is appurtenant or other documents which show ownership. Label document as attachment A. Check appropriate box below:

☐ Tax Notice

☐ Warranty Deed

☒ Other Applicant is owner of record for
license 63-9180

3. Source of water _____ tributary to _____

4. Date or priority _____

5. Water is used for the following purposes:

amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)

amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)

amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)

6. Total amount of water under right _____ cubic feet per second and/or _____ acre-feet per annum.

7. Point(s) of Diversion:

Lot	¼	¼	¼	Sec	Twp	Rge	County	Local name for diversion

8. Lands irrigated or place of use:

Twp	Rge	Sec	NE ¼				NW ¼				SW ¼				SE ¼				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total Acres _____

9. Describe any other water rights used for the same purpose as described above Several municipal rights owned and operated by the applicant that serve the City of Nampa.

PART 2

10. To your knowledge, has any portion of this water right undergone a period of five or more consecutive years of non-use?

No _____ If yes, describe _____

B. DESCRIPTION OF PORTION OF RIGHT BEING TRANSFERRED

(If the entire right is to be changed by the applicant, omit part B and C.)

1. amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)
 amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)
 amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)

2. Point(s) of Diversion:

Lot	¼	¼	¼	Sec	Twp	Rge	County	Local name for diversion

3. Lands irrigated or place of use:

Twp	Rge	Sec	NE ¼				NW ¼				SW ¼				SE ¼				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total Acres _____

C. DESCRIPTION OF UNCHANGED PORTION OF RIGHT (omit if there is no change)

1. amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)
 amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)
 amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)

2. Point(s) of Diversion:

Lot	¼	¼	¼	Sec	Twp	Rge	County	Local name for diversion

3. Lands irrigated or place of use:

Twp	Rge	Sec	NE ¼				NW ¼				SW ¼				SE ¼				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	


Total Acres _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TRANSFER OF WATER RIGHT
PART 3

See Attached Map

A. Draw a map or attach a USGS map indicating the new point(s) of diversion and/or the new place of use for the rights described in part 1. Clearly depict the land by section, township and range number.



Scale: 2 inches equal 1 mile. Draw plan in ink.

PART 3**B. CHANGES IN NATURE OF USE**

1. New Nature of Use Amount(cfs/af-ft) Hours/days/year Period of Use
N/A _____ to _____
 _____ to _____

Quantity and quality of return flows and location of discharge: _____

N/A _____

2. Describe effects on other water uses resulting from the proposed change:

N/A _____

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willful misrepresentations made in this application may result in voiding its approval.

[Signature]


(Signature of Applicant)

Subscribed and sworn to before me this 11th day of March, 2008

[Signature]

(Notary Public)

My Commission expires 12-14-2012

**FOR DEPARTMENT USE ONLY**

Transfer contains _____ pages and _____ attachments

Received by DB Date 3-13-08 Protest filed by _____

Prelim. Check by _____ Fee \$370-

Received by DB / W036251 Date 3-13-08

Published in _____ Copies of protest forwarded by _____

Pub. Dates _____ Hearing held by _____ Date _____

Watermaster recommendations requested on _____ Recommended for ☐ approval ☐ denial

_____ received _____ by _____

Copy of transfer sent to lien holder _____

12/14/2006

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-9180
NAME AND ADDRESS: CITY OF NAMPA
411 3RD ST S
NAMPA ID 83651
SOURCE: GROUND WATER TRIBUTARY:
QUANTITY: 4.000 CFS
PRIORITY DATE: 09/27/1978
POINT OF
DIVERSION: T02N R02W S3 NWNW Within CANYON County
This water right is part of the potable water delivery system for the City of Nampa.

The points of diversion for this right and Right Nos. 63-2779, 63-2781, 63-2782, 63-5258, 63-10212, 63-7567, and 63-8324, are diverted through the points of diversion described in Right No. 63-2533.

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
MUNICIPAL	01/01 12/31	4.000 CFS

PLACE OF USE:


Place of use is within the service area of the City of Nampa municipal water supply system as provided for under Idaho Law.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, ground water was first diverted under this right at Well # 10 located in T3N, R2W, Sec. 3, NWNW.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License



N pa well #10 (application)

E Form 235-1
1/31/03

APPLICANT'S COPY

Drilling Permit No. 903210 - 850197
Drilling Permit I.D. Tag No. 00052467
Water Right Permit No. 63-09180
Injection Permit No. _____

State of Idaho

Department of Water Resources

APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

RECEIVED

OCT 15 2007

WATER RESOURCES
WESTERN REGION

1. Owner (please print): City of Nampa

2. Mailing Address: 411 Third Street South

City: Nampa State: ID Zip Code: 83651 Telephone (208) 468-5449

3. Proposed Well Location: Twp. 2N, Rge. 2W, Sec. 23, 1/4 NW 1/4 NW 1/4;

Gov't Lot No. _____ County Canyon Lat. _____ Long. _____

Street Address of Well Site 960 feet east of intersection of 12th Ave South and Greenhurst City Nampa

Give at least name of road + Distance to Road or Landmark

Lot, block and subdivision _____

4. Proposed Use of Well:

- ☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☐ Irrigation ☒ Municipal ☐ Industrial
☐ Livestock ☐ Test ☐ Other _____
Type _____ Number Hd. _____ (Describe)

☐ INJECTION

☐ MONITORING: A well bore schematic and map is required for each blanket permit. No. of proposed wells:

5. Well Construction Information:

A. ☐ New well ☐ Modify ☒ Replace Well #10
B. Proposed Casing Diameter 16-inch Proposed Maximum Depth 600 feet

C. Anticipated bottom hole temperature:

☒ 85 F or less (Cold Water Well) ☐ 85 F to 212 F (Low Temp. Geo. Well) ☐ 212 F. or more (Geothermal Well)

6. Construction Start Date: October 17, 2007

7. Anticipated Well Driller: Stevens and Sons Driller's Lic. No. 153

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature: [Signature] Date 11 SEP 07

Address (if different than owner): _____

City: _____ State: _____ Zip Code: _____ Telephone: _____

Title: City Engineer

(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

12-3-07

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one(1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare, which may be required before construction of the well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals, which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho. If the well being drilled is associated with approved water right(s) use of the well must comply with conditions of said water right(s).
7. If a bottom hole temperature of 85 or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (DigLine is a one-call center for utility notification) not less than 2 working days prior to the start of any excavation for this project. The "DigLine" Number for your area is 1-800-342-1585.
9. Please be advised that this drilling permit should be considered and treated as a preliminary permit. If you are in disagreement with this preliminary permit you have fourteen (14) days of the service date of this permit to petition the Department for reconsideration pursuant to Section 67-5243, Idaho Code.
10. The well tag for the drilling permit/start card shall be securely and permanently attached to the well casing through welding or by the use of four closed end domed stainless steel pop rivets. The tag attachment will be done at the time of completion of the well, and prior to removing the drill rig from the drill site.

SPECIFIC CONDITIONS:

The well being replaced shall be properly abandoned within 90 days of completion of this new well.
Well construction shall be consistent with plans and specifications approved by IDECQ and Attachment I

Signature of Authorized Department Representative

Sr WR Agent

Receipt No. W035911 Received by SB Fee \$200.00 Date 10/15/07

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

850197

Office Use Only

Well ID No.	420057		
Inspected by			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat:	:	Long:	:

1. WELL TAG NO. D 0052467
DRILLING PERMIT NO. 903210-850197
Water Right or Injection Well No. 63-09180

2. OWNER:

Name City of Nampa
Address 411 Third Street South
City Nampa State ID ZIP 83651

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. 2 North ☒ or South ☐
Rge. 2 East ☐ or West ☒
Sec. 2 1/4 1/4 1/4
Gov't Lot ☐ County ☐ Canyon
Lat: : : Long: : :
Address of Well Site 960' east of intersection 12th Av
& Greenhurst City Nampa
(Give all listed names of road - Parkway or Road or Landmark)

Li. Blk. Sub. Name
well #10 (replace old #10)

4. USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD:

☐ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other reverse

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
bentonite grout	2	457	150 sk	pumped
bentonite chips	0	2		
Was drive shoe used?	☐ Y ☒ N	Shoe Depth(s)		
Was drive shoe seal tested?	☐ Y ☒ N	How?		

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
16"	2' 6"	457	375	steel	☒	☐	☒	☐
10"	423	465	365	steel	☐	☒	☒	☐

Length of Headpipe 42' Length of Tailpipe 0
Packer XX ☐ N Type figure K swedge pkr
12" 6' long

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method
Screen Type & Method of Installation Johnson V-wire

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
465	545	40		10	stnls	steel	☒
							☐
							☐

10. FILTER PACK

Filter Material	From	To	Weight / Volume	Placement Method
#6-9 sand	423	545	7500#	poured

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

11.5 ft. below ground Artesian pressure lb.
Depth flow encountered ft. Describe access port or control devices:

12. WELL TESTS:

☒ Pump ☐ Bailor ☐ Air ☐ Flowing Artesian			
Yield gal./min.	Drawdown	Pumping Level	Time
3,000	75.2	86.6'	8 hr

Water Temp. Bottom hole temp.

Water Quality test or comments:

Depth first Water Encounter

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water
20	0	4	topsoil	X
	4	34	broken lava & clay	X
	34	60	hard lava	X
	60	75	broken lava	X
	75	85	broken lava & clay	X
	85	94	clay	X
	94	142	sand, gravel, boulders	X
	142	190	sand	X
	190	202	clay	X
	202	220	sand	X
	220	238	clay	X
	238	246	sand	X
	246	252	clay	X
	252	281	sand	X
	281	283	clay	X
	283	293	sand	X
	293	310	clay	X
	310	410	clay & sand streaks	X
	410	444	clay	X
	444	452	sand	X
	452	463	clay	X
	463	547	sand	X
	547	556	clay	X
	556	563	sand	X
	563	600	clay	X

RECEIVED

MAR 03 2008

WATER RESOURCES
WESTERN REGION

Completed Depth 545' (Measurable)

Date: Started 12/20/07 Completed 2/20/08

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Stephens & Sons Firm No. 153

Principal Driller and
Driller or Operator II Date 2/26/08

Operator I Date

Principal Driller and Rig Operator Required.
Operator I must have signature of Driller/Operator II.

FORWARD WHITE COPY TO WATER RESOURCES

Lori Graves

*- SL - APPL RECC. in with
3/20/08 this card - this is the contact*

From: Stuart Hurley
Sent: Monday, March 10, 2008 9:22 AM
To: Roxanne Brown; Lori Graves
Subject: FW: Nampa Well 10 - Request for Expedited Transfer



SPF

Water Engineering, LLC
water resource consultants

Stuart Hurley, P.E.
Senior Project Engineer
600 E. River Park Lane, Ste. 105
Boise, ID 83706
208.383.4140 x217
fax 208.383.4156
e-mail shurley@spfwater.com
www.spfwater.com

From: Terry Scanlan
Sent: Tuesday, March 04, 2008 11:18 AM
To: 'Fred Snoderly'
Cc: Michael Fuss; 'Westra, John'; Stuart Hurley
Subject: RE: Nampa Well 10 - Request for Expedited Transfer

Oops. My mistake. Thanks for catching the error. The combined water rights for Wells 1, 2, and 3 is 3.22 cfs rather than 4.22 cfs.

-----Original Message-----

From: Fred Snoderly [mailto:snoderlyf@cityofnampa.us]
Sent: Tuesday, March 04, 2008 10:08 AM
To: Terry Scanlan
Cc: Michael Fuss
Subject: RE: Nampa Well 10 - Request for Expedited Transfer

Terry,

Line 13 states that Wells 1,2,4 would be converted to back-up wells. I believe well 4 would not be a back-up well as it is a main producer now. I think Well 3 might be the one used for back-up as it is a back-up well now. Did you mean Well 3 instead of 4?

Thanks,
Fred

From: Terry Scanlan [mailto:TScanlan@spfwater.com]
Sent: Tuesday, March 04, 2008 9:49 AM
To: Westra, John
Cc: Stuart Hurley; Michael Fuss; Fred Snoderly
Subject: Nampa Well 10 - Request for Expedited Transfer

John -

SPF has been working with the City of Nampa on a replacement well at the City's Well No. 10 site and the City would like to meet with you or your staff to discuss a potential water right transfer. Here is some background information.

1. The original Well No. 10 currently produces only 1 cfs, compared with > 2cfs historically. The water right for the well (63-9180) is for 4 cfs.
2. The well is being replaced because of the declining well yield. The declining yield is not associated with aquifer problems. Water levels are stable at the site.
3. The approved drilling permit for the replacement well requires abandonment of the original well.
4. The replacement well has been constructed and test pumped. It is completed in a deeper aquifer than the original well. The replacement well will yield approximately 3,000 gpm (6.7 cfs)
5. We have determined that either rehabilitation of the original well or a new well completed in the shallower aquifer tapped by the original well could increase the yield from the site by an additional 2 cfs or more.
6. The City is currently deficient in supply by approximately 8 cfs.
7. A second water right point of diversion is needed to allow two wells on the Well 10 site.
8. The City is interested in drilling another well (or rehabbing the original well) on the Well 10 site to provide the second point of diversion. However, due to space limitations on the well lot, they would need to complete the well drilling work prior to construction of a new well house and equipping the replacement well. They cannot put the recent replacement well into production now, and then drill an additional well in the future.

3/10/2008

9. Due to supply deficiency, the City cannot delay equipping of the replacement well while waiting a year or more for processing of a water right transfer application to add a point of diversion. The City needs to either (1) proceed with the drilling/rehabbing the second well within the next 3 to 5 months, or (2) settle for a single well on the #10 site.
10. To proceed with drilling/rehabbing the second well, the City could apply for a water right transfer to add a point of diversion to the Well 10 water right. If IDWR will expedite processing of the application, the application could be advertised, processed, and approved within about 3 months.
11. If the transfer is approved, the City would be authorized to divert 4.0 cfs from up to two wells on the well site under water right 63-9180.
12. The City has nine other water rights that, upon decree in the SRBA, will list the Well 10 site as an authorized point of diversion. The nine rights total 18.84 cfs. Decree is anticipated within the next 12 months. Kay Walker is the agent working on the City IDWR claims.
13. The City currently has three wells (1, 2, and 4) with water rights totaling 4.22 cfs that they would like to convert to back-up use only. The City also has slightly reduced capacity at a couple of other wells. Therefore, the City has available water rights for the contemplated diversion rate increase at the Well 10 site.
14. If the proposed transfer is approved allowing the second well to be completed, and the total yield from the well site is increased to 9 cfs, the City will be able to divert 9 cfs under the decreed water rights without additional transfers. If IDWR cannot expedite a transfer to add a point of diversion, and the City completes the site with a single well producing 6.7 cfs, the City will be able to divert the 6.7 cfs using the decreed water rights without a transfer.

Is expedited transfer processing to add a point of diversion a possibility? I understand IDWR's reluctance to approve transfers during the SRBA process, so I think the City would be satisfied with expedited advertisement of the transfer, and if there are no protests, receiving a drilling permit so that the well can be drilled or rehabilitated. The transfer application approval could be delayed until after decrees are issued.

The City would like to get an answer as soon as possible so that they can choose a direction on this project. We (and they) are available to meet with you as needed. Thanks for your attention to this matter.

Terry M. Scanlan, P.E., P.G.
 SPF Water Engineering, LLC
 600 East River Park Lane, Suite 105
 Boise, ID 83706
 208-383-4140 office
 208-383-4156 fax



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

March 7, 2007

C. L. "BUTCH" OTTER
GOVERNOR

DAVID R. TUTHILL, JR.
Director

Terry Scanlan
SPF Water Engineering LLC
600 E River Park Ln Suite 105
Boise Id 83706

RE: City of Nampa Well #10 site—additional point of diversion

Ref. E-mail 03/04/08

Dear Mr. Scanlan:

I have read your E-mail requesting an expedited transfer to authorize an additional point of diversion at the City #10 well site under water right #63-09180. Rob Whitney and I also reviewed the replacement well drilling permit issued on 12/03/07.

I would draw your attention the well drilling permit under the "Specific Conditions" section which states: *The well being replaced shall be properly abandoned within 90 days of the completion of this new well.* The well driller's report states the new well was completed on 02/20/08; thus abandonment must be completed by 05/21/08.

I would suggest a transfer application be submitted to our agency as soon as possible. The application can add the additional point of diversion with either rehabbing the existing well or new well construction option. While the application is awaiting processing, the City can consider the best option. A waiver petition can be considered to remove the drilling permit abandonment condition if needed.

Our Department Director has made processing transfers our priority. At present, all transfer applications are considered "expedited" status. Since January, our backlog has grown significantly smaller. Unless there is an urgent need or emergency situation, we need to process applications by date received to allow fair processing order to other applications. Once the transfer has been advertised with no protests resulting, we may consider drilling permit approval options.

Should you have any questions or desire to meet, please contact me at the Western Regional Office, phone 334-2190.

Sincerely,


John Westra, Manager
Western Region.

Enclosure: Drilling Permit



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

September 22, 2008

CITY OF NAMPA
411 3RD ST S
NAMPA ID 83651

Re: Withdrawal of Application for Transfer No. 74688

Dear Applicant:

Thank you for your recent withdrawal of the above referenced application.

Please contact me at 208-334-2190 if you have additional questions in this matter. Also, more information about water rights and other matters administered by this agency is available on the Internet at www.idwr.idaho.gov.

Sincerely,

Denise Buffington
Administrative Assistant
Western Region

cc: Stuart Hurley, SPF Water Engineering

MEMORANDUM

TO: Debbie Allen
FROM: John Westra / Denise Buffington *DB*
DATE: September 22, 2008
RE : Refund

SPF Water Engineering paid \$370 for an Application for Transfer for City of Nampa, on March 13, 2008. The application was withdrawn on September 19, 2008. A full refund should be issued.

Please issue a \$370 refund as follows:

TO

SPF WATER ENGINEERING
300 E MALLARD DR, STE 350
BOISE ID 83706

TEL. (208) 383-4140

RECEIPT #

W036251, copy attached

Copy: Transfer # 74688

Idaho Department of Water Resources Receipt


Receipt ID: W036251

Payment Amount	\$370.00	Date Received	3/13/08 2:59	Region	WESTERN
Payment Type	Check	Check Number	3527		
Payer	SPF WATER ENGINEERING				

Comments APPLICATION FOR TRANSFER FOR CITY OF NAMPA: 63-9180

Fee Details

Amount	Description	Fund	Fund Detail	PCA	Subobject
\$370.00	TRANSFERS	0229	21	62105	1155



Signature Line (Department Representative)

RECEIVED


SEP 19 2008

WATER RESOURCES
WESTERN REGION

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WITHDRAWAL OF TRANSFER**

I, Michael J. Fuss, P.E., Public Works Director for the City of Nampa, hereby withdraw
Transfer No. 74688 on Water Right No. 63-9180.

Signed this 18 day of September, 2008.



(Signature of Applicant)

Subscribed and sworn to before me this _____ day of _____, 20 ____.

N/A

(Notary Public)

My commission expires _____



City of Nampa

RECEIVED

SEP 19 2008

PUBLIC WORKS

CITY HALL

411 THIRD STREET SO.

NAMPA, IDAHO 83651

WATER RESOURCES
OFFICE (208) 468-5420

FAX (208) 468-5487

LETTER OF TRANSMITTAL

DATE: September 18, 2008
TO: Idaho Department of Water Resources
ATTN: John Westra, Manager, Western Region
RE: Withdrawal of Transfer

Transmitted herewith is the following:

1 copy State of Idaho Department of Water Resources Withdrawal of Transfer Request, Transfer No. 74688 on Water Right No. 63-9180

(If the enclosures are not attached, please notify us)

- ☐ Being sent for your information ☐ Please set time when we may discuss
☐ For your review and comment ☒ Please take action indicated

Comments:

The above referenced water right transfer was previously submitted to request a second point of diversion for a City of Nampa well site. However, as we have modified this project and the scope of work, we are withdrawing this request.

If you have any questions, or concerns, please call me at 468-5420.

Thank you.

FROM: Michael J. Fuss, P.E., Public Works Director

RECEIVED BY: _____

DATE: _____

Westra, John

From: Westra, John
Sent: Friday, August 15, 2008 2:18 PM
To: 'Stuart Hurley'
Cc: Whitney, Rob
Subject: RE: Nampa Well 10

Stuart:
Yes, the city did submit the transfer, it is Transfer # 74688
I will also forward this to Rob Whitney in our office.

Thank you for following up on this.
This is one less transfer we have to work on,
always welcomed.

Friday Regards
John

From: Stuart Hurley [mailto:SHurley@spfwater.com]
Sent: Friday, August 15, 2008 2:00 PM
To: Westra, John
Subject: Nampa Well 10

Hi John,

We wanted to follow up with you on a transfer we submitted last spring for the City of Nampa, which is attached. We have attempted to rehab the old existing well as we discussed, but were not successful and the old well has been abandoned. Also, the City has decided not to drill a second well at that site. Therefore, we can withdraw the transfer application to add a second point of diversion to water right 63-9180. I think the City sent this transfer application in directly to IDWR, but I cannot find in my files any correspondence on that.

So first of all I wanted to make sure the City did in fact submit the transfer application. If they did, I can have them fill out the withdrawal paperwork and get it submitted to you so everyone is up to date on what's going on.

Please let me know if there are any questions.

Thank you,

Stuart

Stuart Hurley, P.E.
SPF Water Engineering, LLC
600 E. River Park Lane, Suite 105
Boise, ID 83706
Phone: 208-383-4140, ext. 217
Fax: 208-383-4156
shurley@spfwater.com

8/15/2008