

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

RECEIVED
JUN 04 2008
IDWR/North

1. Name: DOUGLAS CIPRIANO
1751 GOOBY RD
SANDPOINT ID 83864
(208)290-1013

2. Source: GROUND WATER
SYRINGA CREEK Tributary to: PEND OREILLE RIVER

3. Location of Point of Diversion:

#1 SYRINGA CREEK	NW1/4SW1/4	Sec. 8, Twp 57N, Rge 02W, B.M.
BONNER County		
#2 GROUND WATER	SW1/4SW1/4	Sec. 8, Twp 57N, Rge 02W, B.M.
BONNER County		

4. Water will be used for the following purposes:

<u>Purpose</u>	<u>From</u> <u>To</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.06 CFS	
DOMESTIC	01/01 to 12/31	0.04 CFS	

5. Total quantity to be appropriated is: 0.06 CFS

6. Proposed diverting works:

POINT OF DIVERSION #1

a. Type and size of devices used to divert water from the source: GRAVITY FEED FROM
SYNIGA CREEK

b. Height of storage dam _____ feet;
Active reservoir capacity _____ acre-feet;
Total reservoir capacity _____ acre-feet;.

c. Proposed well diameter is _____ inches;
Proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85F being sought?

e. If well is already drilled, when? _____;
Drilling Firm _____;
Drilling Permit No. _____.

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

POINT OF DIVERSION #2

a. Type and size of devices used to divert water from the source: 1 HP PUMP WITH 4 INCH PVC PIPE

b. Height of storage dam _____ feet;
Active reservoir capacity _____ acre-feet;
Total reservoir capacity _____ acre-feet;

c. Proposed well diameter is _____ inches;
Proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85F being sought?

e. If well is already drilled, when? 7/2/1991;

Drilling Firm: BOB PITT AND SONS;

Drilling Permit No. _____.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).

8.

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	8																	3.6
																		3.6	

Total Acres: 3.6

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	8																	X

9a. Who owns the property at the point of diversion? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

9b. Who owns the land to be irrigated or place of use? If other than applicant, describe the arrangement enabling the applicant to make this filing.

KONNIOTTO LLC - DEED OCTOBER 23 1967 SEE COPY OF THIS DEED IN THE APPLICATION.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

10. Remarks:

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant


Received by db Date 6/4/08 Time 11:45a Preliminary check by _____
Publication prepared by db Date 6/23/08 Published in Bonanza Co Daily Bee 7/3+10/08
Publication approved db Date 8/4/08

Receipt No. N019242

Date: _____

Received by: _____

96-9388



0 255 510 1,020 1,530 2,040 Feet

Legend

- Application POD
- Application POU
- QQ
- Taxlots



113172

DEED

629

GRANTORS: OTTO TURINSKY and CONSTANCE M. TURINSKY, husband and wife,

GRANTEES: JIM ALLEN BENSON and BETTY G. BENSON, husband and wife, Sandpoint, Idaho.

PROPERTY: A tract of land in the Southwest Quarter of Section 8, Township 57 North, Range 2 West of the Boise Meridian, Bonner County, Idaho, more particularly described as follows: Commencing at a point on the section line 528 feet East of the Southwest corner of said Section 8; thence North at right angles to said section line 251 feet to a point; thence East, parallel with said section line, 660 feet to a point; thence South 251 feet to said section line; thence West along said section line 660 feet to the point of beginning.



DATE: October 23, 1967.



KNOW ALL MEN BY THESE PRESENTS:

That OTTO TURINSKY and CONSTANCE M. TURINSKY, husband and wife, the above named Grantors, do hereby grant, sell and convey to JIM ALLEN BENSON and BETTY G. BENSON, husband and wife, the above named Grantees, the tract of land hereinabove described.

TO HAVE AND TO HOLD the same, together with the hereditaments and appurtenances thereunto belonging or in anywise appertaining, to the Grantees, their heirs and assigns forever.

The Grantors do covenant that the above described premises are free from all encumbrances, and that they and their heirs and assigns shall warrant and forever defend the premises against all claims and demands.

The Grantors do grant to the Grantees an easement in, over and across Grantors' property located in the South Half of the Southwest Quarter of said Section 8, and between Syringa Creek and the above described property for the purpose of laying and maintaining a water pipe line for the purpose of diverting waters from Syringa Creek, for domestic purposes on the hereinabove described property. The Grantors do further

FILED FOR RECORD 11-23-1967 AT 1:50 P.M. REQUEST OF JIM ALLEN BENSON & BETTY G. BENSON BOOK NO. 113172-629 BY 772 L. K. - J. B. 2

MAY 14 2008

RECEIVED
MAY 14 2008
IDWR/North

grant to Grantees the license to use the private roads on Grantors' property for the purpose of ingress and egress to the above described property until such time as access to the above described property by a county road is acquired.

The Grantees, as part of the consideration for this conveyance, do covenant and agree for themselves, their heirs, and assigns, that they will not sell and convey, nor lease, the above described property in any portion less than the whole thereof. That is to say, the said property shall not be subdivided without the written consent of the Grantors, their heirs or assigns.

IN WITNESS WHEREOF, the Grantors and Grantees have hereunto set their hands and seals this 23rd day of October, 1967.

GRANTORS:

Otto Turinsky
Otto Turinsky

Constance M. Turinsky
Constance M. Turinsky

GRANTEES:

Jim Allen Benson
Jim Allen Benson

Betty C. Benson
Betty C. Benson


STATE OF IDAHO
(County of Bonner)

On this 23rd day of October, 1967, before me, the undersigned, a Notary Public in and for said State, personally appeared OTTO TURINSKY and CONSTANCE M. TURINSKY, husband and wife, and JIM ALLEN BENSON and BETTY C. BENSON, husband and wife, known to me to be the persons whose names are subscribed to the foregoing instrument and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and seal the date last above written.


Frank H. Hager
Notary Public in and for the
State of Idaho, residing at
Sandpoint.

RECEIVED
MAY 14 2008
IDWR/North



0 0.08 0.16 0.24 0.32 0.4 km
0 0.05 0.1 0.15 0.2 0.25 mi


Projection: NAD83/WGS84



[Start Your Full Subscription Now](#)

T57N R2W S8
RURAL

RECEIVED
MAY 14 2008
IDWV North



0 0.08 0.16 0.24 0.32 0.4 km
0 0.05 0.1 0.15 0.2 0.25 mi

Projection: NAD83/WGS84




[Start Your Full Subscription Now](#)

T57N R2W S8

RURAL

RECEIVED
MAY 14 2008
DWR/North





Projection: NAD83/WGS84



[Start Your Full Subscription Now](#)

RECEIVED
MAY 14 2008
IDWR/North



Projection: NAD83/WGS84




[Start Your Full Subscription Now](#)



Address **Sandpoint, ID**

RECEIVED
MAY 14 2008
IDWR/North



MAPQUEST.

PROGRESSIVE
DIRECT


Start your search at
PROGRESSIVE.COM.
You could save hundreds.

JEEP WRANGLER	
American Family	\$606
State Farm	\$655 - \$834
Progressive Direct	\$431

Quote and Compare

RECEIVED
MAY 14 2008
IDWFF North

A: Sandpoint, ID 83864



Directions and maps are informational only. We make no warranties on the accuracy of their content, road conditions or route usability or expeditiousness. You assume all risk of use. MapQuest and its suppliers shall not be liable to you for any loss or delay resulting from your use of MapQuest. Your use of MapQuest means you agree to our [Terms of Use](#)


Form 230-7
6/80

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR
BALLPOINT PEN

RECEIVED
MAY 14 2008
IDWR/North

1. WELL OWNER Name <u>Jim Benson</u> Address <u>2305 White Rd Moscow ID 83843</u> Drilling Permit No. <u>96-91-N-76-000</u> Water Right Permit No. _____		7. WATER LEVEL Static water level <u>Flowing</u> feet below land surface. Flowing? ☒ Yes ☐ No G.P.M. flow <u>14 gpm</u> Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>?</u> OF. Quality <u>?</u> Describe strata or temperature zones below.																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ Discharge G.P.M. <u>10</u> Pumping Level <u>305</u> Hours Pumped <u>1</u>																										
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <u>079888</u> <table border="1"><thead><tr><th>Core Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Water Yes No</th></tr></thead><tbody><tr><td>6"</td><td>H</td><td>5</td><td>Topsoil</td><td>X</td></tr><tr><td>1</td><td>S</td><td>18</td><td>Extremely decomposed Granite (Sand)</td><td>X</td></tr><tr><td>1</td><td>R</td><td>305</td><td>Granite (medium hard)</td><td>X</td></tr><tr><td colspan="5">Hole was lined with 4" PVC line from -10 to -305 Perforations on 3rd from bottom and bottom pieces</td></tr></tbody></table>		Core Diam.	Depth From	To	Material	Water Yes No	6"	H	5	Topsoil	X	1	S	18	Extremely decomposed Granite (Sand)	X	1	R	305	Granite (medium hard)	X	Hole was lined with 4" PVC line from -10 to -305 Perforations on 3rd from bottom and bottom pieces				
Core Diam.	Depth From	To	Material	Water Yes No																								
6"	H	5	Topsoil	X																								
1	S	18	Extremely decomposed Granite (Sand)	X																								
1	R	305	Granite (medium hard)	X																								
Hole was lined with 4" PVC line from -10 to -305 Perforations on 3rd from bottom and bottom pieces																												
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		RECEIVED JUL 24 1991 Department of Water Resources RECEIVED JUL 15 1991 ROBIE P. REGION T-4-R																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>6"</td><td>1</td><td>22</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>Well Seal</u>				Thickness	Diameter	From	To	250 inches	6"	1	22	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet					
Thickness	Diameter	From	To																									
250 inches	6"	1	22																									
_____ inches	_____ inches	_____ feet	_____ feet																									
_____ inches	_____ inches	_____ feet	_____ feet																									
_____ inches	_____ inches	_____ feet	_____ feet																									
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name <u>AUG 11 1992</u> Lot No. _____ Block No. _____ County <u>Bonner</u> Sec. <u>8</u> , T. <u>57</u> N. <u>2</u> E. <u>2</u> W. <u>2</u>		10. Work started <u>6-27-91</u> finished <u>7-1-91</u>																										
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Bob Pitts & Sons</u> Firm No. <u>235</u> <u>Well Drilling</u> Address <u>4776 Baldy Mt. Rd.</u> Date <u>7-2-91</u> <u>Sandpoint, Idaho 83864</u> Signed by (Firm Official) <u>Bob Pitts</u> and (Operator) <u>Mar Pitts</u>																												

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

THIS REPRESENTS THE BEST AVAILABLE INFORMATION AND MAY NOT ACCURATELY DESCRIBE THE ACTUAL SITUATION

RECEIVED
MAY 14 2008
North

IDADO DEPARTMENT OF WATER RESOURCES
1910 NW BLVD, CO'A, ID 83814, 208-769-1450
WELL LOG SUMMARY REPORT-BONNER COUNTY

*Hi Doug -
This was furnished
by Rick Peltco.*

DATE: 06/29/95
PAGE: 73

11NOTE1--99999 in SUL and GPH indicates Information Not Recorded, Artesian Flow, or No Water
Use Abbreviations--"Dom" Domestic, "Inj" Injection, "Mun" Municipal, "Ind" Industrial, "Art" Artesian

WELL ID NUMBER

OWNER(S)

TWP RGE SC TACT LT TYPE USE DIA DEPTH CASING SML GPH TEMP SCR N CONST METHOD COMP DATE

96-93-N-0166-000 BROWN, DON 57N 01W 33 NE SE 03 NEU W Dom 6" 70ft 48ft 29ft 30.00 50 N ROTARY AIR 09/03/1993

BROWN, LAURIE

96-80-N-0140-000 STEWART, ERWIN 57N 01W 33 NE SE 57N 01W 33 NE SE 03 NEU W Dom 6" 205ft 20ft 20ft 5.00 N ROTARY AIR 08/07/1980

96-83-N-0092-000 HAZELTIN, JAROLD 57N 01W 33 SE SE 57N 01W 33 NE SE 03 NEU W Dom 6" 130ft 85ft 30ft 10.00 N CABLE 09/17/1983

96-73-N-0112-000 ELLER, DOUGLAS 57N 01W 34 NE SW 57N 01W 34 NE SW 03 NEU W Dom 6" 75ft 75ft 25ft 20.00 N ROTARY AIR 05/11/1973

96-89-N-0132-000 KRUMENACKER, TROY 57N 01W 34 SW SW 57N 01W 34 SW SW 03 NEU W Dom 6" 376ft 59ft 25ft 2.50 N ROTARY AIR 12/10/1989

96-83-N-0010-000 LAMB, JOHN 57N 01W 35 NE SW 57N 01W 35 NE SW 03 NEU W Dom 6" 120ft 24ft 6ft 6.00 N CABLE 12/12/1983

96-77-N-0056-000 MC GEE, TOM 57N 02W 01 NE NE 57N 02W 01 NE NE 03 NEU W Dom 6" 18ft 18ft 9ft 10.00 N AUGER 07/24/1977

96-40-N-0027-000 MOOISHER, JAMES 57N 02W 01 NE NE 57N 02W 01 NE NE 03 NEU W Dom 6" 300ft 225ft 4ft 6.00 N CABLE 08/22/1980

96-84-N-0103-000 LAUD, JOHN 57N 02W 01 NE NE 57N 02W 01 NE NE 03 NEU W Dom 6" 27ft 27ft 10ft 10.00 N AUGER 09/19/1973

96-84-N-0101-000 SCHELL, J P 57N 02W 01 NE NE 57N 02W 01 NE NE 03 NEU W Dom 6" 76ft 71ft 35ft 12.00 N CABLE 04/20/1984

96-91-N-0207-000 BORDENAVE, PIERRE 57N 02W 01 NE NE 57N 02W 01 NE NE 03 NEU W Dom 6" 303ft 303ft 41ft 10.00 N ROTARY 09/22/1973

96-73-N-0114-000 MC GEE, F M 57N 02W 01 NE NE 57N 02W 01 NE NE 03 NEU W Dom 6" 232ft 232ft 10ft 11.00 N AUGER 09/04/1991

96-91-N-0130-000 MC GEE, TOM 57N 02W 01 NE NE 57N 02W 01 NE NE 03 NEU W Dom 6" 232ft 232ft 10ft 11.00 N CABLE 09/04/1991

96-67-N-0019-000 BRADITCH, PHIL 57N 02W 02 NE NE 57N 02W 02 NE NE 03 NEU W Dom 6" 33ft 33ft 12ft 4.00 N DUG 09/00/1967

96-67-N-0020-000 MASON, JOHN B 57N 02W 02 NE NE 57N 02W 02 NE NE 03 NEU W Dom 6" 32ft 32ft 15ft 12.00 N DUG 07/00/1967

96-77-N-0057-000 HAMMACK, VILBUR L 57N 02W 02 NE NE 57N 02W 02 NE NE 03 NEU W Dom 6" 125ft 38ft 42ft 10.00 N ROTARY AIR 09/01/1977

96-94-N-0455-000 WAITS FAMILY TRUST 57N 02W 02 SW SW 57N 02W 02 SW SW 03 NEU W Dom 6" 475ft 420ft 15ft 200.00 N AIR ROTARY 12/06/1994

96-79-N-0116-000 WEBB, ARNOLD 57N 02W 02 SW SW 57N 02W 02 SW SW 03 NEU W Dom 6" 37ft 37ft 18ft 7.50 N AUGER 11/01/1979

96-74-N-0036-000 EGGERS, FLOYD 57N 02W 02 NE SE 57N 02W 02 NE SE 03 NEU W Dom 6" 32ft 32ft 15ft 5.00 N AUGER 11/06/1974

96-71-N-0059-000 BEAUCHENE, ROGER 57N 02W 03 NE NE 57N 02W 03 NE NE 03 NEU W Dom 6" 31ft 31ft 18ft 20.00 N OTHER 06/10/1971

96-81-N-0062-000 FIRST MISSIONARY BABIST CHURCH 57N 02W 03 NE NE 57N 02W 03 NE NE 03 NEU W Dom 6" 196ft 196ft 18ft 20.00 N CABLE 08/15/1981

96-94-N-0204-000 KUBIAC, JOHN 57N 02W 03 NE NE 57N 02W 03 NE NE 03 NEU W Dom 6" 76ft 76ft 10ft 20.00 N CABLE 07/06/1994

96-94-N-0251-000 KUBIAC, JOHN 57N 02W 03 NE NE 57N 02W 03 NE NE 03 NEU W Dom 6" 76ft 76ft 13ft 20.00 N CABLE 08/08/1994

96-94-N-0218-000 KUBIAC, JOHN 57N 02W 03 NE NE 57N 02W 03 NE NE 03 NEU W Dom 6" 76ft 76ft 11ft 20.00 N CABLE 07/18/1994

96-94-N-0265-000 KUBIAC, JOHN 57N 02W 03 NE NE 57N 02W 03 NE NE 03 NEU W Dom 6" 76ft 76ft 13ft 20.00 N CABLE 08/10/1994

96-94-N-0403-000 LEACH, DOROTHY 57N 02W 03 NE NE 57N 02W 03 NE NE 03 NEU W Dom 6" 204ft 20ft 40ft 15.00 N CABLE 12/07/1994

96-75-N-0047-000 HINSLY SR, DANIEL 57N 02W 03 NE NE 57N 02W 03 NE NE 03 NEU W Dom 6" 125ft 115ft 9999ft 12.00 N AIR ROTARY 05/02/1985

96-74-N-0053-000 WALLACE, LLOYD 57N 02W 03 NE NE 57N 02W 03 NE NE 03 NEU W Dom 6" 31ft 32ft 9999ft 6.00 N CABLE 10/02/1961

96-84-N-0056-000 LAWRENCE, TOM 57N 02W 06 SE SE 57N 02W 06 SE SE 03 NEU W Dom 6" 24ft 24ft 12ft 5.00 N AUGER 09/25/1974

96-93-N-0063-000 FLETCHER, FRANK 57N 02W 07 SE SE 57N 02W 07 SE SE 03 NEU W Dom 6" 378ft 19ft 105ft 10.00 N ROTARY AIR 07/09/1984

96-73-N-0045-000 FLETCHER, FRANK 57N 02W 08 SE NE 57N 02W 08 SE NE 03 NEU W Dom 6" 300ft 110ft 9999ft 9.99 N ROTARY AIR 04/05/1973

96-93-N-0220-000 MORGANDER, ED 57N 02W 08 SW SW 57N 02W 08 SW SW 03 NEU W Dom 6" 460ft 20ft 6ft 4.00 N AIR ROTARY 10/10/1993

96-92-N-0003-000 BRAUN, JAMEEN 57N 02W 08 SE SW 57N 02W 08 SE SW 03 NEU W Dom 6" 200ft 59ft 9999ft 8.00 N ROTARY AIR 01/08/1992

96-90-N-0038-000 PLEASS, NIC 57N 02W 08 NE SE 57N 02W 08 NE SE 03 NEU W Dom 6" 176ft 20ft 20ft 5.00 N ROTARY 05/10/1990

96-78-N-0072-000 FLETCHER, FRANK 57N 02W 08 NE SE 57N 02W 08 NE SE 03 NEU W Dom 6" 130ft 38ft 35ft 20.00 N CABLE 04/21/1978

96-94-N-0357-000 ROBERTSON, MARY 57N 02W 08 SE SE 57N 02W 08 SE SE 03 NEU W Dom 6" 575ft 20ft 40ft 10.00 N AIR ROTARY 10/04/1994

96-78-N-0120-000 HAMMERMAN, TOM 57N 02W 08 SW SE 57N 02W 08 SW SE 03 NEU W Dom 6" 95ft 45ft 20ft 20.00 N CABLE 12/04/1978

96-83-N-0018-000 CALLAWAY, GEORGE 57N 02W 08 SW SE 57N 02W 08 SW SE 03 NEU W Dom 6" 253ft 27ft 9999ft 4.00 N ROTARY AIR 06/05/1983

96-94-N-0172-000 DAY, WARREN 57N 02W 08 SW SE 57N 02W 08 SW SE 03 NEU W Dom 6" 513ft 40ft 10ft 2.00 N AIR ROTARY 06/21/1994

96-92-N-0128-000 BELL, JIM 57N 02W 08 SE SE 57N 02W 08 SE SE 03 NEU W Dom 6" 179ft 60ft 20ft 7.00 N ROTARY 07/01/1992

96-95-N-0015-000 GASSER, CHARLES R 57N 02W 08 SE SE 57N 02W 08 SE SE 03 NEU W Dom 6" 575ft 89ft 30ft 50 N ROTARY AIR 02/07/1995

96-82-N-0101-000 WAITS, DON 57N 02W 09 NE NE 57N 02W 09 NE NE 03 NEU W Dom 6" 150ft 35ft 15ft 7.00 N CABLE 09/22/1982