

WorkCentre 7345 Transmission Report

G3 ID

Date/Time: 08/06/2008; 08:15AM
Page: 1 (Last Page)

Local Name
Logo

Document has been sent.
Document Size 8.5X11"SEF



State of Idaho
DEPARTMENT OF WATER RESOURCES
322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098
Phone: (208) 287-4800 • Fax: (208) 287-6700 • Web Site: www.idwr.idaho.gov

August 6, 2008

C. L. "BUTCH" OTTER
Governor
DAVID R. TUTTILL, JR.
Director

GRAHAM & JORDAN INVESTORS LLC
3394 S MC DERMOTT
NAMPA ID 83687

RE: Order in the Matter of Permit No. 63-31877

Dear Permit Holder:

The Department of Water Resources has issued the enclosed Order Granting Petition to Change Water Bearing Zone. As noted in the order, condition number 5 on the above listed permit has been changed to say, "Water bearing zone to be appropriated is from 350 to 550 feet below ground surface."

If you have any questions regarding this matter, please call me at 208-287-4947

Sincerely,

Shelley W. Keen
for Shelley W. Keen, Manager
Water Right Permits Section

Enclosures

C: Denise C. Lauerman, EHM Engineers, Inc.

Total Pages Scanned: 4 Total Pages Sent : 4

No.	Doc.	Remote Station	Start Time	Duration	Pages	Mode	Contents	Status
1	9952 208	386 9076	8- 6: 8:14AM	37s	4/ 4	SG3		CP

Note:
RE: Resend MB: Send to Mailbox BC: Broadcast MP: Multi Polling RV: Remote Service
PG: Polling RB: Relay Broadcast RS: Relay Send BF: Box Fax Forward CP: Completed
SA: Send Again EN: Engaged AS: Auto Send TM: Terminated