

To appropriate the public waters of the State of Idaho

- Department of Water Resources
Eastern Region

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
13N	42E	12									D	D	D	D					

Total number of acres to be irrigated: 82.7

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? Domestic use and to irrigate lawns, garden, + landscaping

11. a. Who owns the property at the point of diversion? applicant
- b. Who owns the land to be irrigated or place of use? applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. _____

RECEIVED

JUL 31 2008

Department of Water Resources
Eastern Region

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David E Benton

Signature of Applicant

DAVID E. BENTON Manager

Print Name (and title, if applicable)

For Department Use:

Received by D.M. Dunn Date 31 July 2008 Time 10:11 Preliminary check by _____
Fee \$ 330.00 Received by D.M. Dunn Receipt No. E034293 Date 31 July 2008

Publication prepared by SE Date _____ Published in Herald Chronicle
Publication approved _____ Date _____ Dates Published 9/4 & 9/11/08

* Paid upgrade on drilling permit

21-13082

Cherokee Well

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

RECEIVED
Department of Water Administration

1. WELL OWNER

Name Ed Strobel and Rex Price
Address 360 A Street Idaho Falls, Idaho
Owner's Permit No. _____

7. WATER LEVEL

Static water level 20 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

9. LITHOLOGIC LOG

44451

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
6	0	4	soil muddy		
	4	27	clay and gravel some boulders		
	27	35	gummy clay		
	35	47	clay and gravel	x	
	47	50	pea gravel	x	
	50	55	pea gravel and clay		
	55	70	clay brown		
	70	75	pea gravel	x	
	75	80	pea gravel and clay	x	

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 80 feet
Casing schedule: ☐ Steel ☐ Concrete
Thickness 250 inches Diameter 6 inches From 1 feet To 715 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet


Surface seal? ☒ Yes ☐ No To what depth 25' feet
Material used in seal ☐ Cement grout ☒ Puddling clay

10. Work started Aug. 2, 1968 finished August 2, 1968

11. DRILLER'S CERTIFICATION 3873
This well was drilled under my supervision and this report is true to the best of my knowledge.

Andrew Well Drilling Contractors
Driller's or Firm's Name _____ Number _____
1268 East 17th Street Idaho Falls, Idaho
Address _____
Signed By Paul J. Andrew Date September 15, 1970

8. LOCATION OF WELL
Sketch map location must agree with written location.




County Fremont
SE 1/4 NW 1/4 Sec. 12, T. 13 N. R. 42 E

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

21-13082

Idaho Department of Water Resources**Well Drillers' Locator**

The lat/long you provided was 44° 27' 51.927" N; 111° 27' 19.144" W
NW quarter of the SW quarter of Section 12, Township 13N, Range 42E
IDTM NAD83 coordinates: Easting=2702421; Northing=1476831



Choose the map-display background:

Photo

Topo



Add Layer



Wells



Water Rights



Water Right Permits



Adjudication Claims



Adjudication Recommendations

* Positions of wells/headgates may be based upon the center of a quarter-quarter section; those obtained by GPS or survey are accurate.

Cherokee Well

21-13082

Navigation Tools

Receipt Details for E024591

Status	Adjustment Type	Version
	Adjusted Receipt	1

General Information

Date Received	Date Deposited	Region	Total Amount	Payment Type
10/30/1998 3:30:14 PM	10/30/1998 12:00:00 AM	EASTERN	\$200.00	Check
Payer	ISLAND PARK WATER CO			

Account Information:

Check Number:	1254
---------------	------

Comment


WELL TAG#D0006400

Fee Details:						
Amount	Description	PCA	Fund	Fund Detail	Subsidiary	Object
\$200.00	WELL TAG#D0006400	63134	229	21	0	1205

21 - 13082

Idaho Department of Water Resources**Well Drillers' Locator**


The lat/long you provided was 44° 27' 54.912" N; 111° 27' 7.437" W
NE quarter of the SW quarter of Section 12, Township 13N, Range 42E
IDTM NAD83 coordinates: Easting=2702677; Northing=1476931



Choose the map-display background:

Photo

Topo



Add Layer



Wells



Water Rights



Water Right Permits



Adjudication Claims



Adjudication Recommendations

* Positions of wells/headgates may be based upon the center of a quarter-quarter section; those obtained by GPS or survey are accurate.

Chickasaw Well

21-13082

choctaw well

USE TYPEWRITER OR
BALL POINT PENState of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

RECEIVED
JUN 28 1976
Department of Water Resources
Eastern District Office

1. WELL OWNER

Name Island Park Water Co.Address Shotgun Well No. 5
350 A Street Idaho Falls, Idaho

Owner's Permit No. _____

7. WATER LEVEL

Static water level 17 feet below land surfaceFlowing? ☐ Yes ☒ No G.P.M. flow _____Temperature _____ ° F. Quality good

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 71 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>+1</u> feet	<u>50' 7"</u> feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 19+ Material used in seal ☐ Cement grout☒ Bentonite ☒ Pudding clay ☐ Well cuttingsSealing procedure used ☐ Shurry pit ☐ Temporary surface casing☒ Overbore to seal depth

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
6	0	1	Topsoil		
	1	25	Sand and Gravel		
	25	47	Gravel	x	
	47	50	Clay and Broken Shale		
	50	52	Hard Shale		
	52	53	Broken Shale	x	
	53	70	Hard Gray Shale		
6	70	71	Pea Gravel	x	

100

10.

Work started Aug. 9, 1972 finished Aug. 9, 1972

11. DRILLERS CERTIFICATION

Firm Name Andrew Well Drilling Contr. Firm No. 5Address 1268 East 17th Street Date 4-20-76Idaho Falls, Idaho 83401Signed by (Firm Official) Howard H. Busch

and

(Operator) Clifford High

4330

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name Shotgun Village

Lot No. _____ Block No. _____

County FremontSW 1/4 NW 1/4 Sec. 12, T. 13, N 3, R. 42 E

USE ADDITIONAL SHEETS IF NECESSARY


FORWARD THE WHITE COPY TO THE DEPARTMENT

21-13000

Idaho Department of Water Resources

Well Drillers' Locator

The lat/long you provided was 44° 27' 51.226" N; 111° 27' 26.929" W
NW quarter of the SW quarter of Section 12, Township 13N, Range 42E
IDTM NAD83 coordinates: Easting=2702249; Northing=1476804



Choose the map-display background:

Photo

Topo



Add Layer



Wells



Water Rights



Water Right Permits



Adjudication Claims



Adjudication Recommendations

* Positions of wells/headgates may be based upon the center of a quarter-quarter section; those obtained by GPS or survey are accurate.


Choctaw Well


21-13082

Type	WR #	Owner	Source	TRs	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW
Right	21 4133	ALGENIA	HOTEL CREEK	13N42E12												
Permit	21 7443	ISLAND P	GROUND WATER	13N42E12		X		X					X		X	
Permit	21 7444	ISLAND P	GROUND WATER	13N42E12					X					X		
Right	21 10458	VERSAL B	GROUND WATER	13N42E12						X						
Right	21 10585	RAYMONI	GROUND WATER	13N42E12							X					X
Right	21 10501	RICHARD	GROUND WATER	13N42E12								X				
Claim	21 4133A	TRACEE	HOTEL CREEK	13N42E12												
Right	21 7560	PHILLIP N	GROUND WATER	13N42E12				X								
Rec	21 4133A	TRACEE	HOTEL CREEK	13N42E12												
Permit	21 13050	RESULT H	GROUND WATER	13N42E12									X			X
App	21 13082	ISLAND P	GROUND WATER	13N42E12									X	X	X	X

21-13082

SHOTGUN NOs 5, 6
7, 8






Idaho Department of Water Resources

Application
21-13082
(DOMESTIC)

R42E



Legend


- Point of Diversion
- Place of Use
- State Outline
- Townships
- PLS Sections
- Quarter Quarters




Fremont County
IDWR Basin 21

Prepared by Denise Kidman
On August 05, 2008
2004 Aerial Photography





CHICK ASAW	WELL	44° 27' 54.91245" N 111° 27' 07.43725" W
CHEROKEE	WELL	44° 27' 51.92714" N
CHACTAW	WELL	111° 27' 19.14363" W 44° 27' 51.22593" N
		111° 27' 26.92509" W



44° 27' 54.91245" N
 111° 27' 07.43725" W
 44° 27' 51.92719" N
 111° 27' 19.14363" W
 44° 27' 51.22593" N
 111° 27' 26.92509" W

CHICKASAW WELL

CHEROKEE WELL

CHICKASAW WELL

7282