


[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached
(required for irrigation of 10+ acres)



Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. None

Measurements:

E. NARRATIVE/REMARKS/COMMENTS

- 1) system consists of developed spring, header and pipeline to trough
- 2) source also known as Millennium Spring
- 3) change POD to reflect as built

Have conditions of permit approval been met? yes ___ no

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	1-1	12-31	.02 cfs	
Wildlife	1-1	12-31	.02 cfs	

Totals: .02 cfs

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION


Field Examiner's Name Bob Foster Date 5-15-08

Reviewer Mike Arave Date 8/22/08

SEAL

Millenium Spring







[Close](#)IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit Report

08/14/2008

WATER RIGHT NO. 74-7393

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	US DEPT OF INTERIOR BUREAU OF LAND MANAGEMENT SALMON DISTRICT 1206 S CHALLIS ST SALMON, ID 83467 (208)756-5400

Priority Date: 04/04/2000

Status: Active

<u>Source</u>	<u>Tributary</u>
SPRING	SINKS

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
STOCKWATER	1/01	12/31	0.02 CFS	
WILDLIFE	1/01	12/31	0.02 CFS	
Total Diversion			0.02 CFS	

Location of Point(s) of Diversion:

SPRING	NENWSW	Sec. 33	Township 18N	Range 25E	LEMHI County
--------	--------	---------	--------------	-----------	--------------

Place(s) of use:

Place of Use Legal Description: STOCKWATER LEMHI County

Township	Range	Section	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres
18N	25E	33		NWSW										

Place of Use Legal Description: WILDLIFE same as STOCKWATER

Conditions of Approval:

1.	R37	This right, when considered with all other rights common to the same grazing allotment, is limited to the quantity of water beneficially used by the number of stock within the allotment.
2.		Stockwater use is for 600 range cattle. Source is locally known as Millenium Spring.

Dates:

Proof Due Date: 04/01/2003

Proof Made Date: 05/28/2003

Approved Date: 03/20/2000

Moratorium Expiration Date:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

Application Received Date: 02/07/2000

Protest Deadline Date:

Number of Protests: 0

Field Exam Date:.

Date Sent to State Off:

Date Received at State Off:

Other Information:

State or Federal:

Owner Name Connector:

Water District Number:

Generic Max Rate per Acre:

Generic Max Volume per Acre:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Cary Act Number:

Mitigation Plan: False

Close

Comment Report

74-7393

1. narave 8/22/2008 Field Report Narrative

Comment: developed spring with headbox to pipelines to troughs, aka millenium spring, change pod

2. narave 8/22/2008 overlap analysis

Comment: no overlaps