

Permit No. 74-15046

Current Address: 1206 S. Challis ST Salmon ID 83467

Address: _____ Phone No _____

3. Source: Spring tributary to Smkr

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

1. Point(s) of Diversion:

[illegible]

Indicate Method of Determination BLM map

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. *NONE*

Measurements:

E. NARRATIVE/REMARKS/COMMENTS

1) system consists of developed spring with headbox, pipeline to two troughs

~~2)~~

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	1-1	12-31	.02 cfs	
wildlife	1-1	12-31	.02 cfs	

Totals: .02 cfs

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other


I. AUTHENTICATION


Field Examiner's Name Bob Foster Date 5-28-08

Reviewer Nate Hauer Date 8/22/08

SEAL

Timber Creek Pipeline
GPS U81619A
8/16/02
T15 N R25 E sec 24,25
IDWR 74-15046
BLM # 740468
PJ# 364780





[Close](#)IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit Report

08/11/2008

WATER RIGHT NO. 74-15046

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	US DEPT OF INTERIOR BUREAU OF LAND MANAGEMENT SALMON DISTRICT 1206 S CHALLIS ST SALMON, ID 83467 (208)756-5400

Priority Date: 03/24/2003

Status: Active

<u>Source</u>	<u>Tributary</u>
SPRING	SINKS

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
STOCKWATER	01/01	12/31	0.02 CFS	
WILDLIFE	01/01	12/31	0.02 CFS	
Total Diversion			0.02 CFS	

Location of Point(s) of Diversion:

SPRING	SWNWSW	Sec. 25	Township 15N	Range 25E	LEMHI County
--------	--------	---------	--------------	-----------	--------------

STOCKWATER Use:

Number of stock: 420

Place(s) of use:

Place of Use Legal Description: STOCKWATER LEMHI County

Township	Range	Section	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres
15N	25E	24		SENE										
		25		NWSW										

Place of Use Legal Description: WILDLIFE LEMHI County

Township	Range	Section	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres
15N	25E	24		SENE										
		25		NWSW										

Conditions of Approval:

1.	R37	This right, when considered with all other rights common to the same grazing allotment, is limited to the quantity of water beneficially used by the number of stock within the allotment.
2.	X02	Stockwater use is for 420 range cattle.

Dates:

Proof Due Date: 06/01/2004

Proof Made Date: 05/26/2004

Approved Date: 05/29/2003

Moratorium Expiration Date:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

Application Received Date: 03/25/2003

Protest Deadline Date: 04/21/2003

Number of Protests: 0

Field Exam Date::

Date Sent to State Off:

Date Received at State Off:

Other Information:

State or Federal:

Owner Name Connector:

Water District Number:

Generic Max Rate per Acre:

Generic Max Volume per Acre:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Cary Act Number:

Mitigation Plan: False

Close

Comment Report

74-15046

1. narave 8/22/2008 Field Report Narrative

Comment: Developed spring with headbox, pipeline to troughs

2. narave 8/22/2008 overlap

Comment: 74-13858 & 74-13860 share pou and pod