

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)
WATER RIGHT NO. 95-08082

Date of Priority: July 10, 1981

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 48.0 AF

Comes now CHESTER A PARK
N 18815 MILWAUKEE RD
RATHDRUM ID 83858

And/Or

DIANE J PARK
N 18815 MILWAUKEE RD
RATHDRUM ID 83858

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 95-08082, and requests that the permit be changed as follows:

Source: RATHDRUM CREEK

Tributary: SINKS

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.20 CFS	48.0 AF

LOCATION OF POINT(S) OF DIVERSION:

RATHDRUM CREEK NW1/4NW1/4 Sec. 20, Twp 52N, Rge 04W, B.M.
KOOTENAI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals	
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
52N 04W 17												.2	.2					.4
52N 04W 20					6.3	9.3												15.6

Total Acres: 16

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 95-08082

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 11th day of JUNE, 2008

11th JUN 2008

Chris C. Park

(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08082

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$50.00 Received by db # N019368 Date 7/1/08


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, DAVID R. TUTHILL, JR., of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 95-08082 with the following:

CONDITIONS OF APPROVAL

1. The issuance of this right does not grant any right-of-way or easement across the land of another.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 11th day of August, 2008.



DAVID R. TUTHILL, JR.
Director