

RECEIVED

Indent. No. TP-72-22

AUG 12 2008

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

DEPT. OF WATER RESOURCES
FOOTPRINT REGION

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(5 AF or less)

- Name of Applicant Dahle Construction Phone 208-756-3241
 Address 90, Hwy 93 N Salmon I Email 208-756-3240 fax
1. Source of water Bayhorse Creek Tributary to Salmon ~~and~~ River
2. Location of point of diversion SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 3 Township 12N, Range 18E B.M.,
 County Custer
3. Location of place of use Portions of $\frac{1}{4}$ 2, 3, $\frac{1}{4}$ Sec. 12 Township 12N, Range 18E B.M.,
 County Custer
4. Proposed use of water dust abatement for road construction
5. Amount of water:
 Maximum rate of diversion .44 cfs or 200 gpm.
 Maximum daily volume _____ AF; Total volume _____ AF.
6. Duration of diversion: From Aug 12 to Nov 1
 Day-month Day-month
7. Proposed diverting works pump + water truck
8. Who owns the property at the requested point of diversion? State of Idaho Dept of Parks
9. Describe the arrangement allowing access to the water permission from Dept of Parks
10. Remarks Maximum use would be 9000 gallons per day

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

8/7/08
 Date

Kent Dahle
 Applicant

Received by J.J. Date 8/8/08 Time 11:58 am
 \$50.00 fee receipted by J.J. # 5030354 Date 8/8/08
 Watermaster Comments received? _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:


- ___ a) The application for temporary approval should be denied.
- X b) The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ___ a) DENIED
- X b) APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 2.2 AF and a maximum rate of diversion of 0.44 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval expires on Nov. 15, 2008.
 7. This approval does not create a continuing right to use water.
 8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 9. Other: The pump intake shall be screened with 3/32" mesh or less.

DATED this 13th day of August, 20 08.


For the Director



100 FEET 20' 13 17 30 16 15 14 13 12 11 10 15

(BALD MOUNTAIN)
3172 IV SE

SCALE 1:24 000

1 MILE
1 0 1000 2000 3000 4000 5000 6000 7000 FEET

Interior-Geological Survey, Re
CLAYTON 13 MI.
STANLEY 45 MI.

R. 18 E. R. 19 E.

Medium-duty Lig

ROAD CLASSIFI