

3/20/08

Keith,

You, BOB H. + I had conversation regarding the provisions of IC Sec 42-202(2) v.s. specified Beneficial Use Root time. I know you and Dean Renninger also talked today about it. For what it is worth, this is how it was handled for the Ross Point water.

Thx, Gade

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09009

Priority: February 12, 1999

Maximum Diversion Rate:

5.25 CFS

This is to certify, that ROSS POINT WATER DISTRICT
PO BOX 70
POST FALLS ID 83877-0070
has applied for a permit to appropriate water from: GROUND WATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

MUNICIPAL

01/01 to 12/31

5.25 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 1, Township 50N, Range 05W
NWNW , Sec. 31, Township 51N, Range 04W
NESW , Sec. 35, Township 51N, Range 05W
NENW , Sec. 36, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before October 1, 2001.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. The issuance of this right does not grant any right-of-way or easement across the land of another.
6. This right authorizes a single point of diversion.
7. The right holder shall not assign or sell the permit without first securing the written approval of the Department of Water Resources.
8. Place of use is within the service area of the Ross Point Water District.
9. This right authorizes 5.25 cfs for reasonably anticipated future needs for a 20 year planning horizon within the service area pursuant to Section 42-202(2), Idaho Code.
10. The full system capacity necessary to provide water for the reasonably anticipated future needs authorized under this right must be constructed by the end of the designated planning horizon.

IDAHO DEPARTMENT OF WATER RESOURCES

Water Permit Report 95-9009

WATER RIGHT NUMBER: 95-9009

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	ROSS POINT WATER DIST PO BOX 70 POST FALLS, ID 83877-0070 (208)773-1120

Priority Date: 02/12/1999

Basis:

Status: Active

<u>Source</u>	<u>Tributary</u>
---------------	------------------

GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
MUNICIPAL	1/01 to 12/31	5.250 CFS	
	<u>Total Diversion:</u>	5.250 CFS	

Location of Point(s) of Diversion

GROUND WATER	NE1/4NE1/4	Sec. 1, Twp 50N, Rge 05W, B.M.
KOOTENAI County		
GROUND WATER	NE1/4SW1/4	Sec. 35, Twp 51N, Rge 05W, B.M.
KOOTENAI County		
GROUND WATER	NE1/4NW1/4	Sec. 36, Twp 51N, Rge 05W, B.M.
KOOTENAI County		
GROUND WATER	NW1/4NW1/4	Sec. 31, Twp 51N, Rge 04W, B.M.
KOOTENAI County		

Place of UseConditions of Approval:

1. 004 The issuance of this right does not grant any right-of-way or easement across the land of another.
2. 007 The right holder shall not assign or sell the permit without first securing the written approval of the Department of Water Resources.
3. 046 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. 01M After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Place of use is within the service area of the Ross Point Water District.
This right authorizes 5.25 cfs for reasonably anticipated future needs for a 20 year planning horizon within the service area pursuant to Section 42-202(2), Idaho Code.
The full system capacity necessary to provide water for the reasonably anticipated future needs authorized under this right must be constructed by the end of the designated planning horizon.

Remarks:

IDAHO DEPARTMENT OF WATER RESOURCES

Water Permit Report 95-9009

Comments:

1. DBALL 2/23/1999 Examiner's notes.

Comment: POD Owned by School District #273. Long term lease on well lot, located between ball fields on School District property in cooperation with their new high school project. Proposed 20" diameter well to be drilled by Holman Drilling. Well ID Number assigned is 95-99-N-20, Tag D5807. Other WRs owned by Ross Point Water: 95-04088, 95-07258, 95-08477 Time required 1 year.

2. SCURTIS 5/25/2000 CORPORATE OFFICERS

Comment: Board of Directors for Ross Point Water District are: Tom Taylor, Chairman Max Wilson, Director Ted Cummings, Director

Dates and Other Information:

Permit Proof Due Date: 10/1/2001

Permit Proof Made Date: 9/24/2001

Permit Approved Date: 10/25/2000

Permit Moratorium Expiration Date:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

Field Exam Date: 9/10/2002

Date Sent to State Office: 9/20/2002

Date Received at State Office: 9/26/2002

State or Federal:

Owner Name Connector:

Water District Number:

Generic Max Rate Per Acre:

Generic Max Volume Per Acre:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False

Combined Use Limits:Water Supply Bank:

RECEIVED
MAY 13 1995
794
NORTHWEST REGION
IDWR


Permit ID 753935
Well ID 27347
IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Use Typewriter
or
Ball Point Pen

1. DRILLING PERMIT NO. 95-95-N-0005-000
Other IDWR No. 95-08532

2. OWNER:
Name: [redacted]
Address: [redacted]
City: [redacted] State: [redacted] Zip: [redacted]

3. LOCATION OF WELL by legal description:
Sketch map location must agree with written location.



Twp. 52 North ☐ or South ☐
Rge. 04 East ☐ or West ☒
Sec. 24 1/4 NE 1/4 SE 1/4
Gov't Lot _____ County KOOTENAI
Address of Well Site _____
City _____
(Give at least name of road + Distance to Road or Landmark)
Lt. _____ Blk. _____ Sub. Name _____

4. PROPOSED USE:
☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK
☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD
☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
BENTONITE	0	100	8 BAGS	SLURRY
BENTONITE	0	100	1 BAG	CRUMBLES

Was drive shoe used? ☒ Y ☒ N Shoe Depth(s) _____
Was drive shoe seal tested? Y ☐ N ☐ How? DROVE 361.5'

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
10	+2	123	.250	STEEL	☒	☐	☐	☐
8	+7	361.5	.250	STEEL	☒	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS
☐ Perforations Method DOWN HOLE PERF.
☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
335	355		640	8	STEEL	☒	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:
_____ ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices:
NE SE 24 52N 4W

11. WELL TESTS:

☐ Pump ☐ Bailor ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
150+			
Est Air Life			

Water Temp. 55.0 Bottom hole temp. 55.0
Water Quality test or comments: FAIR - LITTLE SILTY

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
12	0	3	TOPSOIL W/ GRAVEL		X
12	3	75	SAND & GRAVEL BOULDER		X
12	75	74	SAND & GRAVEL 3/4 MINUS		X
12	94	123	SAND & GRAVEL W/CLAY BROWN		X
12	94	123	3/4 MINUS		X
12	123	127	BOULDER		X
10	127	133	SAND & GRAVEL W/CLAY BROWN		X
10	127	133	3/4 MINUS		X
10	133	230	CEMENTED GRAVEL		X
10	230	265	SAND COARSE		X
10	265	276	CLAY GRAY		X
10	276	307	GRAVEL W/CLAY BROWN		X
10	307	317	SAND W/CLAY BROWN		X
10	317	330	SAND & GRAVEL W/CLAY BROWN		X
10	317	330	3/8 MINUS		X
10	330	334	BASALT FRACTURED		X
10	334	350	SAND & GRAVEL 3/8 MINUS		X
10	350	361.5	SAND & GRAVEL FINE		X

Completed Depth 360 (Measurable)
Date: Started 01/19/95 Completed 01/25/95

13. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name H2O WELL SERVICE, INC. Firm No. 447
Firm Official [Signature] Date 02/17/95
and [Signature]
Supervisor or Operator [Signature] Date 02/17/95
(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

POSTED

TYPEWRITER OR
BALLPOINT PEN

1. WELL OWNER

Name John Wheeler
Address Hayden Lake
Owner's Permit No. 95-86-N-125

7. WATER LEVEL

Static water level 276 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump ☐ Baller ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>100+</u>	<u>282'</u>	<u>24</u>

3. PROPOSED USE

- ☐
- Domestic
- ☐
- Irrigation
- ☐
- Test
- ☒
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☒
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>8</u> inches	<u>1 1/2</u> feet	<u>252</u> feet
<u>380</u> inches	<u>8</u> inches	<u>252</u> feet	<u>312</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☒ Yes ☐ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name JohnsonType Stainless Model No. _____Diameter 8" Slot size 30 Set from 317 feet to 322 feetDiameter 8 Slot size 50 Set from 312 feet to 317 feetGravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20' Material used in seal: ☐ Cement grout☐ Bentonite ☒ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent☐ Cemented between strata

Describe access port _____

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	20	gravel		
28	20	90	gravel		
8	90	110	fine gravel & clay		
8	110	203	gravel & boulders		
8	203	285	Sand & gravel		
8	285	307	Sand & gravel		
8	307	317	Clay Sand & gravel		
	317	322	Sand & gravel		

RECEIVED

MAY 27 1988


Department of Water Resources

10.

Work started 3/5/86 finished 10/22/86

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____

County KootenaiN 1/2 5/2 1/2 Sec. 24 T. 52 N. R. 4 E

DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name H2O Well Service Firm No. 448Address 582 Hayden Ave Date 10/28/86Signed by (Firm Official) John Wheeler

and

(Operator) John Wheeler