

DE✓

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES NOTICE OF CHANGE IN WATER RIGHT OWNERSHIP

Please print or type. Attach pages with additional information. Instructions are included at the end of this form. Incomplete forms will be returned.

1. Please list the water right number(s) and/or adjudication claim number(s) (if any) for each water right to be changed. List just the adjudication claim number if there is no corresponding water right record on file with the department. Indicate, by checking in the space provided (under the "split" heading), if the change in ownership is limited to a portion of a water right in which case IDWR will produce new water right number(s) for the split(s).

Water Right No(s)	Adjudication Claim No(s)	Split(s)	Water Right No(s)	Adjudication Claim No(s)	Split(s)
11-4076					

RECEIVED
JUL 15 2008
Department of Water Resources
Eastern Region

2. The following **REQUIRED** information must be submitted with this form:

- A. The appropriate **FILING FEE**. See instructions for fee amounts.
- B. A copy of the most recent **DEED, TITLE POLICY, CONTRACT OF SALE** or other legal document indicating your ownership of the property and water right(s) or claim(s) in question, **WITH ATTACHED LEGAL DESCRIPTION**.
- C. Either of the following (if necessary to clarify division of water rights or other complex property descriptions):
PLAT OF PROPERTY or **SURVEY MAP** clearly showing the location of the point(s) of diversion and place of use of your water right(s) and/or adjudication claim(s) (these are on file with the county Planning and Zoning or Recorder's Office).
- OR**
- D. If your water right(s) and/or adjudication claim(s) is for ten or more acres of irrigation, you must submit a USDA Farm Service Agency or equivalent **AERIAL PHOTO** with the irrigated acres outlined and point(s) of diversion clearly marked. The **AERIAL PHOTO** should be submitted in place of the **PLAT OF PROPERTY** or **SURVEY MAP**.

3. Name and Address of Former Owner/Claimant(s)

Lynn Hymas

4. New Owner/Claimant(s)

Julian L. Robinson or Brit Robinson
Name Connector (Check one): ☐ and, ☐ or, ☒ and/or

New Mailing Address

4159 Lanark Rd.

City, State and ZIP Code

Ovid, Idaho 83254

New Telephone Number

(208) 945-3622 Email: jl@dcdi.net

5. Date you acquired the property _____
6. **If the change in ownership affects the entire water right for each water right or adjudication claim number listed in line 1, then skip this line and go to line 7.** If the change in ownership divides the water right(s) among multiple owners, you must describe, in detail, your portion of each water right after the change. Fill in the appropriate spaces in the box(es) below to describe your water right(s) after the change (you may copy this page, if necessary). If your quantity of water is greater than a proportionate split, you must attach documentation to show justification for a larger amount. If you are not sure how to identify your portion of the original water right or adjudication claim records, please contact the nearest IDWR office for assistance.

DESCRIPTION OF YOUR PORTION OF WATER RIGHT (If the right will not be split, skip this area and proceed to line 7)		
Water Use	Diversion Rate or Volume (cubic feet per second or acre-feet per annum)	Description (acres, number and type of stock, homes, etc)
Water Right and/or Adjudication Claim Number		
Irrigation		
Stock		
Domestic		
Other		
Totals		
Water Right and/or Adjudication Claim Number		
Irrigation		
Stock		
Domestic		
Other		
Totals		
Water Right and/or Adjudication Claim Number		
Irrigation		
Stock		
Domestic		
Other		
Totals		

For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him/her for all matters related to your claims.

7. Signature(s) of New Owner(s) or Claimant(s) _____

Julian Robinson owner
Bill Robinson
 (title if applicable)
 (title if applicable)

IT IS IMPORTANT TO FILE THIS COMPLETED FORM AT THE APPROPRIATE IDWR OFFICE, WITH PAYMENT OF THE FILING FEE AND THE OWNERSHIP DOCUMENT(S), AS REFERRED TO IN LINE 2.

For IDWR Office Use Only:

Received by BML
 Receipted by _____
 Processed by _____ AJ

Date 7/15/08
 Date _____
 Date _____

Receipt Amt. \$25.00
 Receipt No. E034241
 WR _____ Date _____

WARRANTY DEED

For Value Received,

REX K BERGHOLM,
of PO BOX 192, FISH HAVEN, County of Bear Lake, State of ID. 83287,

THE GRANTOR(S),

do(es) hereby, grant, bargain, sell, and convey unto

JULIAN L. ROBINSON,
of 220 NORTH MAIN STREET, ST. CHARLES, County of Bear Lake, State of ID. 83272,

THE GRANTEE(S),

For the sum of ten dollars and other good and valuable consideration, the following described tract of land in the County of Bear Lake, State of Idaho:

See Attached Exhibit "A"

RECEIVED
JUL 15 2008
Department of Water Resources
Eastern Region

To have and to hold the said premises, with their appurtenances unto the said Grantee(s), their heirs and assigns forever. And the said Grantor(s) hereby covenant to and with the said Grantee(s) that they are the owner(s) in fee simple of said premises; that they are free from all encumbrances, and that they will warrant and defend the same from all lawful claims whatsoever.

DATED THIS March 13, 2002.



REX K. BERGHOLM


STATE OF UTAH, COUNTY OF WASHINGTON

On this 14th day of March, 2002, before me a
Notary Public in and for the State, personally appeared


REX K. BERGHOLM

known to me to be the person(s) whose name(s) is
subscribed to the within instrument, and acknowledged
to me that he executed the same.

IN WITNESS WHEREOF, I hereunto set my hand and
seal the day and year in the certificate first above written.



Notary Public
Residing at: WASHINGTON, UT
My Commission Expires: SEPT. 2005



2002 MAR 25 PM 4 05
DEPUTY
FEE \$9.00

BEAR LAKE COUNTY RECORDER
JOAN P. EBORN

181160

MAIL TAX NOTICE TO: JULIAN L. ROBINSON
220 NORTH MAIN STREET, ST. CHARLES, ID. 83272

EAST PARCEL :

A parcel on land located in the Northeast Quarter of Section 8, and the Northwest Quarter of Section 9, Township 13 South, Range 43 East, Boise Meridian, Bear Lake County, Idaho, and more particularly described as follows:

Commencing at the East Quarter Corner of said Section 8, from which the Northeast Corner of Section 8 bears North 00°15'09" East 2645.31 feet; thence North 52°21'13" West 797.34 feet to a 5/8" rebar and cap labeled "BRIAN ALLEN, PLS 9163" set at the Westerly extension of an existing fence line and the Easterly right of way line of the Lanark Road, F.A.P. S-1801(2), said point being on a 1180.92 foot radius non-tangent curve concave to the Southwest whose center bears South 71°25'55" West; thence North 66°05'10" East 61.50 feet to a fence corner the TRUE POINT OF BEGINNING; thence along said fence line the following 6 courses: thence North 51°37'02" West 50.96 feet; thence North 08°19'16" West 122.25 feet; thence North 15°30'41" West 77.28 feet; thence North 36°42'42" West 176.49 feet; thence North 48°47'33" West 64.56 feet; thence North 53°56'42" West 222.18 feet to the Easterly right of way line of said Lanark Road; thence along said Easterly right of way line the following 3 courses: thence North 37°43'31" West 607.50 feet to a 1397.39 foot radius non-tangent curve concave to the Northeast whose center bears North 52°12'53" East; thence Northwesterly through a central angle of 18°30'46" a distance of 451.51 feet to the point of tangency (chord = North 28°31'44" West 449.55 feet); thence North 19°12'02" West 407.12 feet to a 5/8" rebar and cap set at the Westerly extension of an existing fence line; thence along said fence line the following 5 courses: thence South 78°49'13" East 672.72 feet to a 5/8" rebar and cap; thence South 78°05'45" East 669.79 feet to a 5/8" rebar and cap; thence South 76°55'04" East 324.25 feet to a 5/8" rebar and cap; thence South 24°11'02" East 527.52 feet to a 5/8" rebar and cap; thence South 23°06'02" East 91.10 feet along said fence line and its Southeasterly extension to the centerline of North Creek; thence along the meanderings of the centerline of North Creek the following 7 courses: thence South 11°58'12" West 57.91 feet; thence South 37°28'22" East 90.67 feet; thence South 15°27'02" West 165.97 feet; thence South 13°13'29" East 53.28 feet; thence South 69°28'58" East 67.36 feet; thence South 08°53'55" West 61.90 feet; thence South 03°59'25" West 98.33 feet; thence South 65°19'53" West 280.66 feet to a 5/8" rebar and cap set at a fence corner; thence South 59°17'53" West 37.83 feet along said fence line to a 5/8" rebar and cap; South 64°39'04" West 141.90 feet along said fence line to a 5/8" rebar and cap; thence South 66°05'10" West 429.80 feet along said fence line to the True Point of Beginning.

WEST PARCEL:

A parcel of land located in Section 8, and the Southeast Quarter of Section 7, Township 13 South, Range 43 East, Boise Meridian, Bear Lake County, Idaho, and more particularly described as follows:

Commencing at the Northwest Corner of said Section 8, from which the West Quarter Corner of said Section 8 bears South 00°06'03" West 2642.07 feet; thence South 00°06'03" West 402.60 feet along the West boundary of Section 8 to a 5/8" rebar and cap labeled "BRIAN ALLEN, PLS 9163", the TRUE POINT OF BEGINNING; thence South 66°53'57" East 723.00 feet to a 5/8" rebar and cap; thence North 32°28'17" East 991.02 feet to a 5/8" rebar and cap; thence North 34°54'25" East 140.92 feet to a 5/8" rebar and cap (PLS 4735) set at a fence corner; thence along existing fence lines the following 12 courses: thence South 66°33'04" East 35.72 feet to a 5/8" rebar and cap; thence South 27°44'08" West 36.96 feet to a 5/8" rebar and cap; thence South 08°22'37" West 36.24 feet to a 5/8" rebar and cap; thence South 03°46'48" East 229.66 feet to a 5/8" rebar and cap; thence South 01°06'33" East 212.44 feet; thence South 03°15'44" West 91.35 feet; thence South 08°40'47" East 20.20 feet to a 5/8" rebar and cap; thence South 03°11'44" East 106.54 feet to a 5/8" rebar and cap; thence South 00°28'32" East 201.40 feet to a 5/8" rebar and cap; thence South 00°10'19" East 638.59 feet to a 5/8" rebar and cap; thence North 89°50'48" East 2020.80 feet to a 5/8" rebar and cap; thence North 88°58'22" East 546.76 feet to a 5/8" rebar and cap set at the Westerly right of way line of the Lanark Road (F.A.P. S-1801(2)); thence along said Westerly right of way line the following 9 courses: thence South 37°43'31" East 105.98 feet to Station 230+00, 65.00 feet left of centerline; thence South 54°25'28" East 104.40 feet to Station 229+00, 35.00 feet left of centerline; thence South 37°43'31" East 200.00 feet to Station 227+00, 35.00 feet left of centerline; thence South 32°00'52" East 201.00 feet to Station 225+00, 55.00 feet left of centerline; thence South 37°43'31" East 200.00 feet to P.T. Station 223+52.3 AH (P.T. Station 223+49.5 BK) 55.00 feet left of centerline, said point being on a 1090.92 foot radius non-tangent curve concave to the Southwest whose center bears South 52°19'12" West; thence Southeasterly along said curve through a central angle of 07°27'38" a distance of 142.05 feet to Station 222+00, 55.00 feet left of centerline (chord = South 33°56'59" East 141.95 feet), said point being on a 1100.92 foot radius non-tangent curve concave to the Southwest whose center bears South 56°43'07" West; thence Southeasterly along said curve through a central angle of 19°23'15" a distance of 372.53 feet to P.C. Station 218+12.8, 35.00 feet left of centerline (chord = South 23°35'16" East 370.75 feet); thence South 10°55'11" East 200.28 feet to P.T. Station 216+12.4, 35 feet left of centerline, said point being on a 2898.29 foot radius non-tangent curve concave to the Northeast whose center bears North 78°40'36" East; thence Southeasterly along said curve through a central angle of 02°26'29" a distance of 123.50 feet to the intersection of said Westerly right of way line and the South boundary of the Northeast Quarter of said Section 8, monumented with a 5/8" rebar and cap (chord = South 12°32'38" East 123.49 feet); thence North 89°42'18" West 716.37 feet along said South boundary to the Southeast Corner of the Southwest Quarter of the Northeast Quarter (SW¼NE¼) of Section 8, monumented with a 5/8" rebar and cap; thence North 00°13'49" East 258.58 feet along the East boundary of said SW¼NE¼ to a 5/8" rebar with cap; thence South 69°37'44" West 229.31 feet to a 5/8" rebar and cap; thence South 76°19'48" West 212.00 feet to a 5/8" rebar with cap; thence South 55°00'38" West 336.03 feet to a 5/8" rebar with cap; thence South 64°56'34" West 222.44 feet to a 5/8" rebar with cap; thence South 60°09'58" West 464.82 feet to a 5/8" rebar with cap set at a fence corner; thence South 01°41'22" West 241.48 feet along said fence line to a 5/8"

rebar with cap set at a fence corner; thence South $72^{\circ}03'11''$ West 6.95 feet along said fence line to a $5/8''$ rebar with cap set at the West boundary of the Southeast Quarter of said Section 8; thence North $00^{\circ}12'30''$ East 178.21 feet along said West boundary to a $5/8''$ rebar with cap; thence South $61^{\circ}42'58''$ West 2986.77 feet to a $5/8''$ rebar with cap set at the West boundary of Section 8; thence South $00^{\circ}21'58''$ West 751.74 feet along the West boundary of Section 8 to the Southeast Corner of Section 7; thence South $89^{\circ}38'48''$ West 2648.51 feet along the South boundary of Section 7 to the South Quarter Corner of Section 7; thence North $00^{\circ}16'12''$ East 2638.47 feet along the West boundary of the Southeast Quarter of Section 7 to the Northwest Corner of the Southeast Quarter of Section 7; thence North $89^{\circ}34'13''$ East 2652.98 feet along the North boundary of said Southeast Quarter to the East Quarter Corner of Section 7; thence North $00^{\circ}06'03''$ East 2239.47 feet along the East boundary Section 7 to the True Point of Beginning.

*

WARRANTY DEED

For Value Received,

RODNEY H. BERGHOLM,
of 6218 MAD RIVER COURT, PARKER, State of CO. 80134,

THE GRANTOR(S),

do(es) hereby, grant, bargain, sell, and convey unto

JULIAN L. ROBINSON,
of 220 NORTH MAIN STREET, ST. CHARLES, County of Bear Lake, State of ID. 83272,

THE GRANTEE(S),

For the sum of ten dollars and other good and valuable consideration, the following described tract of land in the County of Bear Lake, State of Idaho:

See Attached Exhibit "A"

RECEIVED
JUL 15 2008
Department of Water Resources
Eastern Region


2002 MAR 25 PM 4 07
JOHN P. EBORN
DEPUTY
FEE \$9.20

BEAR LAKE COUNTY RECORDER
JOHN P. EBORN

181162

To have and to hold the said premises, with their appurtenances unto the said Grantee(s), his heirs and assigns forever. And the said Grantor(s) hereby covenant to and with the said Grantee(s) that he is the owner(s) in fee simple of said premises; that they are free from all encumbrances, and that he will warrant and defend the same from all lawful claims whatsoever.

DATED THIS March 13, 2002.



RODNEY H. BERGHOLM


STATE OF COLORADO, COUNTY OF Douglas

On this 14th day of March, 2002, before me a Notary Public in and for the State, personally appeared

RODNEY H. BERGHOLM

known to me to be the person(s) whose name(s) is subscribed to the within instrument, and acknowledged to me that he executed the same.


IN WITNESS WHEREOF, I hereunto set my hand and seal the day and year in the certificate first above written.



Notary Public
Residing at: 19201 East Main Street Parker Colo.
My Commission Expires:

My Commission Expires 8-19-2004

MAIL TAX NOTICE TO: **JULIAN L. ROBINSON**
220 NORTH MAIN STREET, ST. CHARLES, ID. 83272



EAST PARCEL :

A parcel on land located in the Northeast Quarter of Section 8, and the Northwest Quarter of Section 9, Township 13 South, Range 43 East, Boise Meridian, Bear Lake County, Idaho, and more particularly described as follows:

Commencing at the East Quarter Corner of said Section 8, from which the Northeast Corner of Section 8 bears North 00°15'09" East 2645.31 feet; thence North 52°21'13" West 797.34 feet to a 5/8" rebar and cap labeled "BRIAN ALLEN, PLS 9163" set at the Westerly extension of an existing fence line and the Easterly right of way line of the Lanark Road, F.A.P. S-1801(2), said point being on a 1180.92 foot radius non-tangent curve concave to the Southwest whose center bears South 71°25'55" West; thence North 66°05'10" East 61.50 feet to a fence corner the TRUE POINT OF BEGINNING; thence along said fence line the following 6 courses: thence North 51°37'02" West 50.96 feet; thence North 08°19'16" West 122.25 feet; thence North 15°30'41" West 77.28 feet; thence North 36°42'42" West 176.49 feet; thence North 48°47'33" West 64.56 feet; thence North 53°56'42" West 222.18 feet to the Easterly right of way line of said Lanark Road; thence along said Easterly right of way line the following 3 courses: thence North 37°43'31" West 607.50 feet to a 1397.39 foot radius non-tangent curve concave to the Northeast whose center bears North 52°12'53" East; thence Northwesterly through a central angle of 18°30'46" a distance of 451.51 feet to the point of tangency (chord = North 28°31'44" West 449.55 feet); thence North 19°12'02" West 407.12 feet to a 5/8" rebar and cap set at the Westerly extension of an existing fence line; thence along said fence line the following 5 courses: thence South 78°49'13" East 672.72 feet to a 5/8" rebar and cap; thence South 78°05'45" East 669.79 feet to a 5/8" rebar and cap; thence South 76°55'04" East 324.25 feet to a 5/8" rebar and cap; thence South 24°11'02" East 527.52 feet to a 5/8" rebar and cap; thence South 23°06'02" East 91.10 feet along said fence line and its Southeasterly extension to the centerline of North Creek; thence along the meanderings of the centerline of North Creek the following 7 courses: thence South 11°58'12" West 57.91 feet; thence South 37°28'22" East 90.67 feet; thence South 15°27'02" West 165.97 feet; thence South 13°13'29" East 53.28 feet; thence South 69°28'56" East 67.36 feet; thence South 08°53'55" West 61.90 feet; thence South 03°59'25" West 98.33 feet; thence South 65°19'53" West 280.66 feet to a 5/8" rebar and cap set at a fence corner; thence South 59°17'53" West 37.83 feet along said fence line to a 5/8" rebar and cap; South 64°39'04" West 141.90 feet along said fence line to a 5/8" rebar and cap; thence South 66°05'10" West 429.80 feet along said fence line to the True Point of Beginning.

WEST PARCEL:

A parcel of land located in Section 8, and the Southeast Quarter of Section 7, Township 13 South, Range 43 East, Boise Meridian, Bear Lake County, Idaho, and more particularly described as follows:

Commencing at the Northwest Corner of said Section 8, from which the West Quarter Corner of said Section 8 bears South 00°06'03" West 2642.07 feet; thence South 00°06'03" West 402.60 feet along the West boundary of Section 8 to a 5/8" rebar and cap labeled "BRIAN ALLEN, PLS 9163", the TRUE POINT OF BEGINNING; thence South 66°53'57" East 723.00 feet to a 5/8" rebar and cap; thence North 32°28'17" East 991.02 feet to a 5/8" rebar and cap; thence North 34°54'25" East 140.92 feet to a 5/8" rebar and cap (PLS 4735) set at a fence corner; thence along existing fence lines the following 12 courses: thence South 66°33'04" East 35.72 feet to a 5/8" rebar and cap; thence South 27°44'08" West 36.96 feet to a 5/8" rebar and cap; thence South 08°22'37" West 36.24 feet to a 5/8" rebar and cap; thence South 03°46'48" East 229.66 feet to a 5/8" rebar and cap; thence South 01°06'33" East 212.44 feet; thence South 03°15'44" West 91.35 feet; thence South 08°40'47" East 20.20 feet to a 5/8" rebar and cap; thence South 03°11'44" East 106.54 feet to a 5/8" rebar and cap; thence South 00°28'32" East 201.40 feet to a 5/8" rebar and cap; thence South 00°10'19" East 638.59 feet to a 5/8" rebar and cap; thence North 89°50'48" East 2020.80 feet to a 5/8" rebar and cap; thence North 88°58'22" East 546.76 feet to a 5/8" rebar and cap set at the Westerly right of way line of the Lanark Road (F.A.P. S-1801(2)); thence along said Westerly right of way line the following 9 courses: thence South 37°43'31" East 105.98 feet to Station 230+00, 65.00 feet left of centerline; thence South 54°25'28" East 104.40 feet to Station 229+00, 35.00 feet left of centerline; thence South 37°43'31" East 200.00 feet to Station 227+00, 35.00 feet left of centerline; thence South 32°00'52" East 201.00 feet to Station 225+00, 55.00 feet left of centerline; thence South 37°43'31" East 200.00 feet to P.T. Station 223+52.3 AH (P.T. Station 223+49.5 BK) 55.00 feet left of centerline, said point being on a 1090.92 foot radius non-tangent curve concave to the Southwest whose center bears South 52°19'12" West; thence Southeasterly along said curve through a central angle of 07°27'38" a distance of 142.05 feet to Station 222+00, 55.00 feet left of centerline (chord = South 33°56'59" East 141.95 feet), said point being on a 1100.92 foot radius non-tangent curve concave to the Southwest whose center bears South 56°43'07" West; thence Southeasterly along said curve through a central angle of 19°23'15" a distance of 372.53 feet to P.C. Station 218+12.8, 35.00 feet left of centerline (chord = South 23°35'16" East 370.75 feet); thence South 10°55'11" East 200.28 feet to P.T. Station 216+12.4, 35 feet left of centerline, said point being on a 2898.29 foot radius non-tangent curve concave to the Northeast whose center bears North 78°40'36" East; thence Southeasterly along said curve through a central angle of 02°26'29" a distance of 123.50 feet to the intersection of said Westerly right of way line and the South boundary of the Northeast Quarter of said Section 8, monumented with a 5/8" rebar and cap (chord = South 12°32'38" East 123.49 feet; thence North 89°42'18" West 716.37 feet along said South boundary to the Southeast Corner of the Southwest Quarter of the Northeast Quarter(SW¼/NE¼) of Section 8, monumented with a 5/8" rebar and cap; thence North 00°13'49" East 258.58 feet along the East boundary of said SW¼/NE¼ to a 5/8" rebar with cap; thence South 69°37'44" West 229.31 feet to a 5/8" rebar and cap; thence South 76°19'48" West 212.00 feet to a 5/8" rebar with cap; thence South 55°00'38" West 336.03 feet to a 5/8" rebar with cap; thence South 64°56'34" West 222.44 feet to a 5/8" rebar with cap; thence South 60°09'58" West 464.82 feet to a 5/8" rebar

with cap set at a fence corner; thence South 01°41'22" West 241.48 feet along said fence line to a 5/8" rebar with cap set at a fence corner; thence South 72°03'11" West 6.95 feet along said fence line to a 5/8" rebar with cap set at the West boundary of the Southeast Quarter of said Section 8; thence North 00°12'30" East 178.21 feet along said West boundary to a 5/8" rebar with cap; thence South 61°42'58" West 2986.77 feet to a 5/8" rebar with cap set at the West boundary of Section 8; thence South 00°21'58" West 751.74 feet along the West boundary of Section 8 to the Southeast Corner of Section 7; thence South 89°38'48" West 2648.51 feet along the South boundary of Section 7 to the South Quarter Corner of Section 7; thence North 00°16'12" East 2638.47 feet along the West boundary of the Southeast Quarter of Section 7 to the Northwest Corner of the Southeast Quarter of Section 7; thence North 89°34'13" East 2652.98 feet along the North boundary of said Southeast Quarter to the East Quarter Corner of Section 7; thence North 00°06'03" East 2239.47 feet along the East boundary Section 7 to the True Point of Beginning.

*

WARRANTY DEED

For Value Received,

JAMES M. BERGHOLM and C. BRENT BERGHOLM,

of 243 SKINNER CANYON ROAD, MONTPELIER, County of Bear Lake, State of ID. 83254,

THE GRANTOR(S),

do(es) hereby, grant, bargain, sell, and convey unto

JULIAN L. ROBINSON,

of 220 NORTH MAIN STREET, ST. CHARLES, County of Bear Lake, State of ID. 83272,

THE GRANTEE(S),

For the sum of ten dollars and other good and valuable consideration, the following described tract of land in the County of Bear Lake, State of Idaho:

See Attached Exhibit "A"

RECEIVED
JUL 15 2008

Department of Water Resources
Eastern Region

To have and to hold the said premises, with their appurtenances unto the said Grantee(s), their heirs and assigns forever. And the said Grantor(s) hereby covenant to and with the said Grantee(s) that they are the owner(s) in fee simple of said premises; that they are free from all encumbrances, and that they will warrant and defend the same from all lawful claims whatsoever.

DATED THIS March 13, 2002.

James M. Bergholm
JAMES M. BERGHOLM
C. Brent Bergholm
C. BRENT BERGHOLM

STATE OF IDAHO, COUNTY OF BEAR LAKE


On this 13 day of March, 2002, before me a Notary Public in and for the State, personally appeared

**JAMES M. BERGHOLM and
C. BRENT BERGHOLM**

known to me to be the person(s) whose name(s) is subscribed to the within instrument, and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I hereunto set my hand and seal the day and year in the certificate first above written.

Kay Beck
Notary Public
Residing at:
My Commission Expires:



2002 MAR 25 PM 4 06
DEPUTY
FEE \$9.00

BEAR LAKE COUNTY RECORDER
JOAN P. EBORN

181161

MAIL TAX NOTICE TO: JULIAN L. ROBINSON
220 NORTH MAIN STREET, ST. CHARLES, ID. 83272

EXHIBIT A

EAST PARCEL :

A parcel on land located in the Northeast Quarter of Section 8, and the Northwest Quarter of Section 9, Township 13 South, Range 43 East, Boise Meridian, Bear Lake County, Idaho, and more particularly described as follows:

Commencing at the East Quarter Corner of said Section 8, from which the Northeast Corner of Section 8 bears North 00°15'09" East 2645.31 feet; thence North 52°21'13" West 797.34 feet to a 5/8" rebar and cap labeled "BRIAN ALLEN, PLS 9163" set at the Westerly extension of an existing fence line and the Easterly right of way line of the Lanark Road, F.A.P. S-1801(2), said point being on a 1180.92 foot radius non-tangent curve concave to the Southwest whose center bears South 71°25'55" West; thence North 66°05'10" East 61.50 feet to a fence corner the TRUE POINT OF BEGINNING; thence along said fence line the following 6 courses: thence North 51°37'02" West 50.96 feet; thence North 08°19'16" West 122.25 feet; thence North 15°30'41" West 77.28 feet; thence North 36°42'42" West 176.49 feet; thence North 48°47'33" West 64.56 feet; thence North 53°56'42" West 222.18 feet to the Easterly right of way line of said Lanark Road; thence along said Easterly right of way line the following 3 courses: thence North 37°43'31" West 607.50 feet to a 1397.39 foot radius non-tangent curve concave to the Northeast whose center bears North 52°12'53" East; thence Northwesterly through a central angle of 18°30'46" a distance of 451.51 feet to the point of tangency (chord = North 28°31'44" West 449.55 feet); thence North 19°12'02" West 407.12 feet to a 5/8" rebar and cap set at the Westerly extension of an existing fence line; thence along said fence line the following 5 courses: thence South 78°49'13" East 672.72 feet to a 5/8" rebar and cap; thence South 78°05'45" East 669.79 feet to a 5/8" rebar and cap; thence South 76°55'04" East 324.25 feet to a 5/8" rebar and cap; thence South 24°11'02" East 527.52 feet to a 5/8" rebar and cap; thence South 23°06'02" East 91.10 feet along said fence line and its Southeasterly extension to the centerline of North Creek; thence along the meanderings of the centerline of North Creek the following 7 courses: thence South 11°58'12" West 57.91 feet; thence South 37°28'22" East 90.67 feet; thence South 15°27'02" West 165.97 feet; thence South 13°13'29" East 53.28 feet; thence South 69°28'58" East 67.36 feet; thence South 08°53'55" West 61.90 feet; thence South 03°59'25" West 98.33 feet; thence South 65°19'53" West 280.66 feet to a 5/8" rebar and cap set at a fence corner; thence South 59°17'53" West 37.83 feet along said fence line to a 5/8" rebar and cap; South 64°39'04" West 141.90 feet along said fence line to a 5/8" rebar and cap; thence South 66°05'10" West 429.80 feet along said fence line to the True Point of Beginning.

WEST PARCEL:

A parcel of land located in Section 8, and the Southeast Quarter of Section 7, Township 13 South, Range 43 East, Boise Meridian, Bear Lake County, Idaho, and more particularly described as follows:

Commencing at the Northwest Corner of said Section 8, from which the West Quarter Corner of said Section 8 bears South 00°06'03" West 2642.07 feet; thence South 00°06'03" West 402.60 feet along the West boundary of Section 8 to a 5/8" rebar and cap labeled "BRIAN ALLEN, PLS 9163", the TRUE POINT OF BEGINNING; thence South 66°53'57" East 723.00 feet to a 5/8" rebar and cap; thence North 32°28'17" East 991.02 feet to a 5/8" rebar and cap; thence North 34°54'25" East 140.92 feet to a 5/8" rebar and cap (PLS 4735) set at a fence corner; thence along existing fence lines the following 12 courses: thence South 66°33'04" East 35.72 feet to a 5/8" rebar and cap; thence South 27°44'08" West 36.96 feet to a 5/8" rebar and cap; thence South 08°22'37" West 36.24 feet to a 5/8" rebar and cap; thence South 03°46'48" East 229.66 feet to a 5/8" rebar and cap; thence South 01°06'33" East 212.44 feet; thence South 03°15'44" West 91.35 feet; thence South 08°40'47" East 20.20 feet to a 5/8" rebar and cap; thence South 03°11'44" East 106.54 feet to a 5/8" rebar and cap; thence South 00°28'32" East 201.40 feet to a 5/8" rebar and cap; thence South 00°10'19" East 638.59 feet to a 5/8" rebar and cap; thence North 89°50'48" East 2020.80 feet to a 5/8" rebar and cap; thence North 88°58'22" East 546.76 feet to a 5/8" rebar and cap set at the Westerly right of way line of the Lanark Road (F.A.P. S-1801(2)); thence along said Westerly right of way line the following 9 courses: thence South 37°43'31" East 105.98 feet to Station 230+00, 65.00 feet left of centerline; thence South 54°25'28" East 104.40 feet to Station 229+00, 35.00 feet left of centerline; thence South 37°43'31" East 200.00 feet to Station 227+00, 35.00 feet left of centerline; thence South 32°00'52" East 201.00 feet to Station 225+00, 55.00 feet left of centerline; thence South 37°43'31" East 200.00 feet to P.T. Station 223+52.3 AH (P.T. Station 223+49.5 BK) 55.00 feet left of centerline, said point being on a 1090.92 foot radius non-tangent curve concave to the Southwest whose center bears South 52°19'12" West; thence Southeasterly along said curve through a central angle of 07°27'38" a distance of 142.05 feet to Station 222+00, 55.00 feet left of centerline (chord = South 33°56'59" East 141.95 feet), said point being on a 1100.92 foot radius non-tangent curve concave to the Southwest whose center bears South 56°43'07" West; thence Southeasterly along said curve through a central angle of 19°23'15" a distance of 372.53 feet to P.C. Station 218+12.8, 35.00 feet left of centerline (chord = South 23°35'16" East 370.75 feet); thence South 10°55'11" East 200.28 feet to P.T. Station 216+12.4, 35 feet left of centerline, said point being on a 2898.29 foot radius non-tangent curve concave to the Northeast whose center bears North 78°40'36" East; thence Southeasterly along said curve through a central angle of 02°26'29" a distance of 123.50 feet to the intersection of said Westerly right of way line and the South boundary of the Northeast Quarter of said Section 8, monumented with a 5/8" rebar and cap (chord = South 12°32'38" East 123.49 feet; thence North 89°42'18" West 716.37 feet along said South boundary to the Southeast Corner of the Southwest Quarter of the Northeast Quarter (SW¼NE¼) of Section 8, monumented with a 5/8" rebar and cap; thence North 00°13'49" East 258.58 feet along the East boundary of said SW¼NE¼ to a 5/8" rebar with cap; thence South 69°37'44" West 229.31 feet to a 5/8" rebar and cap; thence South 76°19'48" West 212.00 feet to a 5/8" rebar with cap; thence South 55°00'38" West 336.03 feet to a 5/8" rebar with cap; thence South

64°56'34" West 222.44 feet to a 5/8" rebar with cap; thence South 60°09'58" West 464.82 feet to a 5/8" rebar with cap set at a fence corner; thence South 01°41'22" West 241.48 feet along said fence line to a 5/8" rebar with cap set at a fence corner; thence South 72°03'11" West 6.95 feet along said fence line to a 5/8" rebar with cap set at the West boundary of the Southeast Quarter of said Section 8; thence North 00°12'30" East 178.21 feet along said West boundary to a 5/8" rebar with cap; thence South 61°42'58" West 2986.77 feet to a 5/8" rebar with cap set at the West boundary of Section 8; thence South 00°21'58" West 751.74 feet along the West boundary of Section 8 to the Southeast Corner of Section 7; thence South 89°38'48" West 2648.51 feet along the South boundary of Section 7 to the South Quarter Corner of Section 7; thence North 00°16'12" East 2638.47 feet along the West boundary of the Southeast Quarter of Section 7 to the Northwest Corner of the Southeast Quarter of Section 7; thence North 89°34'13" East 2652.98 feet along the North boundary of said Southeast Quarter to the East Quarter Corner of Section 7; thence North 00°06'03" East 2239.47 feet along the East boundary Section 7 to the True Point of Beginning.

*

WARRANTY DEED

For Value Received,

HYMAS FAMILY LIMITED PARTNERSHIP,
of 536 SUTTERS MILL ROAD, HENDERSON, State of NV. 89014,

THE GRANTOR(S),

do(es) hereby, grant, bargain, sell, and convey unto

JULIAN L. ROBINSON,
of 220 NORTH MAIN STREET, ST. CHARLES, County of Bear Lake, State of ID. 83272,

THE GRANTEE(S),

For the sum of ten dollars and other good and valuable consideration, the following described tract of land in the County of Bear Lake, State of Idaho:

See Attached Exhibit "A"

RECEIVED
JUL 15 2008
Department of Water Resources
Eastern Region

To have and to hold the said premises, with their appurtenances unto the said Grantee(s), his heirs and assigns forever. And the said Grantor(s) hereby covenant to and with the said Grantee(s) that she is the owner(s) in fee simple of said premises; that they are free from all encumbrances, and that she will warrant and defend the same from all lawful claims whatsoever.

DATED THIS March 15, 2002.

HYMAS FAMILY LIMITED PARTNERSHIP

Helen E. Hymas
BY: HELEN E. HYMAS, Managing Partner

STATE OF NEVADA, COUNTY OF CLARK

On this 15th day of March, 2002, before me a Notary Public in and for the State, personally appeared


HELEN E. HYMAS

known or identified to me to be the Managing Partner in the partnership of HYMAS FAMILY LIMITED PARTNERSHIP and the partner who subscribed said partnership name to the foregoing instrument, and acknowledged to me that t(he)y executed the same in said partnership name.

IN WITNESS WHEREOF, I hereunto set my hand and seal the day and year in the certificate first above written.

Matthew E. Rice
Notary Public
Residing at:
My Commission Expires:

BEAR LAKE COUNTY RECORDER
JOHN P. EBORN
2002 MAR 25 PM 4 00
DEPUTY CLERK
\$9.00



MAIL TAX NOTICE TO: JULIAN L. ROBINSON
220 NORTH MAIN STREET, ST. CHARLES, ID. 83272

181157

EAST PARCEL :

A parcel on land located in the Northeast Quarter of Section 8, and the Northwest Quarter of Section 9, Township 13 South, Range 43 East, Boise Meridian, Bear Lake County, Idaho, and more particularly described as follows:

Commencing at the East Quarter Corner of said Section 8, from which the Northeast Corner of Section 8 bears North 00°15'09" East 2645.31 feet; thence North 52°21'13" West 797.34 feet to a 5/8" rebar and cap labeled "BRIAN ALLEN, PLS 9163" set at the Westerly extension of an existing fence line and the Easterly right of way line of the Lanark Road, F.A.P. S-1801(2), said point being on a 1180.92 foot radius non-tangent curve concave to the Southwest whose center bears South 71°25'55" West; thence North 66°05'10" East 61.50 feet to a fence corner the TRUE POINT OF BEGINNING; thence along said fence line the following 6 courses: thence North 51°37'02" West 50.96 feet; thence North 08°19'16" West 122.25 feet; thence North 15°30'41" West 77.28 feet; thence North 36°42'42" West 176.49 feet; thence North 48°47'33" West 64.56 feet; thence North 53°56'42" West 222.18 feet to the Easterly right of way line of said Lanark Road; thence along said Easterly right of way line the following 3 courses: thence North 37°43'31" West 607.50 feet to a 1397.39 foot radius non-tangent curve concave to the Northeast whose center bears North 52°12'53" East; thence Northwesterly through a central angle of 18°30'46" a distance of 451.51 feet to the point of tangency (chord = North 28°31'44" West 449.55 feet); thence North 19°12'02" West 407.12 feet to a 5/8" rebar and cap set at the Westerly extension of an existing fence line; thence along said fence line the following 5 courses: thence South 78°49'13" East 672.72 feet to a 5/8" rebar and cap; thence South 78°05'45" East 669.79 feet to a 5/8" rebar and cap; thence South 76°55'04" East 324.25 feet to a 5/8" rebar and cap; thence South 24°11'02" East 527.52 feet to a 5/8" rebar and cap; thence South 23°06'02" East 91.10 feet along said fence line and its Southeasterly extension to the centerline of North Creek; thence along the meanderings of the centerline of North Creek the following 7 courses: thence South 11°58'12" West 57.91 feet; thence South 37°28'22" East 90.67 feet; thence South 15°27'02" West 165.97 feet; thence South 13°13'29" East 53.28 feet; thence South 69°28'58" East 67.36 feet; thence South 08°53'55" West 61.90 feet; thence South 03°59'25" West 98.33 feet; thence South 65°19'53" West 280.66 feet to a 5/8" rebar and cap set at a fence corner; thence South 59°17'53" West 37.83 feet along said fence line to a 5/8" rebar and cap; South 64°39'04" West 141.90 feet along said fence line to a 5/8" rebar and cap; thence South 66°05'10" West 429.80 feet along said fence line to the True Point of Beginning.


WEST PARCEL:

A parcel of land located in Section 8, and the Southeast Quarter of Section 7, Township 13 South, Range 43 East, Boise Meridian, Bear Lake County, Idaho, and more particularly described as follows:

Commencing at the Northwest Corner of said Section 8, from which the West Quarter Corner of said Section 8 bears South 00°06'03" West 2642.07 feet; thence South 00°06'03" West 402.60 feet along the West boundary of Section 8 to a 5/8" rebar and cap labeled "BRIAN ALLEN, PLS 9163", the TRUE POINT OF BEGINNING; thence South 66°53'57" East 723.00 feet to a 5/8" rebar and cap; thence North 32°28'17" East 991.02 feet to a 5/8" rebar and cap; thence North 34°54'25" East 140.92 feet to a 5/8" rebar and cap (PLS 4735) set at a fence corner; thence along existing fence lines the following 12 courses: thence South 66°33'04" East 35.72 feet to a 5/8" rebar and cap; thence South 27°44'08" West 36.96 feet to a 5/8" rebar and cap; thence South 08°22'37" West 36.24 feet to a 5/8" rebar and cap; thence South 03°46'48" East 229.66 feet to a 5/8" rebar and cap; thence South 01°06'33" East 212.44 feet; thence South 03°15'44" West 91.35 feet; thence South 08°40'47" East 20.20 feet to a 5/8" rebar and cap; thence South 03°11'44" East 106.54 feet to a 5/8" rebar and cap; thence South 00°28'32" East 201.40 feet to a 5/8" rebar and cap; thence South 00°10'19" East 638.59 feet to a 5/8" rebar and cap; thence North 89°50'48" East 2020.80 feet to a 5/8" rebar and cap; thence North 88°58'22" East 546.76 feet to a 5/8" rebar and cap set at the Westerly right of way line of the Lanark Road (F.A.P. S-1801(2)); thence along said Westerly right of way line the following 9 courses: thence South 37°43'31" East 105.98 feet to Station 230+00, 65.00 feet left of centerline; thence South 54°25'28" East 104.40 feet to Station 229+00, 35.00 feet left of centerline; thence South 37°43'31" East 200.00 feet to Station 227+00, 35.00 feet left of centerline; thence South 32°00'52" East 201.00 feet to Station 225+00, 55.00 feet left of centerline; thence South 37°43'31" East 200.00 feet to P.T. Station 223+52.3 AH (P.T. Station 223+49.5 BK) 55.00 feet left of centerline, said point being on a 1090.92 foot radius non-tangent curve concave to the Southwest whose center bears South 52°19'12" West; thence Southeasterly along said curve through a central angle of 07°27'38" a distance of 142.05 feet to Station 222+00, 55.00 feet left of centerline (chord = South 33°56'59" East 141.95 feet), said point being on a 1100.92 foot radius non-tangent curve concave to the Southwest whose center bears South 56°43'07" West; thence Southeasterly along said curve through a central angle of 19°23'15" a distance of 372.53 feet to P.C. Station 218+12.8, 35.00 feet left of centerline (chord = South 23°35'16" East 370.75 feet); thence South 10°55'11" East 200.28 feet to P.T. Station 216+12.4, 35 feet left of centerline, said point being on a 2898.29 foot radius non-tangent curve concave to the Northeast whose center bears North 78°40'36" East; thence Southeasterly along said curve through a central angle of 02°26'29" a distance of 123.50 feet to the intersection of said Westerly right of way line and the South boundary of the Northeast Quarter of said Section 8, monumented with a 5/8" rebar and cap (chord = South 12°32'38" East 123.49 feet; thence North 89°42'18" West 716.37 feet along said South boundary to the Southeast Corner of the Southwest Quarter of the Northeast Quarter (SW¼NE¼) of Section 8, monumented with a 5/8" rebar and cap; thence North 00°13'49" East 258.58 feet along the East boundary of said SW¼NE¼ to a 5/8" rebar with cap; thence South 69°37'44" West 229.31 feet to a 5/8" rebar and cap; thence South 76°19'48" West 212.00 feet to a 5/8" rebar with cap; thence South 55°00'38" West 336.03 feet to a 5/8" rebar with cap; thence South 64°56'34" West 222.44 feet to a 5/8" rebar with cap; thence South 60°09'58" West 464.82 feet to a 5/8" rebar

with cap set at a fence corner; thence South 01°41'22" West 241.48 feet along said fence line to a to a 5/8" rebar with cap set at a fence corner; thence South 72°03'11" West 6.95 feet along said fence line to a to a 5/8" rebar with cap set at the West boundary of the Southeast Quarter of said Section 8; thence North 00°12'30" East 178.21 feet along said West boundary to a 5/8" rebar with cap; thence South 61°42'58" West 2986.77 feet to a 5/8" rebar with cap set at the West boundary of Section 8; thence South 00°21'58" West 751.74 feet along the West boundary of Section 8 to the Southeast Corner of Section 7; thence South 89°38'48" West 2648.51 feet along the South boundary of Section 7 to the South Quarter Corner of Section 7; thence North 00°16'12" East 2638.47 feet along the West boundary of the Southeast Quarter of Section 7 to the Northwest Corner of the Southeast Quarter of Section 7; thence North 89°34'13" East 2652.98 feet along the North boundary of said Southeast Quarter to the East Quarter Corner of Section 7; thence North 00°06'03" East 2239.47 feet along the East boundary Section 7 to the True Point of Beginning.

*



Title:

Date: 07-16-2008

Scale: 1 inch = 1200 feet

File:

Data and Deed Call Listing of File:

Tract 1: 44.517 Acres: 1939163 Sq Feet: Closure = s23.3122e 0.17 Feet: Precision =1/34157: Perimeter = 5951 Feet

Tract 2: 399.626 Acres: 17407710 Sq Feet: Closure = n38.2202w 52.32 Feet: Precision =1/468: Perimeter = 24465 Feet

001=/ne,se,8,13s,43e	057=n00.1349e 258.58
002=/n52.2113w 797.34	058=s69.3744w 229.31
003=/n66.0510e 61.50	059=s76.1948w 212.00
004=n51.3702w 50.96	060=s55.0038w 336.03
005=n08.1916w 122.25	061=s64.5634w 222.44
006=n15.3041w 77.28	062=s60.0958w 464.82
007=n36.4242w 176.49	063=s01.4122w 241.48
008=n48.4733w 64.56	064=s72.0311w 6.95
009=n53.5642w 222.18	065=n00.1230e 178.21
010=n37.4231w 607.50	066=s61.4258w 2986.77
011: Lt, R=1397.39, Arc=451.51, Delta=18.3046	067=s00.2158w 751.74
Bng=n28.3144w, Chd=449.55	068=s89.3848w 2648.51
012=n19.1202w 407.12	069=n00.1612e 2638.47
013=s78.4913e 672.72	070=n89.3413e 2652.98
014=s78.0545e 669.79	071=n00.0603e 2239.47
015=s76.5504e 324.25	
016=s24.1102e 527.52	
017=s23.0602e 91.10	
018=s11.5812w 57.91	
019=s37.2822e 90.67	
020=s15.2702w 165.97	
021=s13.1329e 53.28	
022=s69.2858e 67.36	
023=s08.5355w 61.90	
024=s03.5925w 98.33	
025=s65.1953w 280.66	
026=s59.1753w 37.83	
027=s64.3904w 141.90	
028=s66.0510w 429.80	
029=@0	
030=/nw,8,13s,43e	
031=/s00.0603w 402.60	
032=s66.5357e 723.00	
033=n32.2817e 991.02	
034=n34.5425e 140.92	
035=s66.3304e 35.72	
036=s27.4408w 36.96	
037=s08.2237w 36.24	
038=s03.4648e 229.66	
039=s01.0633e 212.44	
040=s03.1544w 91.35	
041=s08.4047e 20.20	
042=s03.1144e 106.54	
043=s00.2832e 201.40	
044=s00.1019e 638.59	
045=n89.5048e 2020.80	
046=n88.5822e 546.76	
047=s37.4331e 105.98	
048=s54.2528e 104.40	
049=s37.4331e 200.00	
050=s32.0052e 201.00	
051=s37.5331e 200.00	
052: Rt, R=1090.92, Arc=142.05, Delta=07.2738	
Bng=s33.5659e, Chd=141.95	
053: Rt, R=1100.92, Arc=372.53, Delta=19.2315	
Bng=s23.3516e, Chd=370.75	
054=s10.5511e 200.28	
055: Rt, R=2898.29, Arc=12.50, Delta=02.2629	
Bng=s12.3238e, Chd=123.49	
056=n89.4218w 716.37	