

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 95-09404

Priority: August 06, 2007

Maximum Diversion Rate: 0.11 CFS

This is to certify, that **TOM ENGLE**
11741 E FRONTAGE RD
COEUR D ALENE ID 83814

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.07 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER L3 (NE $\frac{1}{4}$ NW $\frac{1}{4}$) Sec. 5, Twp 49N, Rge 02W, B.M. KOOTENAI County

PLACE OF USE: COMMERCIAL

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
49N	02W	5		X				X											
				L 2				L 3											


PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
49N	02W	5		X				X											
				L 2				L 3											

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **December 01, 2012**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
4. This right does not grant any right-of-way or easement across the land of another.
5. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
6. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
7. Domestic use is for 1 home.
8. Commercial use is for a restaurant.
9. Prior to the diversion and use of water under this approval, the right holder shall comply with applicable water quality permitting requirements administered by the Department of Environmental Quality or the Department of Agriculture.
10. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 1st day of July, 2008.


DAVID R. TUTHILL, JR., Director

95-9404



0 137.5 275 550 825 1,100 Feet

Legend

-  QQ
-  Permit POU
-  Taxlots
-  Permit POD

