

FOR OFFICE USE ONLY
Amt. of Fee \$: 150.00
Receipt No. C039188
Receipt By: jm
Date Received: 9-23-05

RECEIVED

SEP 23 2005

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9137 Telephone No. 208-777-9857
2. Name of Permit Holder(s): CITY OF POST FALLS
3. Mailing Address: 408 N. Spokane Street
City Post Falls State ID Zip 83854
4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
Well Driller: _____ Drilling Permit Number: _____
5. Use(s) (as authorized by the water right permit): Priority Date: 08/16/1961 (See: 95-4457)
Domestic (No. of households): 6000 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 3 cfs OR _____ acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes X or No _____
Has the measuring device been installed? Yes X or No _____
8. Fee Enclosed: \$ 150.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Terry Werner Telephone Number: 208-777-9857
Address: 2002 W. Settice Way - Post Falls, Idaho 83854
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Terry Werner Date: 09-06-05
Public Works Superintendent
(include your title, if on behalf of company or organization)

or - Matt Isch at same number and address.

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 95-09137

Priority: July 02, 2002

Maximum Diversion Rate: 3.00 CFS

This is to certify, that CITY OF POST FALLS
408 N SPOKANE ST
POST FALLS ID 83854

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	3.00 CFS

LOCATION OF POINTS OF DIVERSION:

GROUND WATER	NE $\frac{1}{4}$ NE $\frac{1}{4}$	Sec. 34, Twp 51N, Rge 05W, B.M., KOOTENAI County
GROUND WATER	NW $\frac{1}{4}$ NE $\frac{1}{4}$	Sec. 34, Twp 51N, Rge 05W, B.M., KOOTENAI County
GROUND WATER	NW $\frac{1}{4}$ NE $\frac{1}{4}$	Sec. 34, Twp 51N, Rge 05W, B.M., KOOTENAI County
GROUND WATER	NW $\frac{1}{4}$ SW $\frac{1}{4}$	Sec. 1, Twp 50N, Rge 05W, B.M., KOOTENAI County
GROUND WATER	SW $\frac{1}{4}$ SE $\frac{1}{4}$	Sec. 27, Twp 51N, Rge 05W, B.M., KOOTENAI County
GROUND WATER L1 (NE $\frac{1}{4}$ NE $\frac{1}{4}$)		Sec. 2, Twp 50N, Rge 05W, B.M., KOOTENAI County
GROUND WATER	SW $\frac{1}{4}$ SE $\frac{1}{4}$	Sec. 27, Twp 51N, Rge 05W, B.M., KOOTENAI County
GROUND WATER	NW $\frac{1}{4}$ NW $\frac{1}{4}$	Sec. 34, Twp 51N, Rge 05W, B.M., KOOTENAI County

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **November 01, 2005**.
2. Subject to all prior water rights.
3. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of any management plan approved by the director for the RPGWMA. If the director determines that the ground water supply in the RPGWMA is insufficient to meet the demands of prior water rights within the RPGWMA, the director may order the diversion and use of water under this right to be reduced or curtailed until the director determines that there is sufficient ground water available for this right.
4. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
7. Place of use is within the service area of the City of Post Falls municipal water supply system as provided for under Idaho Law.

MICROFILMED

JUN 16 2004

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 95-09137

8. Rights 95-04457, 95-04458, 95-04460, 95-07436, 95-08048, 95-08862, and 95-09147 are also diverted through the points of diversion described above.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code. Witness the signature of the Director, affixed at Boise, this 6th day of February, 2004.


for KARL J DREHER, Director

MICROFILMED

JUN 16 2004

RECEIVED
FEB - 2 2004

70967

RECEIVED
DEC 02 2003
IDWR/North

Fee. \$50.00
Receipt N016025
Received by
Date 12/2/03

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A PERMIT

Name of Applicant City of Post Falls Phone (208)777-9857

Mailing address 408 North Spokane Street, Post Falls, Idaho 83854

I am the owner and the holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-09137, and request that the permit map be amended and/or changed as follows.

Purpose of Amendment:

1. ☒ Change point of diversion ☒ Add diversion point (s) ☐ Change place of use
☐ Change nature of use ☐ Change period of use ☐ Other _____

1. Point of diversion: NE 1/4 NE 1/4 1/4, Section 34, Township 51N, Range 05W, B.M.,
County of Kootenai. Other points of diversion See Attached.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 3.00 cfs for Municipal purposes from 01/01 to 12/31 (both dates inclusive)
(cfs/ac-ft) (water use) (Begin Month) End Month)

Amount for purposes from to (both dates inclusive)
(cfs/ac-ft) (water use) (Begin Month) End Month)

Amount for purposes from to (both dates inclusive)
(cfs/ac-ft) (water use) (Begin Month) End Month)

3. Place of use of land to be irrigated: Within City Limits of City of Post Falls

Twp.	Rgc.	Sec.	NE 1/4			SW 1/4	SE 1/4					TOTALS
			NE 1/4	NW 1/4	S 1/2		SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

p/d listed on this page is also listed on attachment - only 1 p/d in NE 1/4 SW 1/4

Total Acres _____

4. a. Who owns the property:

b. Who owns the land to be

c. If the property is owner
filing: N/A

ingement enabling the applicant to make this

MICROFILMED

JUN 16 2004

RECEIVED
FEB - 2 2004

70967

RECEIVED
DEC 02 2003
DWR/North

Fee. \$50.00
Receipt NO 16025
Received by
Date 12/2/03

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR AMENDMENT OF A PERMIT

Name of Applicant City of Post Falls Phone (208)777-9857

Mailing address 408 North Spokane Street, Post Falls, Idaho 83854

I am the owner and the holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-09137, and request that the permit map be amended and/or changed as follows.

Purpose of Amendment:

1. ☒ Change point of diversion ☒ Add diversion point (s) ☐ Change place of use
☐ Change nature of use ☐ Change period of use ☐ Other _____

1. Point of diversion: NE 1/4 NE 1/4 1/4, Section 34, Township 51N, Range 05W, B.M.,
County of Kootenai. Other points of diversion See Attached.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 3.00 cfs for Municipal purposes from 01/01 to 12/31 (both dates inclusive)
(cfs/ac-ft) (water use) (Begin Month) End Month)

Amount for purposes from to (both dates inclusive)
(cfs/ac-ft) (water use) (Begin Month) End Month)

Amount for purposes from to (both dates inclusive)
(cfs/ac-ft) (water use) (Begin Month) End Month)

3. Place of use of land to be irrigated: Within City Limits of City of Post Falls

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total Acres _____

4. a. Who owns the property at the point of diversion? City of Post Falls

b. Who owns the land to be irrigated or place of use? Municipal Use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A

MICROFILMED
JUN 16 2004

Complete the following map by showing land and point of diversion as proposed by this amendment. Show $\frac{1}{4}$ $\frac{1}{4}$, section, township, range and ditches. (The smallest subdivision represents 40 acres.)

A blank grid of 15 columns and 12 rows, used for drawing a diagram.

Scale: 2 inches equal 1 mile

I hereby request approval of this change subject to the fact that no one will be injured by the change, and that the change will be made at my own risk.

Signed this 2 day of Dec, 2003. Jerry Cullner
Permit Holder Signature (and title, if for a company or organization)
Public Works Superintendent

ACTION OF THE DEPARTMENT OF WATER RESOURCES

Prelim check by _____ Publication prepared by db Date 12/11/03

Published in cdg Press Date 12/18 + 25/03

I, _____, of the Department of Water Resources hereby

Witness my hand this _____ day of _____, 200__.

SIGNATURE

MICROFILMED

JUN 16 2004

CITY OF POST FALLS
408 N SPOKANE STREET
POIST FALLS, IDAHO 83854
208-777-9857
95-9137

Attachment: Other Points of Diversion

LOT	¼	1/4	SECTION	TWP	RANGE	COUNTY	LOCAL NAME
	NE	NE	34	51N	5W	KOOTENAI	WELL 3
	NW	NE	34	51N	5W	KOOTENAI	WELL 2
	NW	NE	34	51N	5W	KOOTENAI	WELL 1
	NW	SW	1	50N	5W	KOOTENAI	WELL 4
	SW	SE	27	51N	5W	KOOTENAI	WELL 5
	NE	NE	2	50N	5W	KOOTENAI	WELL 6
	SW	SE	27	51N	5W	KOOTENAI	WELL 7
	NW	NW	34	51N	5W	KOOTENAI	WELL 8

MICROFILMED

JUN 16 2004

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09137

Priority: July 02, 2002

Maximum Diversion Rate: 3.00 CFS

This is to certify, that CITY OF POST FALLS
408 N SPOKANE ST
POST FALLS ID 83854

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	3.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE1/4NE1/4 Sec. 34, Twp 51N, Rge 05W, B.M. KOOTENAI County

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **November 01, 2005**.
2. Subject to all prior water rights.
3. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of any management plan approved by the director for the RPGWMA. If the director determines that the ground water supply in the RPGWMA is insufficient to meet the demands of prior water rights within the RPGWMA, the director may order the diversion and use of water under this right to be reduced or curtailed until the director determines that there is sufficient ground water available for this right.
4. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
7. Place of use is within the service area of the City of Post Falls municipal water supply system as provided for under Idaho Law.

MICROFILMED

JUN 16 2004

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 95-09137

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 26th day of November, 2003.



KARL J DREHER, Director

MICROFILMED
JUN 16 2004

RECEIVED

NOV 02 2001

IDWR/North

70003

Ident. No. 95-9137
(See 95-4457)

RECEIVED

OCT 30 2003

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

NOV 02 2001

IDWR/North

1. Name of Applicant City of Post Falls Phone (208) 777-9857
Post Office address 408 North Spokane Street, Post Falls, Idaho 83854
2. Source of water supply Deep Well/Ground Water which is a tributary of N/A
3. Location of point of diversion is NE 1/4 of NE 1/4 of 1/4, Govt. Lot
Sec. 34 Township 51N Range 5W B.M. Kootenai County; additional points of diversion if any:
4. Water will be used for the following purposes:
Amount 3.0 for Municipal purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 3.00 and/or (b) ~~95 acre-feet~~
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 200 hp pump, 18" O.D. casing, 12" main water line
 - b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet; period of year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is feet.
 - d. Is ground water with a temperature of greater than 85° F being sought? No
 - e. If well is already drilled, when? 1948+; Drilling firm N/A
Well was drilled for (well owner) City of Post Falls
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity if KW. N/A
 - b. Stockwatering; list number and kind of livestock. N/A
 - c. Municipal; show name of municipality. City of Post Falls
 - d. Domestic; show number of households. N/A
 - e. Other; describe fully.

MICROFILMED

JUN 18 2004

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N 5W	5W	34	m																

PLACE OF USE IS WITHIN THE
SERVICE AREA OF CITY OF POST FALLS.

Total number of acres to be irrigated 0

10. Describe any other water rights used for the same purposes as described above.

Permits #95-4460, 95-4458, 95-7436, 95-8048, 95-8862

11. a. Who owns the property at the point of diversion? City of Post Falls

b. Who owns the land to be irrigated or place of use? Municipal

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: N/A

12. Remarks: This application is to update permit #95-4457. The pump motor was increased to a 200 hp which pumps 1350 gpm. The old pump was 60 hp.

13. MAP OF PROPOSED PROJECT ATTACHED Show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.



Jerry Currier / Utility Superintendent
(Applicant) City of Post Falls

Received by db Date 11/2/01 Time 1:55P Preliminary check by AB
Fee \$ 330.00 Receipted by db # N014858 Date 2/28/02
Publication prepared by db Date 7/10/02 Published in CIA Press 7/18+25/02
Publication approved db Date 7/26/02

MICROFILMED
JUN 16 2004

WELL 3
40 ACRE AREA





- LEGEND**
- STREET RIGHT-OF-WAY OR PUBLIC ACCESS
 - UNPLATTED AND / OR INCOMPLETE STREET RIGHT-OF-WAY OR PUBLIC ACCESS
 - RAILROAD
 - LOT / PROPERTY LINES
 - CITY LIMITS
 - STATE LINE
 - UNINCORPORATED AREAS WITHIN CITY BOUNDARIES
 - JACKLIN WATER DISTRICT
 - EAST GREENACRES WATER DISTRICT
 - ROSS POINT WATER DISTRICT
 - VALLEY WATER DISTRICT

RECEIVED
FEB 25 2002
IDWAWM




408 SPOKANE STREET
POST FALLS, IDAHO 83854
(208) 775-5911

Post Falls Water District Map

PWVG No. 02-020 SCALE: 1" = 1,000' SHEET 1 of 1
FILE: 1000 MAP WATER DISTRICT.DWG DATE: February 19, 2002

KOOTENAI COUNTY 055
COEUR D'ALENE DISTRICT

STATUS OF PUBLIC DOMAIN
LAND AND MINERAL TITLES

THE NOTATION SHOWN ON WITHDRAWALS REPRESENT THE LAST ACTION TAKEN BUT MAY NOT BE THE EFFECTIVE DATE, SEE

MT PLAT

INDEX TO SEGREGATED TRACTS

TABLE NO.	Y	R	SEC	SUBSECTION

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible][illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

1 08590 Let to 167 fact of Emg 7/23/1955

FOR THE YEAR 1961, AT THE SURFACE OF THE

100

1. *Chlorophyll a* (Chl *a*)

1. The first group of students (Group A) was assigned to read the text and identify the main idea of the passage. They were then asked to write a short paragraph summarizing the main idea in their own words.

11

11

Age Group	1980	1985	1990	1995
0-14	22	20	18	15
15-24	18	20	22	22
25-34	20	18	18	18
35-44	15	16	17	18
45-54	12	11	10	10
55-64	8	9	11	12
65-74	5	4	3	3
75+	2	3	4	5

10

Figure 1 consists of two line graphs, (a) and (b), showing the effect of temperature on the rate of polymerization (R_p) for the polymerization of methyl methacrylate (MMA) initiated by benzoyl peroxide (BPO). The x-axis for both graphs represents temperature in degrees Celsius ($^{\circ}\text{C}$) from 40 to 80. The y-axis represents the rate of polymerization (R_p) from 0 to 1.0.

Graph (a) shows R_p increasing with temperature, reaching a maximum of approximately 0.8 at 70°C. Graph (b) shows R_p increasing with temperature, reaching a maximum of approximately 0.6 at 70°C.

100

1. *Phragmites australis* (Cav.) Trin. ex Steud.

1. The first line of the document is a header containing the text "1. The first line of the document is a header containing the text".

100

1. The first group of respondents (n = 10) was composed of individuals who had been involved in a sexual assault in the past 12 months. The second group (n = 10) was composed of individuals who had been involved in a sexual assault more than 12 months ago. The third group (n = 10) was composed of individuals who had not been involved in a sexual assault in the past 12 months. The fourth group (n = 10) was composed of individuals who had not been involved in a sexual assault more than 12 months ago. The fifth group (n = 10) was composed of individuals who had not been involved in a sexual assault in the past 12 months and more than 12 months ago. The sixth group (n = 10) was composed of individuals who had not been involved in a sexual assault in the past 12 months and more than 12 months ago. The seventh group (n = 10) was composed of individuals who had not been involved in a sexual assault in the past 12 months and more than 12 months ago. The eighth group (n = 10) was composed of individuals who had not been involved in a sexual assault in the past 12 months and more than 12 months ago. The ninth group (n = 10) was composed of individuals who had not been involved in a sexual assault in the past 12 months and more than 12 months ago. The tenth group (n = 10) was composed of individuals who had not been involved in a sexual assault in the past 12 months and more than 12 months ago.

100

UNIDENTIFIED LANDS REFER TO MODELS OF
FOR COUNTRIES EFFECTING DISPOSAL OR USE

MISCELLANEOUS DOCUMENTS

connected to	connected
--------------	-----------


--	--

USE PLAYS:

MICROFILMED
JAN 15 2004

KOOTENAI COUNTY 055
COEUR D'ALENE DISTRICT

1502



MICROFILMED
JUN 16 2004

The following applications have been filed to amend Permits to Appropriate Water

95-9137

CITY OF POST FALLS,
408 N SPOKANE ST
POST FALLS ID 83854

Point(s) of Diversion	NENE	S34	T51N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	NWNE	S34	T51N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	NWNE	S34	T51N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	NWSW	S1	T50N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	SWSE	S27	T51N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	NENE	S2	T50N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	SWSE	S27	T51N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	NWNW	S34	T51N	R05W	KOOTENAI County	Source GROUND WATER

Use: MUNICIPAL 01/01 To 12/31 3 CFS
Total Diversion: 3 CFS

Date Filed: 12/02/2003

Remark: Municipal use is within service area of City of Post Falls.

95-9147

CITY OF POST FALLS
408 N SPOKANE ST
POST FALLS ID 83854

Point(s) of Diversion	NWNE	S34	T51N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	NWNE	S34	T51N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	NENE	S34	T51N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	NWSW	S1	T50N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	SWSE	S27	T51N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	NENE	S2	T50N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	SWSE	S27	T51N	R05W	KOOTENAI County	Source GROUND WATER
Point(s) of Diversion	NWNW	S34	T51N	R05W	KOOTENAI County	Source GROUND WATER

Use: MUNICIPAL 01/01 To 12/31 5.79 CFS
Total Diversion: 5.79 CFS

Date Filed: 12/02/2003

Remark: Municipal use is within service area of City of Post Falls.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-211, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 01/05/2004. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published on December 18 and 25, 2003

MICROFILMED

JUN 16 2004

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-9137

CITY OF POST FALLS
408 SPOKANE ST
POST FALLS ID 83854

Point(s) of Diversion NENE S34 T51N R05W KOOTENAI County

Source GROUND WATER

Use: MUNICIPAL 01/01 To 12/31 3 CFS

Total Diversion: 3 CFS

Date Filed: 07/02/2002

Remark: Place of use is within the service area of City of Post Falls.

95-9138

CITY OF POST FALLS
408 SPOKANE ST
POST FALLS ID 83854

Point(s) of Diversion SWSE S27 T51N R05W KOOTENAI County

Source GROUND WATER

Use: MUNICIPAL 01/01 To 12/31 5 CFS

Total Diversion: 5 CFS

Date Filed: 07/02/2002

Remark: Place of use is within the service area of City of Post Falls.

95-9139

THOMAS J MAEDER
DONA MAEDER
3000 LANE MOUNTAIN TL
RATHDRUM ID 83858

Point(s) of Diversion SWNW S34 T53N R04W KOOTENAI County

Source GROUND WATER

Point(s) of Diversion NWNW S34 T53N R04W KOOTENAI County

Source GROUND WATER

Use: IRRIGATION 03/15 To 11/15 0.05 CFS

Use: DOMESTIC 01/01 To 12/31 0.06 CFS

Total Diversion: 0.11 CFS

Date Filed: 07/01/2002

Place Of Use: IRRIGATION

T53N R04W S34 NWNW

Number of Acres 1

Place Of Use: DOMESTIC same as IRRIGATION

Remark: Domestic use is for 2 homes.

(Legal notice continued on next page)

MICROFILMED
JUN 16 2004