

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09077

Priority: May 8, 2000

Maximum Diversion Rate: 0.06 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that KATHRYN PAUL And KURT PAUL
3002 14TH ST SE
AUBURN WA 98092 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated May 8, 2000; and have
submitted Proof of Beneficial Use on April 10, 2002. An examination indicates that the works have a
diversion capacity of 0.06 cfs of water from:

SOURCE

COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.06 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L3 (SE $\frac{1}{4}$ NW $\frac{1}{4}$) Sec. 20, Twp 48N, Rge 4W, B.M. KOOTENAI County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
48N 04W 20								X									
								L3									

CONDITIONS OF APPROVAL

1. The issuance of this right does not grant any right-of-way or easement across the land of another.
2. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 27th day of NOVEMBER, 2002.

MICROFILMED

MAR 24 2003

Acting for

KARL J. DREHER
Director

Amt. of Fee \$ 30.00
Receipt No. 0261384
Receipt By: [Signature]
Date Received: 4-10-02

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

APR 10 2002

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9077 Telephone No. (253) 939-6038
2. Name of Permit Holder(s): KURT PAUL & KATHRYN PAUL
3. Mailing Address: 3002 14th ST. S.E.
City AUBURN State WA Zip 98092
4. Source of Water: COEUR D'ALENE LAKE If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
Well Driller: _____ Drilling Permit Number: _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR _____ acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: KURT PAUL Telephone Number: (206) 979-4421
Address: 3002 14th ST. S.E. AUBURN, WA 98092
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 4/8/02
(include your title, if on behalf of company or organization)

MICROFILMED

OCT 17 2002

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09077

Priority: 05/08/2000

Maximum Diversion Rate: 0.06 CFS

This is to certify, that KURT PAUL
3002 14TH ST SE
AUBURN WA 98092

And

KATHRYN PAUL
3002 14TH ST SE
AUBURN WA 98092

has applied for a permit to appropriate water from:

Source: COEUR D ALENE LAKE Tributary: SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L3 SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 20, Twp 48N, Rge 04W, B.M. KOOTENAI County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N 04W 20								X									
							L3										

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 1, 2002**.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 8th day of August, 2001.


for
KARL J DREHER, Director

MICROFILMED

OCT 12 2001

69090

Ident. No. 95-9077

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant Kurt & Kathryn Paul Phone 253-939-6038
Mailing address 3002 14th ST SE Auburn, WA 98092
2. Source of water supply Coeur d'Alene Lake which is a tributary of Spokane River
3. Location of point of diversion is Township 48N Range 4W Sec. 20 in the SE 1/4, of NW 1/4, Govt. Lot 3, B.M., Kootenai County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:

Amount <u>.06</u> for <u>domestic</u> purposes from <u>Aug 1</u> to <u>Dec 1</u> (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
5. Total quantity to be appropriated is (a) .06 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source 4 in submersible pump with a 1 1/2 in 200 psi polyethylene pipe
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1/2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. 1
 - e. Other; describe fully. _____

MICROFILMED

OCT 12 2001

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

60NT. LOT 3

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	4W	20								D									

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. 0

11. a. Who owns the property at the point of diversion? Kurt & Kathryn Paul

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: This will be our summer home and we will use it during the months of May through Dec.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Kathryn M. Paul 5/5/00
Kurt Paul 5/5/00
 Signature of Applicant (and title, if applicable)

Received by db Date 5/8/00 Time 1:10 P Preliminary check by JB
 Fee \$ 50.00 Receipted by db # N 0131051 Date 5/8/00
 Publication prepared by db Date 5/9/01 Published in IDAHO PRESS 5/17+24/01
 Publication approved db Date 6/4/01

MICROFILMED

OCT 12 2001

View1




Quad IndexQuadcov.shp
GCD8T48N04W.shp
POD- ApplicationApplication POD
Application POU
Townships

MICROFILMED
OCT 12 2001

2048N-4W

3X #

West 7390 Adams Lane
Worlet, ID 83876



R 3 W 55' R 4 W 507

508 220 000 FEET 509

116°52'30" 47°30'

× 2728

BENNION

ROAD

BOAT LOT 2
BOAT LOT 3

5260

ROAD

× 2739

Boat Ramp

Sun Up Bay

COEUR D'ALENE

COEUR D'ALENE BAY

POINT OF

Rockford Point

DIVERSION LAKE

ELEVATION 2125

2 120 000 FEET

WINDY

RES

Amwaco

RDY

16 to 1 Bay

29

Sewage Disposal Pond

Water Tank

Cave Bay

5257

CAVE

BAY

LAMPERT

2621

Well

2566

5256

27°30"

T 48 N

T 47 N

5255

MICROFILMED
OCT 1-2 2001

PAL

T. 48 N., R. 4 W

Storage Bins


JERRY

JOHNSON

JOHNSON

2706

ROAD



COEUR

D'ALENE

MICROFILMED
OCT 12 2001

MEMORANDUM

Date: November 26, 2002
To: Water Right File 95-9077
From: S. Keen *SWK*
Re: License Review

License review and data entry by S. Keen on 11/26/2002.

Permit was for 0.06 cfs. Field examiner calculated a capacity of 0.04 cfs, but he used 100 ft. of lift and 50 psi, both of which appear to be excessive. Capacity is probably closer to 0.06 cfs. License will be issued for 0.06 cfs.

MICROFILMED

MAR 24 2003

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 26 2002

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-09077

1. Owner: Lunt & Kathryn Paul Phone No. _____

Current Address: 3602 14th St. SE. Auburn Wa 98092

2. Accompanied by: Lunt Paul EXAM DATE: 5-23-02

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Coeur D'Alene Lake tributary to Spokane Wa

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	03		SE	NW	20	48N	04W	Coconino	USGS 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	04W	20								D									
										43									

MICROFILMED

SEP 24 2002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.5	2823008110	Sub	1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

MAR 24 2001

[illegible]

MICROFILMED
MAR 9 1 2003

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

Theoretical

$$\frac{8.8(7)(1.5)}{100 + (2.31 \times 50)} = \frac{9.24}{215.5} = .04 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>01-01</i>	<i>12-31</i>	<i>.04</i>	<i>1.2</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>.04</i>	<i>1.2</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name *Wayne Baldwin* Date *9-19-02*

Reviewer _____ Date _____

SEAL

MICROFILMED

MAR 14 2003





95



95

95-09077

MICROFILMED
MAR 24 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9077

Reviewed By: dgibson

Date: April 11, 2002

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N013651, C061284	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received	04/10/2002
Date proof due	- 08/01/2002
Lapse notice sent	-
No. of days late	= 0
Holiday allowance	+
Priority date	+ 05/08/2000
New priority date	= 05/08/2000

Deficiencies of Actions Items

Correct Invoice and Acknowledge proof.

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on 7/31/01

No. 95-9077 Name: Paul Corp. Officers N/A Ad ok _____ Govt Lots _____

AREA OF CONCERN: No/Yes _____ Moratorium _____ GWMA _____ TRUST/NON-TRUST _____

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

- All wells - 046
- Basin 34 - 084 (if necessary)
- WMD - North/East/West
- ≤ 0.24 cfs/5 acres - No MD
- > 0.24 cfs/5 acres - 067
- ~~WMD~~
- Supp irr (irr = only use) - 065-104
- Supp irr (+ other uses) - 100-105
- ≤ 0.24 cfs/5 acres - No MD
- > 0.24 cfs/5 acres - 01M

LOCATION:

- Boise Front LoGeo - 058 (<85 GW)
- Mitigation - 121
- Trust - 051 (consumptive uses)
- Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

- STORAGE - 18C-01H-01P-18B-NA
- IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
- > 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
- STOCKWATER - R37 (BLM/FS)-111 (instream stock)
- MINING - 054-106
- HEAT/COOL - R07 (injection well)
- FIRE PROT - 077
- COMMERCIAL/INDUSTRIAL - 106-R07
- DAIRY - 082-WD8
- POWER - 17H or 17K (+uses)-17G (under FERC) or 17M (not FERC regulated) 025-027-R22-08A

BENEFICIAL USE DUE: 8/01/2002

MISC CONDITIONS/REMARKS:

- Protested - 020-W19
- Development Period > 1 yr - 26A
- Ownership - 004
- Non-consumptive - 027
- Water Quality - 106-R07

SURFACE WATER: (✓Flow Chart)

- F&G contacted - Yes/No Response
- In/Above MSF - WB9
- PLANNING REVIEW/RESPONSE
- WD - R04 (WD# _____)
- ≤ 0.20 cfs/others - 01H, 01P or No MD
- > 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WD

- ≤ 0.24 cfs/5 acres - No MD
- > 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

- Snake R (01) - W23, N/A
- (02,03) - 007 (w/ remark WB9 if above Weiser)
- Payette R (65) - W23, 047 (Payette Lake)
- Salmon R (70's) - 029 (fish screens)
- Weiser R (67) - 086-087

USES:

MUNICIPAL

- Restricted area - 022,075
- Irr. GW supp to SW - 102
- Future needs - 007,109
- FISH PROP - 029 (70's only)-007-042-106
- DOMESTIC
- Surface water - WB5 (Big Wood/Boise above Star Bridge)
- 27A (Payette R)
- 070-071-075 (no parks/common areas)
- Irr separate or none allowed - WB5
- GW w/irrigation from SW evident - 065-104
- Moratorium approvable - W03 (2500 gpd - meets domestic def i.e. D/convenience store)

- Multiple pd's per ¼¼ - W32
- Subd lot desc (pd) - W59
- Subd lot desc (pu) - W60
- Use definitions - W02 example - S/50 range
- Pre-1987 development - 068-074 (allow 120 days for proof due)
- Single p/d intended - 076

IRRIGATION SEASON _____ (Per updated map)

IRR VOLUME/ACRE _____

OTHER CONDITIONS/REMARKS

COMMENTS

Priority date is indeed May, 2000 although app wasn't processed until May, 2001.

RECEIVED

JUL 30 2001

 IDHO DEPARTMENT OF WATER RESOURCES
 APPLICATION ANALYSIS SHEET

 APPLICATION # 95-9077

Department of Water Resources INITIAL REVIEW

APPLICANT:

PAUL

BY:

B

DATE:

4/30/01

ITEM REQUIRED INFORMATION

1. (☒) Name and Address
2. (☒) Source
3. (☒) Point of Diversion & County
4. (☒) Quantity
- (☒) Nature of Proposed Use
- (☒) Period of Use
5. (☒) Total Quantity
6. (☒) Description of diverting works
7. (☒) Time required for b/u
8. (☒) Proposed use
9. (☒) Place of use or acres irrigated
10. (☒) Other water Rights
11. (☒) Ownership
12. (☒) Map
- (☒) Signature
- (☒) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

(Yes) (No)

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached (>5cfs/500af)
☒ Water delivered by water master?
 Water District # _____

PROCESSING

(Yes) (No)

PRIORITY DATE:

5/8/00
☒ (Include Moratorium Remark)

☒ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).
CA/Phu/ok

ADVERTISE IN:

KOOTENAI

County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
<u>1</u>		Dom. Non-Dom.	Paid \$		Y () N ()
		Dom. Non-Dom.	Paid \$		Y () N ()
		Dom. Non-Dom.	Paid \$		Y () N ()

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?

Remarks:

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- ☒ Notice of pending void order issued. Final order response date: ____/____/____
☒ Further information required from applicant
☒ Affidavit of publication received
☒ Application published correctly. If not, record action taken: _____

Publication dates and paper recorded on application | Sr. Agent initial

☒ Protests received, Final protest date: 6/14/01
☒ Measuring device required

☒ Measuring port required

☒ Special conditions:

☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by:

BGA

Date:

6/6/01

Ball, Dianne

From: Ball, Dianne
Sent: Tuesday, May 15, 2001 11:12 AM
To: 'Ray Hennekey IDFG Cd'A'

Following are six (6) water rights on which we need your comments. All six have a final date of June 4, 2001 for protests to be received in our office.

We will appreciate your comments either way on these applications on or before that date. If you need additional information on which to base your findings, please e-mail me and I will respond asap. Thank you very much.

May your life be littered with love and blessings.

Dianne Ball, IDWR Cd'A (208) 769-1450 FAX 769-1454

*No comments
as of 6/4/01*

Application for Permit No. 95-9077 Name: KURT PAUL KATHRYN PAUL Diversion Pt L3 SENW Sec 20 T 48N R 04W KOOTENAI County Source COEUR D ALENE LAKE Use: DOMESTIC 01/01 To 12/31 0.06 CFS Total Diversion: 0.06 CFS Date Filed: 05/08/2000 Place Of Use: DOMESTIC T48N R04W S20 SENW Remarks: Domestic use is for 1 home. IDAHO DEPARTMENT OF WATER RESOURCES NEW WATER RIGHT FILINGS

Application for Permit No. 95-9079 Name: HARBORVIEW WATER SYSTEM INC Diversion Pt SENE Sec 7 T 50N R 05W KOOTENAI County Source SPOKANE RIVER Use: IRRIGATION 03/15 To 11/15 0.06 CFS Total Diversion: 0.06 CFS Date Filed: 05/24/2001 Place Of Use: IRRIGATION T50N R05W S7 SENE T50N R05W S8 SWNW Number of Acres 1

Application for Permit No. 95-9080 Name: GARY TREFZ JENNIFER TREFZ Diversion Pt SWNW Sec 26 T 48N R 05W KOOTENAI County Source UNNAMED STREAM Use: WILDLIFE STORAGE 01/01 To 12/31 9 AFA Use: RECREATION STORAGE 01/01 To 12/31 9 AFA Use: IRRIGATION STORAGE 01/01 To 12/31 9 AFA Use: IRRIGATION FROM STORAGE 03/15 To 11/15 9 AFA Total Diversion: 9 AFA Date Filed: 04/26/2001 Place Of Use: IRRIGATION STORAGE T48N R05W S26 SWNW Place Of Use: IRRIGATION FROM STORAGE, same as Irrigation Storage Number of Acres 14 Place Of Use: WILDLIFE STORAGE, same as Irrigation Storage Place Of Use: RECREATION STORAGE, same as Irrigation Storage IDAHO DEPARTMENT OF WATER RESOURCES

Application for Permit No. 96-9071 Name: JULIE R MEYER Diversion Pt NWNE Sec 22 T 57N R 02W BONNER County Source PEND OREILLE RIVER Diversion Pt SWSW Sec 27 T 57N R 02W BONNER County Source PEND OREILLE RIVER Use: IRRIGATION 03/15 To 11/15 0.03 CFS Total Diversion: 0.03 CFS Date Filed: 04/24/2001 Place Of Use: IRRIGATION T57N R02W S27 SWSE Number of Acres 1

MICROFILMED

OCT 12 2001