

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09065

Priority: January 11, 2001

Maximum Diversion Rate: 0.07 CFS

It is hereby certified that RICHARD S MEYER

3813 E 80TH ST

TACOMA WA 98443

has complied with the terms and

conditions of the permit, issued pursuant to Application for Permit dated January 11, 2001; and has submitted Proof of Beneficial Use on September 24, 2001. An examination indicates that the works have a diversion capacity of 0.10 cfs of water from:

SOURCE

COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

and a water right has been established as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/15 to 11/15

DIVERSION RATE

0.07 CFS

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L2 (NW¼NW¼) Sec. 23, Twp 48N, Rge 04W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N 04W 23						1.0											1.0
						L 2											

Total Acres: 1

CONDITIONS OF APPROVAL

1. Rights 95-9050 and 95-9065 when combined shall not exceed a total annual maximum diversion volume of 3.0 af at the field headgate, and the irrigation of 1 acre.
2. This right when combined with all other rights shall provide no more than 3.0 afa per acre for irrigation of the lands above.
3. This right when combined with all other rights shall provide no more than 0.06 af per day at the field headgate for irrigation of the lands above.
4. Right 95-9050 is also diverted through the point of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 27TH day of NOVEMBER, 2002.

MICROFILMED

MAR 24 2003

Acting for **KARL J. DREHER**
Director

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. 056425
Receipt By: [Signature]
Date Received: 9/24/01

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

SEP 24 2001

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9065 Telephone No. 253 539 1686
2. Name of Permit Holder(s): Richard Meyer
3. Mailing Address: 3813 East 80th St,
City Tacoma State WA Zip 98443
4. Source of Water: Coeur d'Alene Lake If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
Well Driller: _____ Drilling Permit Number: _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 1 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.10 cfs OR _____ acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Richard Meyer Telephone Number: 253-539-1686
Address: 3813 East 80th St, Tacoma, WA 98443 (or 208 689-3916 at Coeur d'Alene Lake)
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: _____

(include your title, if on behalf of company or organization)

Date: Sept. 17, 2001

MICROFILMED

OCT 12 2001

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09065

Priority: 01/11/2001

Maximum Diversion Rate: 0.10 CFS

This is to certify, that RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443

has applied for a permit to appropriate water from:

Source: COEUR D ALENE LAKE Tributary: SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L2 NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 23, Twp 48N, Rge 04W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N 04W 23					1.0												1.0
					L 2												

Total Acres: 1

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 1, 2002**.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. Rights 95-9050 and 95-9065 when combined shall not exceed a total diversion rate of 0.10 cfs and the irrigation of 1 acre.
5. This right when combined with all other rights shall provide no more than 3.0 afa per acre for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 14th day of September, 2001.


for KARL J DREHER, Director

MICROFILMED

SEP 12 2001

Ident. No. 95-9065

RECEIVED

JUL 24 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

App # 68987

DEPARTMENT OF WATER RESOURCES

To appropriate the public waters of the State of Idaho

1. Name of Applicant Richard S. Meyer Phone 2535391686
Mailing address 3813 East 80th St., Tacoma, WA 98443
2. Source of water supply Coeur d'Alene Lake which is a tributary of Spokane River
3. Location of point of diversion is Township 48N Range 4W Sec. 23 in the _____ 1/4, _____ NW 1/4, _____ NW 1/4, Govt. Lot 2182 (6.L.2), B.M., Kootenai County;
- additional points of diversion if any: _____
4. Water will be used for the following purposes:
- | | |
|---|--|
| Amount <u>0.1 cfs</u> for <u>irrigation</u> | purposes from <u>April 15</u> to <u>Sept 30</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
5. Total quantity to be appropriated is (a) 0.1 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works: (40 gpm)
- a. Describe type and size of devices used to divert water from the source 3 hp submersible pump with 3" of 1 1/2" flexible pipe feeding 6 to 8 active sprinklers, Orchard is up to 150' from lake u
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 85°F being sought? _____
- e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of irrigation and application of water to proposed beneficial use is 0.5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

MICROFILMED

October 1, 2009

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

6.L.2

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
23	48N	4W					1											1	
48N	4W	23																	
														</					

Total number of acres to be irrigated 1


10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Lake Coeur d'Alene - State of Idaho IDL
- b. Who owns the land to be irrigated or place of use? Self - Richard Meyer
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

12. Remarks: This water will be used to irrigate about 200 fruit trees and several raspberry patches. Although the pump will deliver 40 gpm given the pipe diameter, distance and rise, it will be on a timer to be run several hours a day, several days a week when needed (primarily in July and August).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Signature of Applicant (and title, if applicable)

Received by db Date 11/11/01 Time 1:20 P Preliminary check by JB
 Fee \$ 100.00 Receipted by db # N014099 Date 11/11/01
 Publication prepared by db Date 3/29/01 Published in CDA Plus 4/5 + 12/01
 Publication approved _____ Date _____

MICROFILMED

OCT 12 2001

GCDB layer in this area is off on a North-South direction by almost 1/4 mile - RGH 7/18/2001

T48N R4W

PD & POU

MICROFILMED
OCT 12 2001


NW1/4 Sec.23 Twp. 48 N

Jensen's Powderhorn Bay
1st Add


0-4140

Bates' Summer
Home Tracts

0-0500



MICROFILMED
OCT 12 2001



MICROFILMED

UCL 1 2 2001

100417 46N05W-03-7
MICA BAY LAND & DEVE
BOX 469
WALLACE, ID 83873

066-000 03-48N-5W
=====

102381 49N05W-02-4
MICA BAY LAND & DEVE
BOX 469
WALLACE, ID 83873

031-000 02-49N-5W

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1

A10.4D KOOTENAI CO
SYN-ACCOUNT-NRA-SIT
102905 49N05W-13-
MICA BAY LAND & DEV
BOX 469
WALLACE. ID 83873

031-000 13-49N-5W
=====

110317 50N05W-36-
MICA BAY LAND & DEV
BOX 469
WALLACE. ID 83873

019-000 34-50N-5W
=====

112343 48N05W-02-
MICA BAY LAND & DEV
BOX 469
WALLACE. ID 83873

A10.40 X00TENA1 CC
SYN-ACCOUNT-MRA-S11
121325 SONOSW-SW
MICA BAY LAND & DEV
BOX 449
WALLACE, ID 83873
031-000 35-S0N-SW
XXXXXXXXXXXXXXXXXXXX
124020 49NOSW-11
MICA BAY LAND & DEV
BOX 449
WALLACE, ID 83873
031-000 11-49N-SW
XXXXXXXXXXXXXXXXXXXX
126545 49NOSW-01
MICA BAY LAND & DEV
BOX 449
WALLACE, ID 83873

Coeur d'Alene Lake

Powderhorn Bay

Powderhorn Bay

Half Round Bay

Black Bay

Half Round Bay

Hungry Hollow

Harrison 3536

MICROFILMED


OCT 12 2001

MEYER

T. 46N., R. 4W.

Meyer
Irrigation system
7/2/02

260' to roadway



(X) = faucets

- each faucet is hooked to a 50' hose + rainbird sprinkler except for #1

MICROFILMED

MAR 24 2003

201' Lakefront

pump ↓ 70' out

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 20 2002
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-9065

1. Owner: Richard S. Meyer Phone No. 253-539-1686

Current Address: 3813 East 80th St. Tacoma Wa 98443

2. Accompanied by: Richard Meyer EXAM DATE: 6-5-02

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Coeur d'Alene lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-9050

2. Other water rights with the same point of diversion: 95-9050

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		22	NW	NW	23	48N	04W	Kootenai	USGS 7.5 min Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP			RGE				SEC				NE				NW				SW				SE				Totals
48N			04W				23								05												

MICROFILMED
JUL 2 2003

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for Irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	3	05010015	Sub	2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFLOW

MAP 2 4 0000

E. NARRATIVE/REMARKS/COMMENTS

This right is to make up for
under filing of 95-9050. Adds 3 acres.
This is the same pump, same system
as described in 95-9050

For Photos see 95-9050

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

MAR 24 2003

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

5 gal bucket 5 gal in 95 sec. 3.1 gpm
Pump handles 5 sprinklers. This is the
avg reading, all 5 measured

$$\frac{5(3.1)(133681)}{60} = .03 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 3 = 1.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03(245)(1.9835) = 14.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	.03	1.5
Totals:			.03	1.5

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Wayne Baldwin Date 06-19-02

Reviewer _____ Date _____

SEAL

MICROFILMED

MAR 24 2003

Mile
+126


Mile 0+

Light
East
Point

Aberdeen Lodge
Bay

Gasser
Point

Bell
Bay
Campground



95-9065

MICROFILMED
MAR 24 2003

36



T48N R4W

Government lot check for
95-09050 by RGH 12/7/2000

PD

Bay

NWNE

NENE

SWNE

SENE

NWSE

NESE

SWSW

SESW

SWSE

SESE

EAST

POINT

26 ROAD

Also

95-9065

MICROFILMED
MAR 24 2003

36

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9065

Reviewed By: dgibson

Date: October 16, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N014099, C056425	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		09/24/2001
Date proof due	-	09/01/2002
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	01/11/2001
New priority date	=	01/11/2001

Deficiencies of Actions Items

Acknowledge proof.

Reviewed by Sharla Curtis on 7/27/01

AREA OF CONCERN: No/Yes ~~Moratorium~~ ~~GWMA~~ ~~TRUST/NON-TRUST~~

40 gpm = .09 cfs .03 under 9050, leaves .07 under ~~head~~ ^{this at}
 Cond. to limit both to .10 cfs

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

8 OCT 1 WRA

JUL 24 2001

APPLICATION # 95-9065

App ID# 68987

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW

APPLICANT: MEYER

BY: B

DATE: 11/11/01

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- Field check: by X
- Field report attached X
- Analysis Supp. attached(>5cfs/500af) X
- Water delivered by water master? X
- Water District # _____

PROCESSING

(Yes) (No) PRIORITY DATE: 11/11/01

(Include Moratorium Remark)

Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- Groundwater management area
- Critical ground water area
- Well Drilling Permit required
- Well Drilling Application and Fees received
- Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- Notice of pending void order issued. Final order response date: ____/____/____
- Further information required from applicant
- Affidavit of publication received
- Application published correctly. If not, record action taken: _____

Publication dates and paper recorded on application | Sr. Agent initial

Protests received, Final protest date: 4/23/01

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: B

Date: 4/24/01

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09050

Priority: 06/29/2000

Maximum Diversion Rate: 0.03 CFS

This is to certify, that RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary to SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L2 NW1/4NW1/4 Sec. 23, Twp 48N, Rge 04W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION


Twp Rge Sec	NE	NW	SW	SE	Totals
48N 04W 23	1.0	1.0			1.0
		L2			

Total Acres: 1

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before January 01, 2002.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 3rd day of January, 2001.


for KARL J DREHER, Director

MICROFILMED

OCT 12 2001