

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09057

Priority: December 04, 2000

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume: 10.5 AF

It is hereby certified that BRIAN D MECKEL And MARGARET J MECKEL
1822 W SNOW CANYON DR
COEUR D ALENE ID 83814-2326 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated December 04, 2000; and have
submitted Proof of Beneficial Use on May 21, 2002. An examination indicates that the works have a
diversion capacity of 0.06 cfs of water from:

SOURCE

COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.06 CFS	3.0 AF
IRRIGATION	03/15 to 11/15	0.06 CFS	7.5 AF

LOCATION OF POINT OF DIVERSION:

COEUR D ALENE LAKE L1 (NW¼NW¼) Sec. 12, Twp 49N, Rge 04W, B.M., KOOTENAI County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N 04W 1								X				X					
49N 04W 2															X	X	

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N 04W 1								.5				.5					1.0
49N 04W 2															1.0	.5	1.5

Total Acres: 2.5

MICROFILMED

MAR 2 2003

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09057

CONDITIONS OF APPROVAL

1. Domestic use is for 5 homes and does not include lawn, garden, landscape, or other types of irrigation.
2. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
3. A fish screen of ¼ inch or smaller mesh shall be installed and maintained at the point of diversion.
4. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
5. The issuance of this right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 27TH day of NOVEMBER, 2002.

Acting for 
KARL J. DREHER
Director

MICROFILMED
MAR 24 2003

Amt. of Fee \$: 50
Receipt No. LD14080
Receipt By: AB
Date Received: 5-22-02

RECEIVED

NOV 29 2002

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

MAY 24 2002

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9057 Telephone No. (208) 667-8575
 2. Name of Permit Holder(s): BRIAN D. & MARGARET J. MECKEL
 3. Mailing Address: 1822 W. SNOW CANYON DR.
City COEUR D'ALENE State ID Zip 83814-7326
 4. Source of Water: LAKE COEUR D'ALENE If GROUNDWATER (well), Date Drilled: mo. / yr.
Well Driller: Drilling Permit Number: - -
 5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 5 Stockwater (No. and type of stock):
Irrigation (No. of acres): 2.5 Other:
 6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR acre-feet
 7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes or No X
Has the measuring device been installed? Yes or No X
 8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
 9. Person to contact to accompany the Department representative during field examination of the water system.
Name: BRIAN D. MECKEL Telephone Number: (208) 667-8575
Address: 1822 W. SNOW CANYON DR, COEUR D'ALENE, ID 83814-7326
 10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.
- Signature of permit holder: Brian D. Meckel Date: 5/21/02
(include your title, if on behalf of company or organization)

MICROFILMED

OCT 17 2002

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09057

Priority: December 04,2000

Maximum Diversion Rate: 0.06 CFS

This is to certify, that MARGARET J MECKEL And
BRIAN D MECKEL
5800 S MECKEL LN
COEUR D ALENE ID 83814

have applied for a permit to appropriate water from:

COEUR D ALENE LAKE Tributary to SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.06 CFS
IRRIGATION	03/15 to 11/15	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L1 NW¼NW¼ Sec. 12, Twp 49N, Rge 04W, B.M. KOOTENAI County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N 04W 1									X			X					
49N 04W 2															X L7	X	

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N 04W 1									.5			.5					1.0
49N 04W 2															1.0 L7	.5	1.5

Total Acres: 2.5

MICROFILMED

OCT 12 2001

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09057

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **July 1, 2002**.
2. Subject to all prior water rights.
3. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
4. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
6. Domestic use is for 5 homes and does not include lawn, garden, landscape, or other types of irrigation.
7. The issuance of this right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 5th day of July, 2001.

Karl J. Dreher

KARL J DREHER, Director

Don

MICROFILMED

OCT 12 2001

68834

Ident. No. 95-9057

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of Applicant BRIAN D. & MARGARET J. MECKEL Phone (208) 667-8575
Mailing address 5800 S. MECKEL LN., COEUR D'ALENE, ID 83814
2. Source of water supply LAKE COEUR D'ALENE which is a tributary of ~~THE~~ SPOKANE RIVER
3. Location of point of diversion is Township 49N. Range 4W. Sec. 12, in the NW 1/4,
NW 1/4, NW 1/4, Govt. Lot 1, B.M., KOOTENAI County;
additional points of diversion if any: NONE
4. Water will be used for the following purposes:
Amount 0.06 cfs for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.08 for IRRIGATION purposes from 3/15 to 4/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.06 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source 5 HP SUBMERSIBLE PUMP,
IN LAKE, 2 1/2" & 2" BURNED PVC PIPE & 2 @ 3,000 GAL. STRG. RESERVOIRS,
INDIVIDUAL HOME FILTRATION & DISINFECTION SYSTEMS.
 - b. Height of storage dam N/A feet; active reservoir capacity 0.015 acre-feet; total
reservoir capacity 0.018 acre-feet
 - c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet
 - d. Is ground water with a temperature of greater than 85°F being sought? N/A
 - e. If well is already drilled, when? N/A; Drilling firm N/A
Well was drilled for (well owner) N/A; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. N/A
 - b. Stockwatering; list number and kind of livestock. N/A
 - c. Municipal; show name of municipality. N/A
 - d. Domestic; show number of households. 5
 - e. Other; describe fully. N/A

MICROFILMED

OCT 12 2001

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

use below. See instructions for standard symbols.

TWP	RGE	SEC						
49N	4W	1						
49N	4W	1						
49N	4W	1						
49N	4W	1						
49N	4W	2						
49N	4W	2						
49N	4W	2						
49N	4W	2						
NE								
NW								
SW								
SE								
N E								
N W								
S W								
S E								
TOWNSHIP TOTALS			.5	.5	1.0	.5	.5	

Total number of acres to be irrigated

25

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? REF: REMARKS BELOW

b. Who owns the land to be irrigated or place of use? REF REIMARKS 13 ELEV

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make

~~this filing: ENSEMBLEMENTS HAVE BEEN GRANTED TO ALL THE MEMBERS.~~

12. Remarks: Owners: KENNETH V. & MARIE F. MECKER, JACK R. & TERESA M.

DUBOSE, JAMES P. & JANIS A. MECKEL, 1321 AND D. & MARGARET J.

MECKEL AND MARELLA, MECKEL

WATER ISSUES: BRIAN D. & MARGARET J. MECKEL, TERESA M. & JACK R.

DuBoise, Marie P. MCKEL, JAMES P. & JAMES A. MCKEL

Circumstance	Percentage (%)
If someone is attacking you	85
If someone is threatening you	75
If someone is harassing you	65
If someone is insulting you	55
If someone is annoying you	45

13. **MAR OF PROPOSED PROJECT REQUIRED**

place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred)

1. *Journal of the American Medical Association*, 2000; 284: 2689-2694.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

11 Nov 81

James R. McLaughlin

Signature of Applicant (and date, if applicable)

13/11/21

Date 10/20/2018 Received by 00-00
 Preliminary check by 10/20/2018 # 10/20/2018
 Date 10/20/2018 Received by 00-00

tion prepared by _____ Date _____
Published in QDA News 2/14/81


_____ Date 2/14/01

MICHOE

402 2 1 130

[illegible]

MICROFILMED
OCT 12 2001






MICROFILMED
OCT 12 2001


MECKEL
T. 49N., R. 4W

WATER SYSTEM FOR
MECKEL FARM

THE SE 1/4 SEC 2, & A PART OF THE NW 1/4 SW 1/4
SEC. 1, & A PART OF GOV'T T, SEC. 1 ALL IN
T. 49 N., R. 4 W., B.M. KOOTENAI CO., IDAHO



(NOT TO SCALE)



MICROFILMED
OCT 12 2001

Government Lot Check for
95-09057 by RGH 5/24/01

POU's

PD

T49N R4W

MICROFILMED
OCT 12 2001

Ident. No. 95-9057

State of Idaho
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

1. Name: MARGARET J MECKEL AND BRIAN D MECKEL
5800 S MECKEL LN
COEUR D ALENE ID 83814
2. Source: COEUR D ALENE LAKE Trib. to: SPOKANE RIVER
3. Location of Point of Diversion:
COEUR D ALENE LAKE NWNWNW Sec. 12, Twp 49N, Rge 04W KOOTENAI County
4. Water will be used for the following

Purpose	From To	RATE OF DIVERSION	ANNUAL VOLUME
DOMESTIC	01/01 to 12/31	0.06 CFS	
IRRIGATION	03/15 to 11/15	0.06 CFS	
5. Total quantity to be appropriated is: 0.06 CFS
6. Proposed diverting works:
Point of Diversion #1
Description of ditches, flumes, pumps, headgates, etc.
Pump, pipeline and 2 3000 gal storage reservoirs.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).
8. PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N	04W	1									X			X					
49N	04W	2														X		X	

Point of Diversion #1: JAMES P MECKEL - EASEMENT GRANTED TO ALL HOMEOWNERS.
POD multiple owners are James P & Janis A Meckel; Jack R & Teresa M DuBose; Kenneth V & Marie F Meckel; Brian D & Margaret J Meckel and Marcia E Meckel

- 9b. Who owns the land to be irrigated or place of use? If other than applicant, describe the arrangement enabling the applicant to make this filing.

JAMES P MECKEL - EASEMENT - POU owners are James P & Janis A Meckel; Jack R & Teresa M DuBose; Brian D & Margaret J Meckel; Marie P Meckel

10. Remark

11. Map of proposed point of diversion and place of use attached? ☐

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

		Applicant	
Received by _____	Date _____	Time _____	Preliminary check by _____
Publication prepared by _____		Date _____	Published in _____
Publication approved _____			Date _____
Receipt No. N014054	Date: _____	Received by: _____	

MICROFILMED

OCT 12 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 30 2002
K
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-09057

1. Owner: Margaret S. & Brian D Meckel Phone No. (208) 667-8575

Current Address: 1822 W. Snow Canyon Dr. Coeur D'Alene Id 83814-7326

2. Accompanied by: Brian Meckel EXAM DATE: 9/4/02

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Coeur D'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	01		NW	NW	12	49N	04W	Kootenai	USGS 7.5 min Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N	04W	1									0		0						
											.5		.5						
49N	04W	2															0	0	
																	.5	.5	
																	0		
																	0.5		

SEP 24 2002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	5	94093698	Grundfos	2

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

MAR 2 1989

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

MICROFILMED

Page 2 of 2

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Mr. Meeker drew down his storage Res. This reservoir was isolated from system, and pumped directly to Res. is 12 x 7 x 5 feet shut it off at 6 feet depth. This equals 2898 gal. 483 gal per each foot of depth. Refilling elevation of water gained 1 foot every 18 min. This equal 27 gpm

$$\frac{27 \text{ gpm} \times 1.133651}{60} = 106$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 205 \times 3 = 7.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 106(245)(1.9835) = 29$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>01-01</i>	<i>12-31</i>	<i>106</i>	<i>3</i>
<i>Irrigation</i>	<i>03-15</i>	<i>11-15</i>	<i>106</i>	<i>7.5</i>
Totals:			<i>106</i>	<i>10.5</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name *Wayne Baldwin* Date *9-26-02*

Reviewer _____ Date _____


SEAL

MICROFILMED

SEP 26 2002

WATER SYSTEM FOR
MECKEL FARM

THE SE 1/4 SEC 2, & A PART OF THE NW 1/4 SW 1/4
SEC. 1, & A PART OF GOV'T 7, SEC. 1 ALL IN
T. 49 N., R. 4 W., B.M. KOOTENAI CO., IDAHO



MICROFILMED
MAR 24 2003



95-09057



PD



PD
Controls



PC
1005

MICROFILMED
MAR 24 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9057

Reviewed By: dgibson

Date: June 3, 2002

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N014054, N015030	Well driller's report filed?		
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?		X	Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		05/21/2002
Date proof due	-	07/01/2002
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	12/04/2000
New priority date	=	12/04/2000

Deficiencies of Actions Items

Update address. Acknowledge proof.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

CHANGE IN ADDRESS

This form can be used to notify the Department of a change in
Address of the owners of record for the listed water rights.
(Please print or type)

- [] Water Right Number(s): 95-09057

- [] Names(s): BRIAN D. & MARGARET J.
MECKEL

- [] Old Mailing Address: 5800 S. MECKEL LANE
COEUR D'ALENE, ID 83814

- [] New Mailing Address: 1822 W. SNOW CANYON DR.
COEUR D'ALENE, ID
83814-7326

- Telephone Number: POB 667-8575

- [] Signature(s) of Owner(s) Brian D. Meckel

(Include your title if on behalf of company or organization)

MICROFILMED

OCT 17 2002

Date: 5/21/02

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**
Reviewed by Cindy Zimmerman on 6/29/01

No. 95-9057 Name: Meckel Corp. Officers — Ad ok ☒ Govt Lots ☒

AREA OF CONCERN: ☒ No/Yes — Moratorium — GWMA — TRUST/NON-TRUST

• **GROUNDWATER:** (√Flow Chart)

DRILLING PERMIT

All wells - 046(P23)

Irr. w/in WD - P05

WMD - North/East/West

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 067

WMD

Supp irr (irr = only use) - 065-104

Supp irr (+ other uses) - 100-105

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)

Mitigation - 121

42-248 Area - P84 (20s-70s, 81-86)

Swan Falls Flag -

Trust - 051(P74) (consumptive uses)

Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA

IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)

> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)

STOCKWATER - R37 (BLM/USFS)

MINING - 054-081(P10)

FISH PROP - 029(70'S only)-007-042-081(P10)

HEAT/COOL - R07(injection well)

FIRE PROT. - 077

BENEFICIAL USE DUE: 07/01/2002

MISC CONDITIONS/REMARKS:

Protested - 020-W19

Development Period

≤ 1 yr - **P16**

> 1 yr - 26A(P17)

Ownership - 004

Non-consumptive - 027

Water Quality - 081-R07

SURFACE WATER: (√Flow Chart)

F&G contacted - Yes/No Response W15/W16

In/Above MSF - WB9

PLANNING REVIEW/RESPONSE

In-stream development - **P52**

WD - R04 (WD# —)

≤ 0.20 cfs/others - 01H(P01), 01P or No MD

> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

SNAKE R (01) - W22(P04), N/A

(02,03) - 007 (w/ remark WB9 if above Weiser)

Payette R (65) - 047(P04) (Payette Lake)

Salmon R (70's) - 029 (fish screens)

Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)

MUNICIPAL

Restricted area - 022,075

Irr., GW supp to SW - 102

DOMESTIC

Surface water - WB5 (Big Wood or Boise above Star Bridge)

27A (Payette R)

> 1 in restricted area - 070-071-075 (no parks/common areas, etc)

Irr use listed separate - **WB5/5**

Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per ¼¼

- W32

Subd lot desc (pd)

- W59

Subd lot desc (pu)

- W60

Use definitions

- W02 example - S/50 range W02/5

Pre-1987 development

- 068-074 (allow 120 days for proof due)

Single p/d intended

- 076

IRRIGATION SEASON 3/15 - 11/15 (Per updated map)

OTHER CONDITIONS/REMARKS

COMMENTS PD to ¼¼ only

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95-9057
INITIAL REVIEW

APPLICANT: MECKEL

BY: AB

DATE: 1/18/01

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- X Field check: by _____
- X Field report attached
- X Analysis Supp. attached (>5cfs/500af)
- X Water delivered by water master?
- Water District # _____

PROCESSING

(Yes) (No) PRIORITY DATE: 12/4/00

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
<u>1</u>		Dom. Non-Dom.	Paid \$		Y () N ()
		Dom. Non-Dom.	Paid \$		Y () N ()
		Dom. Non-Dom.	Paid \$		Y () N ()

- X Groundwater management area
- X Critical ground water area
- X Well Drilling Permit required
- X Well Drilling Application and Fees received
- X Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- X Notice of pending void order issued. Final order response date: 2/13
- X Further information required from applicant
- X Affidavit of publication received
- X Application published correctly. If not, record action taken: 2/14
- X Publication dates and paper recorded on application
- X Protests received, Final protest date: 2/19/01 Sr. Agent initial AB
- X Measuring device required
- X Measuring port required
- X Special conditions:
- X Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB PMA

Date: 2/26/01