



meyer



95-9050

510000E



T48N R4W

Government lot check for
95-09050 by RGH 12/7/2000

PD

Boys

NWNE

NENE

SWNE

SENE

NWSE

NESE

SWSW

SESW

SWSE

SESE

EAST

POINT

26

ROAD

Also

95-9065

36

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09050

Priority: June 29, 2000

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 3.0 AF

It is hereby certified that RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated June 29, 2000; and has
submitted Proof of Beneficial Use on November 16, 2001. An examination indicates that the works have
a diversion capacity of 0.03 cfs of water from:

SOURCE

COEUR D ALENE LAKE Tributary: SPOKANE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	3/15 to 11/15	0.03 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L2 NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 23, Twp 48N, Rge 4W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N 04W 23						1.0											1.0
						L2											

Total Acres: 1


CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 20th day of JUNE, 2002.

Acting for


KARL J. DREHER
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
NOV 16 2001

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9050 Telephone No. 253 539 1686

2. Name of Permit Holder(s): Richard Meyer

3. Mailing Address: 3813 East 80th St,

City Tacoma State WA Zip 98443

4. Source of Water: Coeur d'Alene Lake If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 1 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.10 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Richard Meyer Telephone Number: 253 539 1686

Address: 3813 East 80th St., Tacoma, WA 98443

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature: Richard Meyer] Date: Nov. 14, 2001
(include your title, if on behalf of company or organization)

MICROFILMED
FEB 25 2002

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09050

Priority: 06/29/2000

Maximum Diversion Rate: 0.03 CFS

This is to certify, that RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary to SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L2 NW1/4NW1/4 Sec. 23, Twp 48N, Rge 04W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION


Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N 04W 23						1.0											1.0
						L2											

Total Acres: 1

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before January 01, 2002.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 3rd day of January, 2001.


for KARL J DREHER, Director

MICROFILMED

APR 11 2001

RECEIVED

DEC 8 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant Richard S. Meyer Phone 2535391686
Mailing address 3813 East 80th St., Tacoma, WA 98443
2. Source of water supply Coeur d'Alene Lake which is a tributary of Spokane River
3. Location of point of diversion is Township 48 N Range 4 W Sec. 23 in the 1/4,
NW 1/4, NW 1/4, Govt. Lot 2182 #2, B.M., Kootenai County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .03 cfs for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 cfs and/or (b) 6
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source: 3 hp pump (40 gpm) with 200' of 1 1/2" flexible pipe feeding 3 sprinklers. Orchard is about 150' from the lake with at 80' rise,
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 0.5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. _____
e. Other; describe fully. _____

MICROFILMED

APR 11 2001

8. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
23	48N	4W						1											1 acre
48N	4W	23					1.6	2											

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Lake Coeur d'Alene - State of Idaho

b. Who owns the land to be irrigated or place of use? self - Richard S. Meyer

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: ENCROACHMENT PERMIT


12. Remarks: This water will be used to irrigate fruit trees and raspberry patches. Although the pump will deliver 40 gpm when in use; irrigation will actually occur only 2 or 3 days a week when needed (primarily in July and August).

Dr. Richard S. Meyer
62934 S. Powderhorn Bay Rd.
Harrison, Idaho 83833

property address →

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Signature of Applicant (and title, if applicable)

Received by db Date 6/29/00 Time 1:50 P Preliminary check by DB
Fee \$ 50 - Receipted by db # 1013798 Date 6/29/00
Publication prepared by db Date 7/26/00 Published in IDAHO 8/13/00 9/1+14/00
Publication approved _____ Date _____

NOTE TO FILE - THIS IS A RE-FILING OF 98-08725
WHICH HAS Lapsed

APR 11 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08725

Proposed Priority: November 8, 1991 Maximum Diversion Rate: 0.03 CFS

This is to certify, that RICHARD S MEYER
PO BOX 11046
TACOMA WA 98411

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE

tributary of SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 23, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04W	23	NWNW	1		1


Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1993.
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

16th day of January, 1992

for 
R. Keith Higginson, Director

MICROFILM

APR 11 2001

LAPSED

T48N R4W

Government lot check for
95-09050 by RGH 12/7/2000

PD

Carthage Bay

NWNE

NENE

SWNE

SENE

NWSE

NESE

SWSW

SESW

SWSE

SESE

EAST

POINT


26 ROAD

BM 2668

BM

MICROFILMED
APR 11 2001

36



512

50'

513

23 MI. TO INTERSTATE 90

2679 III SE
(MICA BAY)

515

47'30"

516

R. 4

Pondhorn Bay

X 2678

X BM 2182

POINT OF
DIVERSION
+
PLACE
OF USE

BM 2146

2684 X

2642

EAST

POINT

26 ROAD

BM 2346

BM 2568

BM 2426

Campground

Bell Bay

COEUR

COEUR D'ALENE

INDIAN

RESERVATION

T 48 N

47 N

OLD

Harlow Point

X Mile 0

ELEVATION 2125

MICROFILMED

APR 11 2001

Mile + 130

LENE

MEYER
48N., R. 4W.


Boat Ramp

Harlow

Little Cottonwood Bay

Reynolds Point

Coeur d'Alene Lake



MICROFILMED
APR 11 2001

Meyer Application for Permit ☐
T.48N, R.4W., Sec. 23

0

2

1

0

0

3

4

0

0

5

6


☐

0

MICROFIL
APR 11 2001

Meyer
Irrigation system
7/2/02

260' to roadway




(X) = faucets

• each faucet is hooked to a 50' hose +
rainbird sprinkler except for #1

201' Lakefront

pump 70' out

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	3	~~Sub~~ 05010015	Sub	2"

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

meyer



95-9050

Mile
x 126

file 0 +

95-9065

95-9050

Aberdeen Lodge Bay

Gasser Point

C O E U R

COEUR D'ALENE

INDIAN

T 48 N
T 47 N

RESE

Harlow

ELEV

Powderhorn Bay

Light
East Point

Spring
Campground

Bay

26 ROAD

BM 2568

2684 x

EAST

2705 0

BM 2546

2700

3000

24

2276

2400

2600

2800

2900

3000

3100

3200

3300

3400

3500

3600

3700

3800

3900

4000

4100

4200

4300

4400

4500

4600

4700

4800

4900

5000

5100

5200

5300

5400

5500

5600

5700

5800

5900

6000

6100

6200

6300

6400

6500

6600

6700

6800

6900

7000

7100

7200

7300

7400

7500

7600

7700

7800

7900

8000

8100

8200

8300

8400

8500

8600

8700

8800

8900

9000

9100

9200

9300

9400

9500

9600

9700

9800

9900

10000

10100

10200

10300

10400

10500

10600

10700

10800

10900

11000

11100

11200

11300

11400

11500

11600

11700

11800

11900

12000

12100

12200

12300

12400

12500

12600

12700

12800

12900

13000

13100

13200

13300

13400

13500

13600

13700

13800

13900

14000

14100

14200

14300

14400

14500

14600

14700

14800

14900

15000

15100

15200

15300

15400

15500

15600

15700

15800

15900

16000

16100

16200

16300

16400

16500

16600

16700

16800

16900

17000

17100

17200

17300

17400

17500

17600

17700

17800

17900

18000

18100

18200

18300

18400

18500

18600

18700

18800

18900

19000

19100

19200

19300

19400

19500

19600

19700

19800

19900

20000

20100

20200

20300

20400

20500

20600

20700

20800

20900

21000

21100

21200

21300

21400

21500

21600

21700

21800

21900

22000

22100

22200

22300

22400

22500

22600

22700

22800

22900

23000

23100

23200

23300

23400

23500

23600

23700

23800

23900

24000

24100

24200

24300

24400

24500

24600

24700

24800

24900

25000

25100

25200

25300

25400

25500

25600

25700

25800

25900

26000

26100

26200

26300

26400

26500

26600

26700

26800

26900

27000

27100

27200

27300

27400

27500

27600

27700

27800

27900

28000

28100

28200

28300

28400

28500

28600

28700

28800

28900

29000

29100

29200

29300

29400

29500

29600

29700

29800

29900

30000

30100

30200

30300

30400

T48N R4W

Government lot check for
95-09050 by RGH 12/7/2000

PD

Boys

NWNE

NENE

SWNE

SENE

NWSE

NESE

SWSW

SESW

SWSE

SESE

EAST

POINT

26

ROAD

Also

95-9065

36

E. NARRATIVE/REMARKS/COMMENTS

This right was filed for one acre.
Mr. Meyer needed to pick up another
0.5 acres, so he filed 95-9065. This
is the same pump same system feeding
this permit plus 95-9065

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

5 gal bucket 5 gal in 95 sec = 3.1 gpm
 Pump handles 5 sprinklers this is the avg.
 reading all 5 measured.

$$\frac{5(3.1)(.133681)}{60} = .03 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3 = 3$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03(245)(1.9835) = 14.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	.03	3
Totals:			.03	3

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Wayne Balchun Date 6-14-02

Reviewer _____ Date _____

SEAL

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9050

Reviewed By: dgibson

Date: December 20, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N013798, C057859	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		11/16/2001
Date proof due	-	01/01/2002
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	06/29/2000
New priority date	=	06/29/2000

Deficiencies of Actions Items

Acknowledge proof.

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

DEC 18 2000

APPLICATION # 95-09050

INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: MEYER

BY: TS

DATE: 7/21/00

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
- (X) Signature
- (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- Y Field check: by _____
- Y Field report attached
- Y Analysis Supp. attached (>5cfs/500af)
- Y Water delivered by water master?
- Water District # _____

PROCESSING

(Yes) (No) PRIORITY DATE: 6/29/00

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County

GONT LOT CHECKED

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
<u>1</u>	Dom. Non-Dom.	Paid \$		Y () N ()
<u>1</u>	Dom. Non-Dom.	Paid \$		Y () N ()
<u>1</u>	Dom. Non-Dom.	Paid \$		Y () N ()

- Y Groundwater management area
- Y Critical ground water area
- Y Well Drilling Permit required
- Y Well Drilling Application and Fees received
- Y Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- Y Notice of pending void order issued. Final order response date: 1/1/01
- Y Further information required from applicant
- Y Affidavit of publication received
- Y Application published correctly. If not, record action taken: published on 11/13/00
- Y Publication dates and paper recorded on application
- Y Protests received, Final protest date: 8/21/00
- Y Measuring device required
- Y Measuring port required
- Y Special conditions:
- Y Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: RMA

Date: 12/7/2000

DEPARTMENT OF WATER RESOURCES

1910 NORTHWEST BLVD SUITE 210

COEUR D'ALENE ID 83814

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-09050

MEYER, RICHARD S

3813 E 80TH ST

TACOM, WA 98443

Source: COEUR D'ALENE LAKE

Diversion Pt: LOT 2 (NWNW)

Use: IRRIGATION

Total Diversion:

Date Filed: 6/29/2000

In: KOOTENAI County

T48N R04W S23 LOT 2 (NWNW)

1.0 ACRES TOTAL

Tributary: SPOKANE RIVER

Sec 23 T 48N R 04W in KOOTENAI County.

(0.030 CFS)

(0.030 CFS)

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before MAY 24, 1999.

KARL J. DREHER, Director

Legal 525

Aug 1, 8, Sept 7, 14, 2000

These dates should
not have been in
ad.

Date on this should have been
Sept 25, 2000

These were correct in our prior submission.

{ See new ad which follows }

Shanks, Dianne Ball
769-1450

MICROFILMED

APR 11 2001