

95-09043



pump + cistern



pu



pu



pu

95-09043

MICROFILMED
OCT 12 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09043

Priority: February 28, 2000

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 5.1 AF

It is hereby certified that JAMES JOHN BOYES
30939 E HAYDEN LAKE RD
HAYDEN LAKE ID 83835 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated February 28, 2000; and has
submitted Proof of Beneficial Use on September 05, 2000. An examination indicates that the works
have a diversion capacity of 0.06 cfs of water from:

SOURCE

MC LEANS CREEK

Tributary: HAYDEN LAKE

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	03/15 to 11/15	0.05 CFS	5.1 AF

LOCATION OF POINT(S) OF DIVERSION:

MC LEANS CREEK SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 34, Twp 52N, Rge 03W, B.M., KOOTENAI County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals	
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
52N	03W	34																	1.7	1.7

Total Acres: 1.7

CONDITIONS OF APPROVAL

1. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
2. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
3. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 25TH day of September, 2001.

MICROFILMED

OCT 12 2001

Acting for

KARL J. DREHER
Director

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. N213426
Receipt By: ds
Date Received: 9/5/00

RECEIVED

SEP 12 2000

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

SEP 05 2000

IDWR/North

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-09043 Telephone No. (208) 772-4004 wk.

2. Name of Permit Holder(s): James John Boyes

3. Mailing Address: 14455 E. Hayden Lake Rd.

City Hayden Lake State Id. Zip 83835

4. Source of Water: McLeans Creek If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____

a. Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 4.0 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.08 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ☒

Has the measuring device been installed?

Yes _____ or No ☒

8. Fee Enclosed: \$ \$50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: James Boyes Telephone Number: 772-4004 work

Address: 14455 E. Hayden Lake Rd - Hayden Lake, Ids. 83835

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: James John Boyes Date: 9/5/00

(include your title, if on behalf of company or organization)

MICROFILMED

SEP 11 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09043

Priority: February 28, 2000

Maximum Diversion Rate:

0.08 CFS

This is to certify, that JAMES JOHN BOYES

14455 E HAYDEN LAKE RD

HAYDEN LAKE ID 83835

has applied for a permit to appropriate water from:

MC LEANS CREEK

tributary of HAYDEN LAKE

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.08 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE, Sec. 34, Township 52N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

52N 03W 34

SESE 4.0

4.0

Total number of acres irrigated:

4.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before July 1, 2001.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
4. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

26 day of June, 2000.

Karl J. Dreher
for Karl J. Dreher, Director

MICROFILMED

APR 11 2001

RECEIVED

MAY 22 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant James John Boyer Phone 772-3005
Mailing address 14455 E. Hayden Lake Rd. Hayden Lake, Id 83835
2. Source of water supply McLeans Creek which is a tributary of Hayden Lake
3. Location of point of diversion is Township 52N Range 3W Sec. 34 in the SW 1/4, SE 1/4, SE 1/4, Govt. Lot —, B.M., Koofenzai County; additional points of diversion if any: None
4. Water will be used for the following purposes:

Amount <u>.08 CFS</u> for <u>Irrigation</u> purposes from <u>03/15</u> to <u>06/15</u> (both dates inclusive)
(cfs or acre-feet per annum)
Amount <u>—</u> for <u>—</u> purposes from <u>—</u> to <u>—</u> (both dates inclusive)
(cfs or acre-feet per annum)
Amount <u>—</u> for <u>—</u> purposes from <u>—</u> to <u>—</u> (both dates inclusive)
(cfs or acre-feet per annum)
Amount <u>—</u> for <u>—</u> purposes from <u>—</u> to <u>—</u> (both dates inclusive)
(cfs or acre-feet per annum)
Amount <u>—</u> for <u>—</u> purposes from <u>—</u> to <u>—</u> (both dates inclusive)
(cfs or acre-feet per annum)
Amount <u>—</u> for <u>—</u> purposes from <u>—</u> to <u>—</u> (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .08 CFS and/or (b) —
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source 3 small Dams supplying 4' Dia Pump Chamber - 3, 3hp Pumps into 3" + 1 1/4" Distribution
 - b. Height of storage dam 1 feet; active reservoir capacity .0001 acre-feet; total reservoir capacity .0001 acre-feet
 - c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet
 - d. Is ground water with a temperature of greater than 85°F being sought? No
 - e. If well is already drilled, when? N/A; Drilling firm N/A
Well was drilled for (well owner) N/A; Drilling Permit No. N/A
7. Time required for completion of works and application of water to proposed beneficial use is 1/4 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. —
 - b. Stockwatering; list number and kind of livestock. —
 - c. Municipal; show name of municipality. —
 - d. Domestic; show number of households. —
 - e. Other; describe fully. —

MICROFILMED

APR 11 2001

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	3W	34																4	4
		34																4	

Total number of acres to be irrigated 4

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? James John Boyes

b. Who owns the land to be irrigated or place of use? James John Boyes

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A

12. Remarks: _____


13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James John Boyes
 Signature of Applicant (and title, if applicable)

MICROFILMED
 APR 11 2001

Received by db Date 2/28/00 Time 1:25P Preliminary check by JB
 Fee \$ 50.00 Receipted by db # N 013470 Date 2/28/00
 Publication prepared by db Date 3/29/00 Published in CDA Press 4/6-13/00
 Publication approved db Date 4/14/00



152N Lancaster

R3W

POINT OF
DIVERSION
PLACE
OF USE

Site of Project

SW 1/4 SE 1/4 SE 1/4

MICROFILM
APR 11 2001

LICENSE REVIEW CHECKLIST

Permit No. 95-9043 Date: 9-14-01 Reviewer: Kay Walker

topo E55

Change/OK

Name/Address OK

Source OK
Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): None
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.08 cfs
Fee Limit 0.20 cfs
Measured 0.06 cfs
Theoretical _____ cfs
Recommended Total Diversion Rate 0.05 @ 0.03 per ac.
 $25 \text{ gpm} \div 448.8 = 0.055 \approx 0.06 \text{ cfs}$

Water Uses OK

Change (P46)

Season of Use per new Standards
3-15 11-15

Irrigation 0.05 cfs 5.1 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
_____ cfs _____ af
Total 0.05 cfs 5.1 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)
supp. Gw (WB7/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

Volume Determination
 $0.05 \text{ cfs} \times 1.9835 \times 246 \text{ days} = 24.4 \text{ af}$ (vs) $1.7 \text{ acres} \times \frac{3.0}{2.0} \text{ (FHR)} = 5.1 \text{ af}$

Remarks: R04, R02, R66

Additional Conditions VPS Watermaster Control
R02 GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048/049)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes If yes, explain why below.
no

SRBA Claim? N/A

Adjust memo _____

Amend Letters _____ P87, S06 Second Amendment Notice _____ S06

9-21-01: Per phone conversation with Wayne Baldwin -
This system has PVC Caps that can be
padlocked/hashed set up so watermaster
can control. KW

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Right	95 133	HAZEL A FOX,	HAYDEN LAKE	52N03W34																	0
Right	95 147	M G GOETZMAN,	HAYDEN LAKE	52N03W34																	0
Right	95 153	JAMES I GREEN,	HAYDEN LAKE	52N03W34																	0
Right	95 231	ROBERT R LUHN,	HAYDEN LAKE	52N03W34																	0
Right	95 245	GLEN E MADSEN,	HAYDEN LAKE	52N03W34																	0
Right	95 247	CARL H MALMQUIST,	HAYDEN LAKE	52N03W34																	0
Right	95 260	LOUIS H MILLER,	HAYDEN LAKE	52N03W34																	0
Right	95 269	BETH M MOORE, MARVIN K MOORE,	HAYDEN LAKE	52N03W34																	0
Right	95 29	MRS CHARLES F BERGH,	HAYDEN LAKE	52N03W34																	0
Right	95 306	CHARLES F POL,	HAYDEN LAKE	52N03W34													X				0
Right	95 335	WILFRED N SEBO,	HAYDEN LAKE	52N03W34																	0
Right	95 375	JACK TAPSCOTT,	HAYDEN LAKE	52N03W34																	0
Right	95 403	ALEXANDER T WISEMAN,	HAYDEN LAKE	52N03W34																	0
Right	95 404	NORMAN G WITTENBROCK,	HAYDEN LAKE	52N03W34																	0
Right	95 440	REX LIGHTNER,	HAYDEN LAKE	52N03W34																	0
Right	95 442	N W JACKSON,	HAYDEN LAKE	52N03W34																	0
Right	95 60	THOMAS R BURRUS,	HAYDEN LAKE	52N03W34																	0
Right	95 68	DAVID L CHANTRY,	HAYDEN LAKE	52N03W34																	0
Right	95 7	M B ANDERSON,	HAYDEN LAKE	52N03W34																	0
Right	95 7144	LOUISE HUMPHREYS, ROBERT M HUMPHREYS,	HAYDEN LAKE	52N03W34												X					0
Right	95 7206	JOHNNY CARLSON,	HAYDEN LAKE	52N03W34										X							0
Right	95 74	WILLIAM E COLE,	HAYDEN LAKE	52N03W34																	0
Right	95 7545	NORMAN R SNYDER,	HAYDEN LAKE	52N03W34										X							0
Right	95 7625	MERWYN A FORSTER,	HAYDEN LAKE	52N03W34										X							0
Right	95 8771	PHILLIP T BACKER,	HAYDEN LAKE	52N03W34									0.5								0.5
Right	95 8983	PAUL N TOOGOOD,	HAYDEN LAKE	52N03W34							1										1
Right	95 8997	ANTONE NICK BUZOLICH,	HAYDEN LAKE	52N03W34							X										0
Permit	95 9043	JAMES JOHN BOYES,	MC LEANS CREEK	52N03W34																4	4
Right	95 8972	RICHARD W SIEVERT,	MC LEANS CREEK	52N03W34															X		0
Right	95 8972	RICHARD W SIEVERT,	MC LEANS CREEK	52N03W34															X		0
Right	95 9043	JAMES JOHN BOYES,	MC LEANS CREEK	52N03W34																1.7	1.7
Right	95 447	ROBERT J REVELLI,	SPRING	52N03W34																	0
Right	95 7724	JOURNAL A PALMER, BERNIECE J PALMER,	SPRING	52N03W34															X		0
Right	95 7725	BERNIECE J PALMER, JOURNAL A PALMER,	SPRING	52N03W34															X		0
Right	95 4256	CHARLES F POL,	SPRINGS	52N03W34														X			0



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 20 2001 *2*

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-090431. Owner James John BoyesPhone No. (208) 772-4004 (w/c)Current Address: 30939 E. Hayden Lake Rd. Hayden Id. 838352. Accompanied by: James BoyesEXAM DATE: 8-10-01Address: Same as above

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Motans Creek tributary to Hayden Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE		34	52N	03W	Kootenai	USGS 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	03W	34																1.07	

MICROFILMED

OCT 12 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Century	2	NC	Berkley	1 1/2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

OCT 12 2001

E. NARRATIVE/REMARKS/COMMENTS

5/8 hose connections are located on 1/2" PVC main lines at various points around property. Irrigation done using garden hose and portable sprinklers, that are moved to desired area. Only 12 heads (Rain birds 2.5 gpm) can be run at a time or reservoir (cistern) is depleted.

Measurement was taken by drawing down cistern and using a 5 gal bucket, measuring where 4" PVC from creek feeds cistern (5 gal in 12 sec)

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

OCT 12 2001

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$5 \text{ gal bucket } 5 \text{ gal in } 1 \text{ sec} = 25 \text{ gpm}$$

$$\frac{25 \times 1133681}{60} = 1.05$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.7 \times 3 = 5.1$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.05 \times 245 \times 1.9835 = 24.2$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 5.1$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	1.05	5.1
Totals:			1.05	5.1

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name Wayne Baldwin Date 8-16-01

Reviewer _____ Date _____

SEAL

MICROFILMED
OCT 12 2001



LANCASTER R3W

POINT OF
DIVERSION
PLACE
OF USE

Site of Project

95-09043

MICROFILMED
OCT 12 2001

SW 1/4 SE 1/4 SE 1/4 C Bay

95-09043



pump + cistern

pu




pu



pu

MICROFILMED
OCT 12 2001



LANCASTER R3W

POINT OF
DIVERSION
PLACE
OF USE

Site of Project

95-09043

MICROFILMED
OCT 12 2001

SW 1/4 SE 1/4 SE 1/4 C Bay

95-09043



pump + cistern

pu



pu



pu

MICROFILMED
OCT 12 2001

95-09043



pump + cistern



pu



pu



pu

MICROFILMED
OCT 12 2001

95-09043



Pump + cistern



pu



pu



pu

MICROFILMED
OCT 12 2001

95-09043



pump + cistern



pu



pu



pu

MICROFILMED
OCT 12 2001

RECEIVED

OCT 26 2000

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
OCT 25 2000
IDWR/North

CHANGE IN ADDRESS

This form can be used to notify the Department of a change in
Address of the owners of record for the listed water rights.
(Please print or type)

[] Water Right Number(s):

Permit # 95-09043

[] Names(s):

James John Boyes

[] Old Mailing Address:

14455 E. Hayden Lake Rd
Hayden Lake, Idz 83835

[] New Mailing Address:

30939 E. Hayden Lake Rd
Hayden, Idz 83835

Telephone Number:

(208) 772 - 4004 WK

[] Signature(s) of Owner(s)

James J. Boyes

(Include your title if on behalf of company or organization)

Date

10/24/00

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-09043 Reviewed by D. Gibson Date 9/25/00

GENERAL CONSIDERATIONS

Yes Name same as permit?

Yes Address same as permit?

Yes Proof timely received?

If not, complete calculation below.

TYPES OF USE

Irrigation

Correct Uses? Yes

SOURCE OF WATER

Yes Surface water source

No Ground water source

/ Drilling permit required?

/ Copy in the file? Drilling Permit No. /

/ Amount paid for permit

/ Well log in the file?

/ Correct?

LICENSE EXAMINATION FEE

Yes Required?

\$50 Amount Submitted

Yes Correct?

MEASURING DEVICE

No Required?

No Installed?

/ Waiver requested?

PRIORITY CALCULATION

Date proof received 9/5/00

Date proof due 7/1/01

No. of days late / = /

Priority Date / + /

New Priority Date /

DEFICIENCIES OR ACTION ITEMS

Acknowledge proof.

DATA ENTRY

New Address No

Proof Made 9/5/00

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Cindy Zimmerman on 6/24/00

No. 95-9043 Name: Boyes Corp. Officers Ad ok ✓ Govt Lots 7

AREA OF CONCERN: No/Yes Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (√Flow Chart)

DRILLING PERMIT

All wells - 046(P23)

Irr. w/in WD - P05

WMD - North/East/West

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 067

WMD

Supp irr (irr = only use) - 065-104

Supp irr (+ other uses) - 100-105

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)

Mitigation - 121

42-248 Area - P84 (20s-70s, 81-86)

Swan Falls Flag -

Trust - 051(P74) (consumptive uses)

Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA

IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)

> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)

STOCKWATER - R37 (BLM/USFS)

MINING - 054-081(P10)

FISH PROP - 029(70'S only)-007-042-081(P10)

HEAT/COOL - R07(injection well)

FIRE PROT. - 077

BENEFICIAL USE DUE: 07 / 01 / 01

MISC CONDITIONS/REMARKS:

Protested - 020-W19

Development Period

≤ 1 yr - P16

> 1 yr - 26A(P17)

Ownership - 004

Non-consumptive - 027

Water Quality - 081-R07

SURFACE WATER: (√Flow Chart)

F&G contacted - Yes/No Response None

In/Above MSF - WB9

PLANNING REVIEW/RESPONSE

In-stream development - P52

WD - R04 (WD# 95A - Hayden Lake)

≤ 0.20 cfs/others - 01H(P01), 01P or No MD

> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snow R (01) - W22(P04), N/A

(02,03) - 007 (w/ remark WB9 if above Weiser)

Payette R (65) - 047(P04) (Payette Lake)

Salmon R (70's) - 029 (fish screens)

Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)

MUNICIPAL

Restricted area - 022,075

Irr., GW supp to SW - 102

DOMESTIC

Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)

> 1 in restricted area - 070-071-075(no parks/common areas, etc)

Irr use listed separate - WB5

Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per ¼¼ - W32

Subd lot desc (pd) - W59

Subd lot desc (pu) - W60

Use definitions - W02 example - S/50 range

Pre-1987 development - 068-074 (allow 120 days for proof due)

Single p/d intended - 076

IRRIGATION SEASON 3/15 - 11/15 (Per updated map)

OTHER CONDITIONS/REMARKS

COMMENTS

MAY 22-2000

DEPARTMENT OF WATER RESOURCES

ID 0 DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEETWRI
WRA
BCAAPPLICATION # 95-09043

INITIAL REVIEW

APPLICANT: BOYESBY: ABDATE: 2 / 28 / 00

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

(Yes) (No)

- X Field check: by _____
- X Field report attached _____
- X Analysis Supp. attached (>5cfs/500af) _____
- X Water delivered by water master? _____
- Water District # 95-A

PROCESSING

(Yes) (No) PRIORITY DATE: 2 / 28 / 00X (Include Moratorium Remark)X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA/Phu/ok

ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:

Type:

Fees

Receipt No.

Upgrade Needed?

- | | | | | | |
|----------|------|----------|---------|--|--|
| <u>X</u> | Dom. | Non-Dom. | Paid \$ | | |
| <u>X</u> | Dom. | Non-Dom. | Paid \$ | | |
| <u>X</u> | Dom. | Non-Dom. | Paid \$ | | |

- Y () N ()
- Y () N ()
- Y () N ()

Remarks:

- X Groundwater management area
- X Critical ground water area
- X Well Drilling Permit required
- X Well Drilling Application and Fees received
- X Well Drilling Application approved?

(Yes) (No)

FINAL REGIONAL PROCESSING/REVIEW

- Notice of pending void order issued. Final order response date: _____
- Further information required from applicant
- Affidavit of publication received
- Application published correctly. If not, record action taken: _____

Publication dates and paper recorded on application

Protests received, Final protest date: 4/24/00 Sr. Agent initial AB

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: ABDate: 5 / 16 / 20