

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
95-09041 IN THE NAME OF)
ORAM KRAMER and SANDRA)
KRAMER.)
_____)

REINSTATEMENT ORDER

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted to the Department on or before July 1, 2002; and,

WHEREAS, the Department notified the permit holder on April 30, 2002, by certified mail that proof of beneficial use was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use or an extension of time request; and,


WHEREAS, the Department sent the permit holder a lapse notice on July 5, 2002, since the department had not received an acceptable proof of beneficial use statement or extension of time; and,

WHEREAS, Section 42-218a, Idaho Code, provides that the Department may reinstate a permit upon a showing of reasonable cause by the permit holder within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting acceptable proof of beneficial use on July 9, 2002;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-09041 is **REINSTATED** with an advance in priority to **March 2, 2000**.

DATED this 12th day of July, 2002.



L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

OCT 17 2002

Amt. of Fee \$: 50
Receipt No. 115122
Receipt By: RJA
Date Received: 7/9/02

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

JUL 11 2002

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9041 Telephone No. 208 667-5109

2. Name of Permit Holder(s): ORAM AND SANDRA KRAMER

3. Mailing Address: 7265 W. OTTER BAY RD.

City Coeur d'Alene State ID Zip 83814

4. Source of Water: Spokane River If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 1.07 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.03 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is *not* optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ☒

Has the measuring device been installed?

Yes _____ or No _____

8. Fee Enclosed: \$ 50⁰⁰ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Same as above Telephone Number: _____

Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Oram L. Kramer Date: 9 Jul 2002
(include your title, if on behalf of company or organization)

MICROFILMED

JUL 17 2002

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-09041

Priority: February 23, 2000

Maximum Diversion Rate:

0.03 CFS

This is to certify, that **ORAM KRAMER**

SANDRA KRAMER

7303 W RIVERVIEW DR

COEUR D ALENE ID 83814

has applied for a permit to appropriate water from:

SPOKANE RIVER

tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 8 (NWSE), Sec. 7, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

50N 04W 7 Lot 8 (NWSE) 1.0

1.0

Total number of acres irrigated:

1.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before **July 1, 2002**.
2. Subject to all prior water rights.
3. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
4. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
5. The issuance of this right does not grant any right-of-way or easement across the land of another.
6. Water shall not be diverted under this right when flows in the Spokane River are below established minimum stream flows.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Witness the signature of the Director, affixed at Boise, this

20th day of October, 2000.

MICROFILMED

APR 11 2001

[Signature]
for **Karl J. Dreher, Director**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

SEP 6 2000

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant ORAM & SANDRA KRAMER Phone 208 667-5109
Mailing address 7303 W. Riverview Dr. Coeur d'Alene ID 83814
2. Source of water supply SPOKANE RIVER which is a tributary of COLUMBIA RIVER
3. Location of point of diversion is Township SDN. Range 4W Sec. 7, in the 1/4,
NW 1/4, SE 1/4, Govt. Lot 8, B.M., KOOTENAI County;
additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.03 for IRRIGATION purposes from 3/15 to 1/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.03 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source PUMP IN RIVER -
IRRIGATION SYSTEM

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

MICROFILMED

APR 11 2001

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50W	4W	7														1			1
																CONT.			

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? APPLICANT / DEPT. OF LANDS

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
APR 11 2001

X Oram L. Kramer
Signature of Applicant (and title, if applicable)

Received by B Date 2/23/00 Time 10:05 Preliminary check by B
 Fee \$ 50 Received by B # NO13458 Date 3/2 + 9/00
 Publication prepared by db Date 2/24 Published in CDA Press
 Publication approved db Date 3/10/00



POINT OF
DIVERSION


PLACE
OF USE

GOVT
LOT
8

MICROFILMED

APR 11 2001

T. 50 N. R. 4 W.



Government lot check for Application for Permit 95-09841 by RGH 8/1/2000

MICROFILMED
APR 11 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 20 2004

DEPARTMENT OF
WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 95-09041

1. Owner: Cram & Sandra Kramer Phone No. (208) 667-5109

Current Address: 7265 W. Otter Bay Rd, Coeur D'Alene Id. 83814

2. Accompanied by: Cram Sandra EXAM DATE: 6-25-03

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spokane River tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	Lot 8		NW	SE	7	50N	04W	Kootenai	USGS 7.5 min Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	07													.8				

MICROFILMED

JUN 16 2004

JUN 15 2004

MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1	2801084915	Scb	1.5"

4.

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).
Aerial Photo Attached _____
Photo of Diversion and System Attached _____
(required for irrigation of 10+ acres)



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



PJ




PJ

95-09041

lost PD Photo

MICROFILMED
JUN 16 2004



POINT OF DIVERSION

PLACE OF USE

GOVT LOT 8

95-09041

MICROFILMED

11/11/15

T. 50 N., R. 4 W.

E. NARRATIVE/REMARKS/COMMENTS

There is a 70' elevation change from
PD to back of yard. Entire system is buried.
Pop up type sprinklers. There is a pressure
gauge on system. It operates at 70 PSI. A thermal
measurement done

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JUN 16 2004

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$\text{Theoretical } \frac{8.8(1)(.7)}{70 + (2.3)(70)} = \frac{6.16}{231.7} = 0.0265 \approx 0.03 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .8 \times 3 = 2.4$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.4$$

2. Volume Calculations for Other Uses:

100
1400 sq ft
400

- garage 1400 sq ft
 - House & garage 3150 sq ft.

$$\begin{array}{r} 4000 \\ - 1400 \\ \hline 3150 \end{array}$$

$$\begin{array}{r} 35450 \\ - 43560 \\ \hline \end{array} = .8 \text{ acres}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	1.03	2.4
Totals:			.03	2.4

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Wayne Baldwin Date 9-9-03

Reviewer _____ Date _____

SEAL

MICROFILMED
JUN 15 2004

MICROFILMED

JUN 15 2004

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9041

Reviewed By: dgibson

Date: July 12, 2002

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?		X	Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N013458, N015122	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?		X	Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		07/09/2002
Date proof due	-	07/01/2002
Lapse notice sent	-	
No. of days late	=	8
Holiday allowance	+	
Priority date	+	02/23/2000
New priority date	=	03/02/2000

Deficiencies of Actions Items

Reinstate permit with an advance of the priority date. Acknowledge proof.

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**
Reviewed by Cindy Zimmerman on 6/23/00

No. 95-0904 Name: Kramer Corp. Officers Ad ok Yes Govt Lots ✓

AREA OF CONCERN: No/Yes Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (√Flow Chart)

DRILLING PERMIT

All wells - 046(P23)

Irr. w/in WD - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

WMD

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - P84 (20s-70s, 81-86)
Swan Falls Flag -
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-081(P10)
FISH PROP - 029(70'S only)-007-042-081(P10)
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

BENEFICIAL USE DUE: 07/01/02

MISC CONDITIONS/REMARKS:

Protested - 020-W19
Development Period
≤ 1 yr - P16
> 1 yr - 26A(P17)
Ownership - 004
Non-consumptive - 027
Water Quality - 081-R07

IRRIGATION SEASON 3/15 - 11/15 (Per updated map)

SURFACE WATER: (√Flow Chart)

F&G contacted - Yes/No Response None

In/Above MSF - WB9 Spokane R.

PLANNING REVIEW/RESPONSE

In-stream development - P52
WD - R04 (WD#)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
>1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per 1/4/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

OTHER CONDITIONS/REMARKS

* COMMENTS NEEDS PLANNING REVIEW *

**ID 00 DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET**

RECEIVED

SEP 16 2000

APPLICATION # 95-09041

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW

APPLICANT: KRAMER **BY:** JB **DATE:** 2/23/00

ITEM REQUIRED INFORMATION

PROCESSING

(Yes) (No) **PRIORITY DATE:** 2/23/00
☒ (Include Moratorium Remark)
☒ **Statewide Advertising:** (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information
 () Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information
 () Power Information () Other: N/A

ADDITIONAL INFORMATION

(Yes) (No)
☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached (>5cfs/500af)
☒ Water delivered by water master?
 Water District # _____

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()

_____ Groundwater management area
 _____ Critical ground water area
 _____ Well Drilling Permit required
 _____ Well Drilling Application and Fees received
 _____ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)
☒ Notice of pending void order issued. Final order response date: ____/____/____
☒ Further information required from applicant
3/10 ☒ Affidavit of publication received
3/10 ☒ Application published correctly. If not, record action taken: _____
2/24 ☒ Publication dates and paper recorded on application | Sr. Agent initial _____
 _____ ☒ Protests received, Final protest date: 3/20/00
 _____ ☒ Measuring device required
 _____ ☒ Measuring port required
 _____ ☒ Special conditions:
 _____ ☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: RMT **Date:** 8/1/2000