

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09037

Priority: November 29, 1999

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.2 AF

It is hereby certified that DONALD J MURPHY
4790 E LOWER HAYDEN LAKE RD
HAYDEN LAKE ID 83835 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated November 29, 1999; and has
submitted Proof of Beneficial Use on November 02, 2000. An examination indicates that the works have
a diversion capacity of 0.02 cfs of water from:

SOURCE

SPRING

Tributary: HAYDEN LAKE

UNNAMED STREAM

HAYDEN LAKE

and a water right has been established as follows:

BENEFICIAL USE

DOMESTIC

PERIOD OF USE

01/01 to 12/31

DIVERSION RATE

0.02 CFS

**ANNUAL
DIVERSION VOLUME**

1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SPRING

NW $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 20, Twp 51N, Rge 03W, B.M., KOOTENAI County

UNNAMED STREAM

SW $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 20, Twp 51N, Rge 03W, B.M., KOOTENAI County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	03W	20													X				

CONDITIONS OF APPROVAL

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
2. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
3. Place of use is located within Lot 32, Blk. 4, Honeysuckle Hills.
4. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 31st day of AUGUST, 2001.

MICROFILMED

OCT 12 2001

Acting for

KARL J. DREHER
Director

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NOV - 2 2000

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-09037 Telephone No. 208-762-5853

2. Name of Permit Holder(s): Donald J. Murphy

3. Mailing Address: 4790 E. Lower Hayden Lake Rd

City Hayden Lake State Id. Zip 83835

4. Source of Water: Spring & Stream ^{UN NAMED} If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

a. Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 2 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 1 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 10 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Has the measuring device been installed?

Yes _____ or No _____

Yes ☒ or No _____

PUMP AND PRESSURE TANK

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Mr Donald Murphy Telephone Number: 762-5853

Address: 4790 E. Lower Hayden Lake Rd. Hayden Lake, Id.
83835

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Don J Murphy Date: 10-28-00

(include your title, if on behalf of company or organization)

MICROFILMED

APR 11 2001

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-09037

Priority: November 29, 1999

Maximum Diversion Rate:

0.04 CFS

This is to certify, that DONALD J MURPHY

18120 S FRANCIS FAIRE RD

WORLEY ID 83876

has applied for a permit to appropriate water from:

SPRING

tributary of HAYDEN LAKE

UNNAMED STREAM

tributary of HAYDEN LAKE

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNESE , Sec. 20, Township 51N, Range 03W

SWNESE , Sec. 20, Township 51N, Range 03W

KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 03W 20

NESE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before **February 1, 2002**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
5. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
6. Domestic use is for 1 home.
7. Place of use is located within Lot 32, Blk. 4, Honeysuckle Hills.

MICROFILMED

APR 11 2001


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09037

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

10th day of February, 2000.


for
Karl J. Dreher, Director

MICROFILMED

SEP 11 1988

JAN 31 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of Applicant DONALD J. MURPHY Phone 765-9343
Mailing address 18120 S. FRANCIS FAIRBANK, WORLEY, ID 83876
2. Source of water supply SPRING which is a tributary of HAYDEN LAKE
UNNAMED STREAM
3. Location of point of diversion is Township 51N Range 3W Sec. 20 in the NW 1/4, NE 1/4, SE 1/4, Govt. Lot _____, B.M., KOOTENAI County;
additional points of diversion if any: BSW NESE 20, T-51N R-3W
4. Water will be used for the following purposes:
- | |
|---|
| Amount <u>0.04</u> for <u>DOMESTIC</u> purposes from <u>JAN 1</u> to <u>DEC 31</u> (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source PUMP & PIPELINE
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 85° F being sought? _____
- e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. ONE
- e. Other; describe fully. _____

MICROFILMED

APR 9 9 2009

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
512	30	20													D				

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: LOT 32, BLK 4 HONEYBUCKLE HILLS

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Signature of Applicant (and title, if applicable)

Received by Kee Date 11/29/99 Time 3:15 P Preliminary check by JB
 Fee \$ 5000 Received by JB # N-13307 Date 11/29/99
 Publication prepared by JB Date 12/8/99 Published in CDA Press 12/16+23/99
 Publication approved JB Date 11/7/00

Lots 49, 50
 Lots 51, 52, 53
 Lot 54
 Lots 55, 56
 Lots 57, 58
 Lots 59, 60, 61 less
 SW 25'
 Lot 61 SW 35' of, Lot
 62 less road
 Lots 63, 64, 65
 Lot 66
 Lot 67 Tax #5036
 Tax #5778 in Lot 70,
 71, 72
 Lot 73
 Lot 74
 Lot 75
 Tax #6164 & #6165
 Tax #6268
 Lot 48
 Lot 13

Alfred E. (T)
 Claude A. E.
 Evelyn L. M.
 Alfred E. (T)
 M. G. Henke
 John Brown
 Ray Flaherty
 Chester E. E.
 Maurice B. E.
 James Barbe
 Richard Rich
 Mary Broder
 Lucille McGe
 Virginia C. I.
 Leon C. Boll
 Nellie Scaler
 Russell N. S.
 H. L. Klatt



N
 AVONDALE
 ONE 45 H.

N
 HAYDEN L
 ONE 40 H.

N
 COUNTRY
 ONE 25 H.P.

N
 AVONDALE
 35 H.P. (50
 GALS PER
 IRRIGATION

T-51N
 R-3W

GUSTAV P. HARRAS
 NO IRRIGATION

50,000 GAL. CONCRETE
 STORAGE TANK

MICROFILMED
 APR 11 2001

SPRING



LICENSE REVIEW CHECKLIST

Permit No. 95-9037

Date: 8-31-01

Reviewer: Kay Walker

Change/OK

Name/Address

fix address per photo & exam

Source

Point of Diversion:

OK
OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44)

Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

OK

Change (P41/P49) Add (P41/P44)

Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.04 cfs

Fee Limit _____ cfs

Measured 0.02 cfs

Theoretical _____ cfs

Recommended Total Diversion Rate 0.02

Water Uses

OK

Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af

Stockwater _____ cfs _____ af

Domestic 0.02 cfs 1.2 af

_____ cfs _____ af

_____ cfs _____ af

Total 0.02 cfs 1.2 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks:

R02, R04, W01, W60

Additional Conditions

YES

Watermaster Control

_____ GW Measurement/Measuring Device

_____ Other

Trust R55 - remove 051)

Non-trust (048/049)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim?

N/A

Adjust memo _____

Amend Letters

P87, S06

Second Amendment Notice

S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL - 9 2001

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-09037

1. Owner: Donald Murphy

Phone No. (208)-762-5853

Current Address: 4790 E. Lower Hayden Lake Rd. Hayden Lake Id. 83835

2. Accompanied by: Donald Murphy

EXAM DATE: 5-31-01

Address: Same as above

Phone No. _____

Relationship to Permit Holder: _____

3. Source: unnamed stream & spring tributary to Hayden Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NE	SE	20	51N	03W	Kootenai	USGS 7.5 min Quad
		SW	NE	SE	20	51N	03W	Kootenai	(1) (1)

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	03W	20																	

MICROFILMED

DEC 12 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" =

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Serial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Red Jacket	0.5	N L	Red Jacket	1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

SEP 14 1987

E. NARRATIVE/REMARKS/COMMENTS

Mr. Murphy has 2 diversions.
The one in the stream is used to
supplement the spring development.
All water must flow over to spring
development. A 1/2 hp pump in spring
house delivers to the house.

I measured with a 5 gal bucket at
the house. Since no water can reach
the house unless pumped I use that
for the diversion rate.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 12 2001

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$\frac{5 \text{ gal bucket } 5 \text{ gal in } 40 \text{ sec } 7.5 \text{ gpm}}{7.5 \times 1.33681} = .016 = .02 \text{ cfs}$$

60

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>01-01</i>	<i>12-31</i>	<i>.02</i>	<i>1.2</i>
Totals:			<i>.02</i>	<i>1.2</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Wayne Baldwin Date 06-19-01

Reviewer _____ Date _____

MICROFILMED
SEAL

JUN 12 2001



PW
Domestic



PW
unnamed
stream



PW
spring

95-09037
MICROFILMED
OCT 12 2001

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-09037 Reviewed by D. Gibson Date 11/13/00

GENERAL CONSIDERATIONS

Yes Name same as permit?
No Address same as permit?
Yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Domestic & Irrigation

Correct Uses?

Domestic yes -
Irrigation of 1 acre - no!
Increase of cfs - no!

SOURCE OF WATER

Yes Surface water source
No Ground water source

/ Drilling permit required?

/ Copy in the file? Drilling Permit No. /

/ Amount paid for permit

/ Well log in the file?

/ Correct?

LICENSE EXAMINATION FEE

Yes Required?
\$50 Amount Submitted
Yes Correct?

MEASURING DEVICE

Yes Required?
No Installed?
Waiver requested?

Pump & pressure tank - doesn't meet watermaster's needs.

PRIORITY CALCULATION

Date proof received

11/2/00

Date proof due

2/1/02

No. of days late

/

Priority Date

/

New Priority Date

/

/

DEFICIENCIES OR ACTION ITEMS

Acknowledge proof, inform permit holder of limitation to Domestic Irrigation of 1/2 acre or less & recommend he call his regional office to review his increase of cfs and definition of a valuable device for watermaster's use for regulating purposes.

DATA ENTRY

New Address 4790 E. Lower Hayden

Proof Made 11/2/00

Lake Rd, Hayden Lake, Id.

83835

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on 2/4/00

No. 95-09037 Name: Murphy Corp. Officers N/A Ad ok ☒ Govt Lots

AREA OF CONCERN: ☒ No/Yes Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046(P23)
Basin 34 - 085
Irr. w/in WD - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
~~WMD~~
Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - P84 (20s-70s, 81-86)
Swan Falls Flag -
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-081(P10)
FISH PROP - 029(70'S only)-007-042-081(P10)
HEAT/COOL - R07(injection well)
FIRE/PROT. - 077

BENEFICIAL USE DUE: 3101 13002

MISC CONDITIONS/REMARKS:

Protested - 020-W19
Development Period
≤ 1 yr - P16
> 1 yr - 26A(P17)
Ownership - 004
Non-consumptive - 027
Water Quality - 081-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response No objections
- In/Above MSF - WB9
PLANNING SECTION REVIEW/RESPONSE
In-stream development - P52
WD - R04 (WFO# 95A)
≤ 0.20 cfs/others - 01H(P01) 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC W01 (1)
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per 1/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60 Lot 32, Blk 4, Honeysuckle
Use definitions - W02 example - S/50 range Hills
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON - (Per updated map)

OTHER CONDITIONS/REMARKS

COMMENTS

ok meas cond ✓

RECEIVED

JAN 31 2000

ID# DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEETAPPLICATION # 95-09037

Department of Water Resources

INITIAL REVIEW

APPLICANT: MURPHY BY: JB DATE: 11/29/99

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

(Yes) (No)

- X Field check: by _____
- X Field report attached _____
- X Analysis Supp. attached (>5cfs/500af) _____
- X Water delivered by water master? _____
- Water District # 95A

PROCESSING

(Yes) (No) PRIORITY DATE: 11/29/99

(Include Moratorium Remark)

Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: LOOTENAI County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
<u>I</u>		Dom. Non-Dom.	Paid \$		Y () N ()
<u>I</u>		Dom. Non-Dom.	Paid \$		Y () N ()
<u>I</u>		Dom. Non-Dom.	Paid \$		Y () N ()

Groundwater management area

Critical ground water area

Well Drilling Permit required

Well Drilling Application and Fees received

Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- Notice of pending void order issued. Final order response date: ____/____/____
- Further information required from applicant
- 1/7/00 Affidavit of publication received
- 1/7 Application published correctly. If not, record action taken: _____

Publication dates and paper recorded on application | Sr. Agent initial

Protests received, Final protest date: 01/03/2000

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: RJADate: 1/28/00

Memorandum

Date: January 28, 2000

To: File 95-09037

From: Al Beardslee

RE: Surface water approval from Idaho Fish and Game Dept.

~~~~~  
**Mr. Chip Corsi, of Idaho Department of Fish and Game, Coeur d'Alene office, was contacted prior to regional approval of this filing. After reviewing the Application for Permit with Mr. Corsi, he had no problem with it's approval.**

MICROFILMED  
APR 11 2001