

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

by SCurtis

No.: 95-09023 Name: Buechel Date: _____ Ad OK? _____ / Gvmt Lts: _____

AREA OF CONCERN: - No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)
- Supp. irr + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - YES / NO; WHEN: 9/27/99 RESPONSE: NONE

IN/ABOVE MSF (✓ MAP) - *WB9

IN-STREAM DEVELOPMENT - P52 (stream channel alteration)

WD (✓ MAP & LISTING) - R04 (WD # _____)

- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

- Snake R (01) - *W22 -P04, NA
- (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
- Payette R(65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage)-01H-P01 (LD)/01P, 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req) -081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102

DOMESTIC

- Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070

FIRE PROTECTION

- 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - 120
- 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) - _____

- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU) _____

OTHER CONDITIONS:

- _____

STANDARD REMARKS:

- _____

BENEFICIAL USE DUE:

- 10 /1/ 2001

COMMENTS:

- _____

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09023

Priority: August 6, 1999

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 3.0 AF

It is hereby certified that ANGELA BUECHEL
1711 N VAL VISTA DR
MESA AZ 85213 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated August 06, 1999; and has
submitted Proof of Beneficial Use on August 29, 2001. An examination indicates that the works have a
diversion capacity of 0.06 cfs of water from:

SOURCE

COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L2 (NW¼NW¼) Sec. 17, Twp 48N, Rge 04W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N 04W 17						1.0											1.0
						L2											

Total Acres: 1

CONDITIONS OF APPROVAL


1. The issuance of this right does not grant any right-of-way or easement across the land of another.
2. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 25th day of NOVEMBER, 2002.

MICROFILMED

MAR 2 2003


KARL J. DREHER
Director

WWW.IDWR.State.ID.US
SPDA WR Searches
"Text"

FOR OFFICE USE ONLY
Amt. of Fee \$ 50.00
Receipt No. 2055865
Receipt By: [Signature]
Date Received: 8-29-01

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

AUG 29 2001

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9023 Telephone No. 480-830-8800
2. Name of Permit Holder(s): Angela D. Buechel
3. Mailing Address: 1711 N. Val Vista Dr.
City Mesa State AZ Zip 85213
4. Source of Water: Lake Coeur d'Alene GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 1 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.03 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Angela Buechel Telephone Number: 602-321-9000
Address: 1711 N. Val Vista, Mesa, AZ 85213

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Angela Buechel Date: 8-20-01
(include your title, if on behalf of company or organization)

MICROFILMED

OCT 12 2001

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-09023

Priority: August 6, 1999

Maximum Diversion Rate:

0.03 CFS

This is to certify, that **ANGELA BUECHEL**

1711 N VAL VISTA DR

MESA AZ 85213

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE

tributary of **SPOKANE RIVER**

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (NWNW), Sec. 17, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

48N 04W 17 Lot 2 (NWNW) 1.0

1.0

Total number of acres irrigated:

1.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before **October 1, 2001**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Witness the signature of the Director, affixed at Boise, this

1st day of October, 1999.

MICROFILMED

JAN 9 11 2001

Karl J. Dreher
Karl J. Dreher, Director

Ident. No. 95-09023

RECEIVED

SEP 29 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

SEP 29 1999

Department of Water Resources

Department of Water Resources

1. Name of Applicant Angela Boechel Phone 602-321-9000
Mailing address 1711 N. Val Vista Dr., Mesa AZ 85213
2. Source of water supply LAKE COEUR D'ALEN which is a tributary of SPOKANE RIVER
3. Location of point of diversion is Township 48N. Range 4W Sec. 17, in the NW 1/4, NW 1/4, Govt. Lot 2, B.M., KOOTENAI County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.03 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum) ~~DOMESTIC~~
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) _____ and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source PUMP IN LAKE
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. LAWN + GARDEN IRRIGATION
e. Other; describe fully. _____

MICROFILMED

JAN 14 2000

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48W	4W	17					1												1
							6.5												

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? APPLICANT / STATE OF IDAHO

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
JAN 18 2001

Angela O. Beech
Signature of Applicant (and title, if applicable)

Received by AB Date 8-5-99 Time 10:00 Preliminary check by AS
Fee \$ 50 Received by AB # 0013130 Date 8-6-99
Publication prepared by AB Date 8/19/99 Published in ADA Press 8/19-26/99
Publication approved AB Date 8/30/99



(WORLEY)
2678 IV NW
SCALE 1:24 000
0 1 MILE
2000 3000 4000 5000 6000 7000 FEET
0 1 KILOMETER
TOUR INTERVAL 40 FEET
EODETIC VERTICAL DATUM OF 1929

MICROFILMED
JAN 18 2001



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Primary highway _____
Light-duty road, hard or hard surface _____
Secondary highway, hard surface _____
Unimproved road _____
State Route _____
State Route _____
T. 48N., R. 4W.

ROCKFORD BAY, IDAHO
SW/4 COEUR D'ALENE 15' QUADRANGLE

MEMORANDUM

Date: November 22, 2002
To: Water Right File 95-9023
From: S. Keen
Re: License Review

Licensing review and data entry by S. Keen on 11/22/2002.

MICROFILMED

MAR 24 2003

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 30 2002

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-09023

1. Owner: Angela Buechel Phone No. (602) 321-9000

Current Address: 1711 N. Val Vista Dr. Mesa AZ 85213

2. Accompanied by: Unaccompanied EXAM DATE: 8-10-02

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Coeur D'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	02		NW	NW	17	48N	04	Boonville	USGS 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	04W	17					1											1	

MICROFILMED

MAR 24 2003

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	2	2823018110	Sok	1.5"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED


MAR 24 2003



95-09023

PLACE OF USE

POINT OF DIVERSION



ROAD CLASSIFICATION

Primary highway, light duty road, hard or hard surface

Secondary highway, hard surface

Unimproved road

State Route

BUCHNER

T. 48N., R. 4W.

OUR INTERVAL 40 FEET
ODETIC VERTICAL DATUM OF 1929

95-09023



PD



PV



PV



PV

MICROFILMED
MAR 24 2003



PC



PC

MICROFILMED
MAY 24 2003

E. NARRATIVE/REMARKS/COMMENTS

This entire system is buried. There are 8 zones all pop up type sprinklers. Really no way to get an accurate measurement. I ran 1 zone with Rainbird 1800 pop ups & 1 zone with Toro 570 series pop ups. I estimated 25-30 gpm. A theoretical calculation came up with 0.06 cfs. As I was leaving the man who put the system in showed up to work on a leak. I spoke with him, he told me it ran 28 gpm at 60 PSI.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

MAR 24 2003

Additional Computation Sheets Attached

Additional Computation Sheets Attached

Theretical $\frac{8. f(67)G}{50 + (2.31 \times 60)} = \frac{12.32}{188.6} = .0649$

Based on Permit Rate

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3 = 3$$

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3 = 3$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 103 \times 245 \times 1.9835 = 14.1$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 103 \times 245 \times 1.9835 = 14.1$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3$$

$V = \text{Smaller of } V_{L,R} \text{ and } V_{D,R} = 3$

H. RECOMMENDATIONS

Beneficial Use

Soriano

Period of Use

From	To
------	----

03-15 11-15

Rate of Diversion

Q (cfs)

103

Annual Volume

V (afa)

3

Totals:

103

3

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

Field Examiner's Name

Field Examiner's Name Wayne Baldoni Date 9-19-02

Reviewer _____ Date _____

SEAL

MICROFILMED

MAR 24 2002

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9023

Reviewed By: dgibson

Date: September 13, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		C055865	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		08/29/2001
Date proof due	-	10/01/2001
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	08/06/1999
New priority date	=	08/06/1999

Deficiencies of Actions Items

Acknowledge proof.

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

No.: 95-09023 Name: Buechel Date: _____ Ad OK? _____ / Gvmt Lts: _____ by SCurtis

AREA OF CONCERN: - No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P06 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)
- Supp. irr + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - YES / NO; WHEN: 9/27/99 RESPONSE: NONE

IN-ABOVE MSE (✓ MAP) - WB9

IN-STREAM DEVELOPMENT - 067 (stream channel alteration)

WD (✓ MAP & LISTING) - R04 (WD # _____)

- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

- Snake R (01) - *W22-P04, NA
- (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
- Payette R (65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage)-01H-P01 (LD)/01P, 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R68/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req)-081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102

DOMESTIC

- Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070

FIRE PROTECTION

- 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - 120
- 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) - _____

- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU) _____

OTHER CONDITIONS:

- _____

STANDARD REMARKS:

- _____

BENEFICIAL USE DUE:

- 10/11/2001

COMMENTS:

- _____

IDA DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

SEP 29 1999

WRI
WRA
BCA

APPLICATION # 95-09023

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW

APPLICANT: BUECAEL, ANGEA

BY: B

DATE: 8/6/99

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
 - (x) Nature of Proposed Use
 - (x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other water Rights
11. (x) Ownership
12. (x) Map
 - (x) Signature
 - (x) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- ✓ Field check: by _____
- ✓ Field report attached
- ✓ Analysis Supp. attached (>5cfs/500af)
- ✓ Water delivered by water master?
- Water District # _____

PROCESSING

(Yes) (No)

PRIORITY DATE: 8/6/99

✓ (Include Moratorium Remark)

✓ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA/Thurs/ok

ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
<u>✓</u>		Dom. Non-Dom.	Paid \$		Y () N ()
<u>✓</u>		Dom. Non-Dom.	Paid \$		Y () N ()
<u>✓</u>		Dom. Non-Dom.	Paid \$		Y () N ()

Groundwater management area

Remarks:

Critical ground water area

Well Drilling Permit required

Well Drilling Application and Fees received

Well Drilling Application approved?

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

Notice of pending void order issued. Final order response date: 8/30/99

Further information required from applicant

Affidavit of publication received

Application published correctly. If not, record action taken: 8/30/99

Publication dates and paper recorded on application | Sr. Agent initial 9/17/99

Protests received, Final protest date: 9/17/99

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by:

Date: 8/30/99

RECEIVED

SEP 29 1999

Department of Water Resources

Memorandum

Date: September 27, 1999

To: File 95-09023

From: Al Beardslee

RE: Surface water approval from Idaho Fish and Game Dept.

~~~~~

Northern Region received no negative reply from the Panhandle Office of Idaho Fish and Game. A Point of Diversion Index was faxed to Mr. Chip Corsi of this filing on September 21, 1999. No negative reply was received.

MICROFILMED

JAN 18 2001