

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09017

Priority: May 7, 1999

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 3.0 AF

It is hereby certified that KAREN SWENSON And JAN SWENSON
7728 W OLD CABIN RD
WORLEY ID 83876 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated May 7, 1999; and have
submitted Proof of Beneficial Use on June 26, 2001. An examination indicates that the works have a
diversion capacity of 0.06 cfs of water from:

SOURCE

COEUR D ALENE LAKE Tributary: SPOKANE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L2 (NW¼SW¼) Sec. 20, Twp 48N, Rge 4W, B.M. KOOTENAI Count

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N 04W 20																	1.0
																	L2

Total Acres: 1

CONDITIONS OF APPROVAL


1. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
2. This right does not grant any right-of-way or easement across the land of another.
3. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 25TH day of NOVEMBER, 2002.

MICROFILMED

MAR 24 2003


KARL J. DREHER
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

JUL - 2 2001

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9017 Telephone No. (208) 765-3366

2. Name of Permit Holder(s): JAN SWENSON

3. Mailing Address: 7728 W. OLD CABIN RD

City WORLEY State ID Zip 83876

4. Source of Water: CDA LAKE If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 1 Other: FIRE

6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No _____

Has the measuring device been installed?

Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: SAME AS ABOVE Telephone Number: _____

Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Jan Swenson (include your title, if on behalf of company or organization)

Date: 5-25-01

JUL 12 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09017

Proposed Priority: May 7, 1999

Maximum Diversion Rate:

0.06 CFS

This is to certify, that JAN SWENSON
KAREN SWENSON
7650 WINDY BAY RD
WORLEY ID 83876

has applied for a permit to appropriate water from:
COEUR D ALENE LAKE tributary of SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.06 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (NWSW), Sec. 20, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04W	20	Lot 2 (NWSW)	2.0		2.0

Total number of acres irrigated: 2.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 2001.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
5. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
6. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

13th day of July, 1999

MICROFILMED

AUG 27 1999

Karl J. Dreher
for Karl J. Dreher, Director

Ident. No. 95-09017

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

JUL - 9 1999

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant JAN & KAREN SWENSON Phone (208) 765-3366
Mailing address 7650 WINDY BAY RD WORLEY, ID. 83876
2. Source of water supply LAKE COEUR D'ALENE which is a tributary of SPOKANE ~~GORN D'ALENE~~ RIVER
3. Location of point of diversion is Township 48 N Range 4 W Sec. 20 in the N/1/4 of the S/1/4 1/4, Govt. Lot 2, B.M., KOOTENAI County;
additional points of diversion if any: N/A
4. Water will be used for the following purposes:
Amount .06 for IRRIGATION purposes from MAY 1 to OCT. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .06 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source 1 HORSE PUMP
WITH 1 1/4" PIPE LINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

MICROFILMED
AUG 27 1999

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated 52

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? JAN & KAREN SWENSON
b. Who owns the land to be irrigated or place of use? SAME AS ABOVE
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A

12. Remarks: _____

- 13. MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

public waters.
MICROFILMED

AUG 27 1939


Jan Swenson
Signature of Applicant (and title, if applicable)

Signature of Applicant (and title, if applicable)

Taren Simson

Received by DB Date 5/7/99 Time 250p Preliminary check by _____
 Fee \$ 50.00 Received by DB # N012860 Date 5/7/99
 Publication prepared by DB Date 5/12/99 Published in CDA Press 5/20 + 27/99
 Publication approved DB Date 6/9/99

Received by DB Date 5/7/99 Time 250p Preliminary check by _____
 Fee \$ 50.00 Received by DB # N012860 Date 5/7/99
 Publication prepared by DB Date 5/12/99 Published in CDA Press 5/20 + 27/99
 Publication approved DB Date 6/9/99



MICROFILMED
AUG 27 1999

T. 48N, R. 4W.

TAMAR

ROCKFORD BAY

WINDY BAY

COEUR

D'AL

Sec. 18.
592.11

Sec. 17.
309.27

Sec. 16.
177.80

Sec. 19.
486.53

Sec. 20.
437.3

Sec. 21.


Sec. 29.
212.17

Sec. 28.

Sec. 31.
640

Sec. 30.
125.30

SEMI-PROFILLED
AUG 27 1999



MEMORANDUM

Date: November 22, 2002
To: Water Right File 95-9017
From: S. Keen 
Re: License Review

Licensing review and data entry by S. Keen on 11/22/2002.

MICROFILMED

MAR 24 2003

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP - 5 2002

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-09017

1. Owner: Jan & Karen Swenson Phone No. _____

Current Address: 7650 Windy Bay Rd. Worley Id. 83876

2. Accompanied by: Karen Swenson EXAM DATE: 07-09-02

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Coeur D'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>L2</u>		<u>NW</u>	<u>SW</u>	<u>20</u>	<u>48N</u>	<u>04W</u>	<u>Kootenai</u>	<u>USGS 7.5 min Quad</u>

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>48N</u>	<u>04W</u>	<u>20</u>									<u>1</u>								

MICROFILMED

SEP 2 2003

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	105	282300110	Grundfos	1.5"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

MAR 24 2003


COEUR

Sec. 20

Sec. 21

D. 4

MICROFILMED
MAR 24 2003



x 2728

BENNION

ROAD

Rockford Bay

5260

x 2739

Boat Ramp

Sun Up Bay

POINT OF DIVERSION

Rockford Point

5259

COEUR D'ALENE LAKE
BAY
+ Mile 1
ELEVATION 2125

2 120 000
FEET

WINDY

Amwaco

16 to 1 Bay

Sewage Disposal Pond

Water Tank

5257

95-09017

5256
27'30"

T 48 N

T 47 N

5255

MICROFILMED

Storage Bins

JERRY JOHNSON

JERRY JOHNSON

95-09017



PV



PV



PV

MICROFILMED
MAR 24 2003

E. NARRATIVE/REMARKS/COMMENTS

System is completely underground

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
MAR 24 2003

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$\frac{8.8(0.7)(1.5)}{20 + (2.31 \times 60)} = 1.058 \approx 1.06$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3 = 3$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.06 \times 245 \times 1.9835 = 29$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	1.06	3
Totals:			1.06	3

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Wayne Baldwin Date 7-24-02

Reviewer _____ Date _____

SEAL

MICROFILMED
SEP 24 2003

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

CHANGE IN ADDRESS

This form can be used to notify the Department of a change in
Address of the owners of record for the listed water rights.

(Please print or type)

[] Water Right Number(s):

95-9017 dg &
94-07370

[] Names(s):

JAN SWENSON
KAREN SWENSON

[] Old Mailing Address:

[] New Mailing Address:

7728 W. OLD CABIN RD.
WORLEY, ID 83876

Telephone Number:

208) 765-3366

[] Signature(s) of Owner(s)

Jan Swenson

(Include your title if on behalf of company or organization)

Date:

6/26/01

MICROFILMED

OCT 12 2001

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9017

Reviewed By: dgibson

Date: July 16, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N014496	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?		X	Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		06/26/2001
Date proof due	-	07/01/2001
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	05/07/1999
New priority date	=	05/07/1999

Deficiencies of Actions Items

Acknowledge proof.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

April 30, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

JAN SWENSON
KAREN SWENSON
7650 WINDY BAY RD
WORLEY, ID 83876

PROOF DUE NOTICE

COPY

RE: PERMIT NO. 95-9017

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 01, 2001. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures

MICROFILMED
2001 5 2 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 14, 1999

DIRK KEMPTHORNE
GOVERNOR

JAN SWENSON
KAREN SWENSON
7650 WINDY BAY RD
WORLEY ID 83876

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-09017

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt
Enclosures


MICROFILMED
AUG 27 1999

CERTIFICATE OF MAILING

I hereby certify that on the 14th day of July, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 95-09017

JAN SWENSON
KAREN SWENSON
7650 WINDY BAY RD
WORLEY ID 83876


Kari Lynn Townsend
Secretary

NOT REOPENED
AUG 27 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
AUG 27 1995

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

by SCurtis

No.: 95-09017 Name: Swenson Date: 7/12/99 Ad OK? ☒ ✓ Gvmt Lts: ✓

AREA OF CONCERN: - No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)
- Supp. irr + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - YES / NO; WHEN: 7/7/99 RESPONSE: velocity/screening cond. requested

IN/ABOVE MSF (✓ MAP) - *WB9

IN-STREAM DEVELOPMENT - P52 (stream channel alteration)

WD (✓ MAP & LISTING) - R04 (WD # _____)

- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

- Snake R (01) - *W22-P04, NA
- (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
- Payette R (65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage)-01H-P01 (LD)/01P, 18B-P09 (>10' dam), NA
- Irr ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req) -081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102

DOMESTIC

- Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070

FIRE PROTECTION

- 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - 120
- 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) - _____

- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

DWS 2016
7/11/2001

RECEIVED

JUL - 9 1999

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEETWR1
WR2
BCA

Department of Water Resources

APPLICATION # 95-09017

INITIAL REVIEW

APPLICANT: SWANSONBY: BDATE: 5/7/99

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
 - (x) Nature of Proposed Use
 - (x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other water Rights
11. (x) Ownership
12. (x) Map
 - (x) Signature
 - (x) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- Y Field check: by _____
- ↓ Field report attached _____
- ↓ Analysis Supp. attached(>5cfs/500af) _____
- ↓ Water delivered by water master? _____
- Water District # _____

PROCESSING

(Yes) (No) PRIORITY DATE: 5/7/99X (Include Moratorium Remark)X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
<u>↓</u>		Dom. Non-Dom.	Paid \$		Y () N ()
<u>↓</u>		Dom. Non-Dom.	Paid \$		Y () N ()
<u>↓</u>		Dom. Non-Dom.	Paid \$		Y () N ()

- ↓ Groundwater management area
- ↓ Critical ground water area
- ↓ Well Drilling Permit required
- ↓ Well Drilling Application and Fees received
- ↓ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- 6/9 Notice of pending void order issued. Final order response date: 6/9/99
- 6/9 Further information required from applicant
- 6/9 Affidavit of publication received
- 6/9 Application published correctly. If not, record action taken: _____

5/12 Publication dates and paper recorded on application | Sr. Agent initial _____Protests received, Final protest date: 6/7/99

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: BDate: 7/7/99

Memorandum

Date: July 7, 1999

To: File 95-09017

From: Beardslee

Re: Fish and Game approval

~~~~~  
Chip Corsi, of Idaho Fish and Game Department was contacted as part of the Regional approval review of this filing.

Mr. Corsi stated that he suggested that a condition be placed on the Water Right Permit that the intake structure be screen to 1/4" mesh and that the approach velocities be less than .5' per second.

Other than the above condition, Mr. Corsi had no reason that this filing should not be approved.

MICROFILMED  
JUL 7 1999