

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09013

Priority: April 01, 1999

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.5 AF

It is hereby certified that LARRY GIBBON
W 5615 E RIVERVIEW DR
COEUR D ALENE ID 83814 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated April 01, 1999; and has
submitted Proof of Beneficial Use on April 05, 2001. An examination indicates that the works have a
diversion capacity of 0.03 cfs of water from:

SOURCE

SPOKANE RIVER

Tributary: COLUMBIA RIVER

and a water right has been established as follows:

BENEFICIAL USE
IRRIGATION

PERIOD OF USE
03/15 to 11/15

DIVERSION RATE
0.02 CFS

**ANNUAL
DIVERSION VOLUME**
1.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SPOKANE RIVER L6 SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 8, Twp 50N, Rge 04W, B.M., KOOTENAI County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	8			.5														.5
					L 6														

Total Acres: 0.5

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.5 afa at the field headgate for irrigation of the land described above.
2. Water shall not be diverted under this right when flows in the Spokane River are below established minimum stream flows.
3. A fish screen of $\frac{1}{4}$ inch or smaller mesh shall be installed and maintained at the point of diversion.
4. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 20TH day of NOVEMBER 2001.

Acting for

KARL J. DREHER
Director

MICROFILMED

FEB 25 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9013 Telephone No. 208 667-6358

2. Name of Permit Holder(s):
Larry Gibbon

3. Mailing Address: 6791 W. Riverview Dr.
City CD'A State ID Zip 83814

4. Source of Water: Spokane River If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 1 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .03 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ✓

Has the measuring device been installed?

Yes _____ or No ✓

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Larry Gibbon Telephone Number: 667-6358 or 773-1592

Address: 6791 W Riverview, CD'A, ID 83814

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature]
(include your title, if on behalf of company or organization)

Date: 4/5/01

MICROFILMED

APR 25 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09013

Proposed Priority: April 1, 1999

Maximum Diversion Rate:

0.03 CFS

This is to certify, that LARRY GIBBON

W 5615 E RIVERVIEW DR

COEUR D ALENE ID 83814

has applied for a permit to appropriate water from:

SPOKANE RIVER

tributary of COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 6 (SWNE), Sec. 8, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	8	Lot 6 (SWNE)	1.0		1.0

Total number of acres irrigated:

1.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 2001.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
5. The issuance of this right does not grant any right-of-way or easement across the land of another.
6. Water shall not be diverted under this right when flows in the Spokane River are below established minimum stream flows.
7. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
8. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.

MICROFILMED

AUG 7 1999

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09013

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

3rd day of June, 1999.

Karl J. Dreher
for Karl J. Dreher, Director



MICROFILMED

AUG 27 1998

Ident. No. 95-09013

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

MAY 13 1999

(268) Department of Water Resources

1. Name of Applicant Larry Gibbon Phone 667-6358
Mailing address W 5615 E. Riverview DR Coeur d'Alene, Id 83814
2. Source of water supply Spokane River which is a tributary of Columbia River
3. Location of point of diversion is Township 50 N Range 4W Sec. 8 in the SW 1/4, of the NE 1/4, 1/4, Govt. Lot 6, B.M., Kootenai County;
additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.03 for Irrigation purposes from MARCH APR. 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.03 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source pump in river
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is NA inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 85°F being sought? NO
- e. If well is already drilled, when? NA; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. one- for lawn irrigation only
- e. Other; describe fully. _____

MICROFILMED

AUG 27 1999

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	4W	8			IRR 1														1
					176														

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Self - Larry Gibbon / IDL

b. Who owns the land to be irrigated or place of use? Same

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: NA

12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Gibbon
Signature of Applicant (and title, if applicable)

Received by JB Date 4/1/99 Time 2:20 Preliminary check by AS
 Fee \$ 50 - Received by JB # NO12729 Date 4/1/99
 Publication prepared by JB Date 4/7/99 Published in CDA Press 4/15 + 22/99
 Publication approved JB 4/28/99 Date 4/28/99


MICROFILMED

AUG 27 1999

T 5

T 1

42'



POINT OF DIVERSION

PLACE OF USE

SPOKANE

RIVER

BLACKWELL

COUGAR

MICROFILMED
AUG 27 1999
GIBBON
T. SON., R. 4W

f *F* *e* *E* *d* *D* *c* *C*


Sec. 6.

Sec. 5.

Sec. 4.

Sec. 3.

PREVIOUS



LICENSE REVIEW CHECKLIST

Permit No. 95-9013 Date: 11-16-01 Reviewer: Kay Walker

Change/OK

Name/Address

change per exam

Source

Point of Diversion:

OK
OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use

OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): none -
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.03 cfs
Fee Limit 0.20 cfs
Measured 0.03 cfs
Theoretical _____ cfs

Recommended Total Diversion Rate

0.03

Water Uses

OK Change (P46)

Season of Use per new Standards
3-15 11-15

Irrigation 0.02 cfs 1.5 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
_____ cfs _____ af
Total 0.02 cfs 1.5 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)
supp. Gw (WB7/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

$\frac{1}{2} \text{ ac} \times 0.03 = 0.015$
 $\approx 0.02 \text{ cfs}$

Volume Determination

0.02 cfs x 1.9835 x 246 days = 9.8 af (vs) 0.5 acres x 3 (FHR) = 1.5 af
2. (con)

Remarks:

W31

Additional Conditions

_____ Watermaster Control
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048/049)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? _____

yes
no

If yes, explain why below.

SRBA Claim?

N/A

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 3 - 2001 K

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-09013

1. Owner: Larry Gibson Phone No. (208) 667-6358

Current Address: W 5615 E Riverway Dr. Coeur D'Alene Id 83814

2. Accompanied by: Larry Gibson EXAM DATE: 9-14-01

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spokane River tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	08	50N	04W	Kootenai	USGS 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	08			c5														

MICROFILMED

FEB 25 2002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.5	282300810	Sub	1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

FEB 25 2002

Have conditions of permit approval been met? ☒ yes ☐ no

Feb 25 2002

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

5 gal bucket 5 gal in 20 sec
15 gpm
$$\frac{15 \times 1.33681}{60} = .03 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .5 \times 3 = 1.5$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.5$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.5$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	.03	1.5
Totals:			.03	1.5

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Wayne Boldt Date 9-27-01

Reviewer _____ Date _____

SEAL

MICROFILMED
FEB 2 1992

Well
2347

2265

U S Forest Service
Nursery

2325

2259

2255

AMKELSON

Well
ATLAS

Gaging Station

Rest Area

42'

Rest Area

Gravel Pit

Cam

2 LANE

2 LANE

Golf Course

2200

OLD RAILROAD GRADE

BURLINGTON

Race Track

Huetter

Well

2133

Atlas

Pumping Station

Point of Diversion

Harbor Island

Boat Ramp

SPOKANE

PLACE
OF USE

BLACKWELL RIVER

BLACKWELL

HIGHLAND DRIVE

2551

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

x 2438

Storage Bins

95-09013

MICROFILMED

FEB 25 2002

COUGAR

GIBBON

TEAM 24W



pu



pu

95-09013

MICROFILMED
FEB 25 2002

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9013

Reviewed By: dgibson

Date: April 19, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N014250	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?		X	Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		04/05/2001
Date proof due	-	06/01/2001
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	04/01/1999
New priority date	=	04/01/1999

Deficiencies of Actions Items

Acknowledge proof and update address.

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindy*No.: 95-9013 Name: Gibson Date: 5/24/99 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN: - No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:
 > 1 year - P17
 ~~1 year/no proof~~ - P18

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD
- WMD
- Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)
- Supp. irr + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

- FISH & GAME CONTACTED: - YES / NO: WHEN: 5/24/99 RESPONSE: _____
- IN/ABOVE MSF (✓ MAP) - *WB9 Ground Above Spokane R
- IN-STREAM DEVELOPMENT - P52 (stream channel alteration)
- WD (✓ MAP & LISTING) - R04 (WD # _____)
- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)
- WMD (✓ MAP)
- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD
- SPRINGS/SINK, INACTIVE WD & REST OF STATE
- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

- Snake R (01) - *W22-P04, NA
- (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
- Payette R (65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req) -081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);
17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18
- MUNICIPAL
- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102
- DOMESTIC
- Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070
- FIRE PROTECTION - 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - 120
- ~~42-248 AREA~~ - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) -
- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS: *WB9 / Spokane R @ W15 @ W16BENEFICIAL USE DUE: 6/1/2004

COMMENTS:

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

WRI
ACA
WRA

MAY 13 1999

APPLICATION # 95-09013

INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: GILSON

BY: 15

DATE: 4/1/99

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- X Field check: by _____
- X Field report attached
- X Analysis Supp. attached (>5cfs/500af)
- X Water delivered by water master?
- Water District # _____

PROCESSING

(Yes) (No) PRIORITY DATE: 4/1/99

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- Groundwater management area
- Critical ground water area
- Well Drilling Permit required
- Well Drilling Application and Fees received
- Well Drilling Application approved?

Remarks: FISH + GAME IS NOT OPPOSED TO THE APPROVAL OF THIS RIVER

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- Notice of pending void order issued. Final order response date: / /
- Further information required from applicant
- 4/23 Affidavit of publication received
- 4/28 Application published correctly. If not, record action taken: _____
- 4/7 Publication dates and paper recorded on application
- Protests received, Final protest date: 5/3/99
- Measuring device required
- Measuring port required
- Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: 15

Date: 5/11/99