


Home →



- PLSS Section LinesSections.shp
- Asbury_spring.shp
- T48n03w.shp
- Home95-09010.shp




95-09010

Field Examination Map 02/07/2,001

APR 1 2001
MICROFILMED

Home 7

- ☐ PLSS Section LinesSections.shp
- ☐ Asbury_spring.shp
- ☐ T48n03w.shp
- ☐ Home95-09010.shp



95-09010



Field Examination Map 02/07/2,001

MICROFILMED
APR 11 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09010

Priority: March 31, 1999

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.2 AF

It is hereby certified that GEORGE BOMAR
26628 GOOD HOPE RD
ATHOL ID 83801 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated March 18, 1999; and has
submitted Proof of Beneficial Use on December 14, 2000. An examination indicates that the works have
a diversion capacity of 0.02 cfs of water from:

SOURCE

SPRING

Tributary: THOMPSON LAKE

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SPRING L1 NW¼NW¼ Sec. 16, Twp 48N, Rge 03W, B.M., KOOTENAI County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N 03W 17			X														


CONDITIONS OF APPROVAL

- Domestic use is for 1 home.
- Right 95-2213 is also diverted through the point of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 26TH day of FEBRUARY, 2001.

MICROFILMED
Acting for
APR 11 2001


KARL J. DREHER
Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
95-09010 IN THE NAME OF) **REINSTATEMENT ORDER**
GEORGE BOMAR)
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted to the Department on or before December 1, 2000; and,

WHEREAS, the Department notified the permit holder on September 31, 2000 by certified mail that proof of beneficial use was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use or an extension of time request; and,


WHEREAS, the Department sent the permit holder a lapse notice on December 5, 2000, since the Department had not received an acceptable proof of beneficial use statement or extension of time; and,

WHEREAS, Section 42-218a, Idaho Code, provides that the Department may reinstate a permit upon a showing of reasonable cause by the permit holder within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting acceptable proof of beneficial use on December 14, 2000;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-09010 is **REINSTATED** with an advance in priority to **March 31, 1999**.

DATED this 22nd day of January, 2001.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

APR 11 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-09010 Telephone No. 683-2258

2. Name of Permit Holder(s): GEORGE BOMAR

3. Mailing Address: W 26628 GOOD HOPE RD
City ATAUL State ID Zip 83801

4. Source of Water: SPRING If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: _____ cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No _____

Has the measuring device been installed?

Yes _____ or No _____

8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: SAME AS ABOVE Telephone Number: _____

Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: X George W Bomar Date: 12-14-2000
(include your title, if on behalf of company of organization) MICROFILMED

APR 11 2001

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-09010

Priority: March 18, 1999

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **GEORGE BOMAR**

N 26600 GOODHOPE RD

ATHOL ID 83801

has applied for a permit to appropriate water from:

SPRING

tributary of **THOMPSON LAKE**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.04 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNWNW , Sec. 16, Township 48N, Range 03W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

48N 03W 17

SWNE


PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before December 1, 2000.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. Stockwater use is for 40 range cattle.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

10th day of December, 1999.


for Karl J. Dreher, Director

MICROFILM

APR 11 2000

Ident. No. 95-09010

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

RECEIVED
NOV 12 1999

Department of Water Resources

1. Name of Applicant GEORGE BOMAR Phone 683-2258
Mailing address N 26600 GOODHOPE RD ATAOL ID 83801
2. Source of water supply SPRING which is a tributary of THOMPSON LAKE
3. Location of point of diversion is Township 48N Range 3W Sec. 16, in the SW 1/4, NW 1/4, NW 1/4, Govt. Lot _____, B.M., KOOTENAI County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 7/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for STOCKWATER purposes from 7/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source GRAVITY FLOW FROM
SPRING TO HOME
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. 1 HOME
 - e. Other; describe fully. _____

MICROFILMED
APR 11 2001

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	3W	17			D														
					S														

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? USFS

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: EASEMENT

12. Remarks: SPRING FLOWS INTO UNNAMED STREAM, WHICH FLOWS INTO THOMPSON LAKE.


13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
APR 11 1999

x George W Boman
Signature of Applicant (and title, if applicable)

Received by B Date 3/18/99 Time 2:40 Preliminary check by B
 Fee \$ 50- Receipted by B # 1072689 Date 3/18/99
 Publication prepared by B Date 3/24/99 Published in CDA Press 4/19/99
 Publication approved B Date 4/20/99



5266

32'30"

T 49 N

T 48 N

5264

5263

5262

2 130 000
FEET

47°30'

116°45'

520

T. 48N., R. 3W.

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

MICROFILMED
APR 11 2001

ARRISON)
IV NE

MEMORANDUM

To: File 95-09010

From: Sharla

Date: February 20, 2001

Re: Licensing Recommendations

Because the point of diversion is close to the line between the NWNWNW and the SWNWNW, the examiner has recommended listing the point of diversion as simply the NWNW. The source is a spring and thus the point of diversion must be listed to the nearest 10-acre tract. According to the map attached to the field exam, the NWNWNW describes the location of the point of diversion marked; a licensing amendment will be required to change the point of diversion description.

I am reluctant to require an amendment when IDWR's examiner can't be sure of the location. I spoke with Al Beardslee again this morning, and he is really unsure. He also confirmed that this right shares source + Point of diversion with 95-2213. Al recommends 0.02 sfs.

*S. Keen
WR Supervisor
2/23/01*

*MOOREHEAD
2/23/01*

LICENSE REVIEW CHECKLIST

Reviewed by Sharla Curtis on 2/16/01

Permit No. 95-9010

BU Fee Pd \$ 50

Name/Address: N OK A CHANGE

Govt Lots 1 n/a plat copy attached

AREA OF CONCERN: No Yes Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (√Flow Chart)

Supp irr (irr = only use) - 065-104
 Supp irr (+ other uses) - 100-105
 ≤ 0.24 cfs/5 acres - No MD
 > 0.24 cfs/5 acres - 01M (if on permit)

LOCATION:

Trust - R55(consumptive uses)
 Non-Trust - 048-049 (consumptive uses
 or non-cons. > 1.0 cfs)

PD Change - P39/P47 - feds(P40)
 PD Add - P45/P42

PU Change - P41/P47 - feds(P43)
 PU Add - P41/P42

PD & PU Change - P37 - feds(P48)

USES:

STORAGE - 18A-R02-01P-18B-NA
 IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
 > 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
 STOCKWATER - R37 (BLM/USFS)
 MINING - 081
 FISH PROP - 029(70'S only)-042-081
 HEAT/COOL - R07(injection well)
 FIRE PROT. - 077

Use Change/Add - P46

ADVANCE PRIORITY? Yes ✓ No

MISC CONDITIONS/REMARKS:

Multiple pd's per ¼¼ - W32
 Subd lot desc (pd) - W59
 Subd lot desc (pu) - W60
 Use definitions - W02 example - C/tire shop
 Non-consumptive - 027
 Water Quality - 081-R07
 Mitigation - 121 (if on permit)
 PPU acre limit - W27

CHECK NEW IRR SEASON MAP NA

SURFACE WATER: (√Flow Chart)

In/Above MSF - WB9
 WD - R04 (WD#)
 ≤ 0.20 cfs/others - R02- 01P or No MD
 > 0.20 cfs - R43

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
 >0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22, N/A
 (02,03) - WB9 if above Weiser
 Payette R (65) - 047(Payette Lake)
 Salmon R (70's) - 029 (fish screens)
 Weiser R (67) - 086-087

USES:

POWER - R22-R23 (+uses)-025-081-W42-W43-027
 MUNICIPAL
 Restricted area - 022,075
 Irr., GW supp to SW - 102
 DOMESTIC
 Surface water - WB5 (Big Wood or Boise above Star Bridge)
 27A (Payette R)
 >1 in restricted area - 070-071-075(no parks/common areas, etc)
 Irr use listed separate - WB5
 Lawn/garden included - W01 /1

OVERLAP ANALYSIS/RATES/VOLUMES:

PD overlap rights - W35-W36 Right #
 PU overlap rights - WB7-W31(<1 ac)
 GW replaced SW - 050

Permit Rate 0.04 cfs Fee Limit 0.04 cfs
 Measured NA cfs Theoretical 0.04 cfs

Use	Rate	Volume
<u>Dom/1</u>	<u>0.04</u> cfs	<u>1.2</u> af
<u> </u>	<u> </u> cfs	<u> </u> af
<u> </u>	<u> </u> cfs	<u> </u> af
TOTALS	<u>0.04</u> cfs	<u>1.2</u> af

OTHER CONDITIONS/REMARKS/COMMENTS

SRBA Claim Filed Yes No

If no, is a claim required: Yes No

AMENDMENTS REQUIRED ✓ Yes No

If yes, paragraph codes:

Adjustment Memo Needed ✓ Yes No

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-09010

1. Owner: GEORGE BOMAR Phone No. 683-2258

Current Address: 26628 GOOD HOPE RD ATHOL ID 83801

2. Accompanied by: GEORGE BOMAR EXAM DATE: 10-16-2000

Address: _____ Phone No. _____

Relationship to Permit Holder: OWNER

3. Source: SPRING tributary to THOMPSON LAKE

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1		NW	NW	17	48N.	3W.	KOOTENAI	U.S.G.S. TOPOGRAPHICAL MAP

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N.	3W.	17					D/S												

MICROFILMED

APR 11 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: BULLET METHOD 6 SEC = 2 gal = 20 GPM @
HOME - NO MEASUREMENT POSSIBLE AT SPRING AS LINES
BURIED - ACTUAL DIVERGION FROM SPRING ESTIMATED
AT 9 GPM

Home →



- PLSS Section LinesSections.shp
- Asbury_spring.shp
- T48n03w.shp
- Home95-09010.shp




95-09010

Field Examination Map 02/07/2,001

APR 1 2001
MICROFILMED

Home 7

- PLSS Section LinesSections.shp
- Asbury_spring.shp
- T48n03w.shp
- Home95-09010.shp



95-09010



Field Examination Map 02/07/2,001

MICROFILMED
APR 11 2001

E. NARRATIVE/REMARKS/COMMENTS

WATER IS COLLECTED IN A 8'x8'x5' SPRING BOX - GRAVITY FLOW VIA 1 1/4" PIPE LINE TO HOME. DOMESTIC USE INCLUDES LAWN & GARDEN IRRIGATION (1 HOME).

GPS WAYPOINTS WERE COLLECTED FOR SPRING BOX AND HOME LOCATIONS.

THE SPRING BOX APPEARS TO BE VERY CLOSE TO THE LINE BETWEEN NW 1/4 NW 1/4 NW 1/4 AND SW 1/4 NW 1/4 NW 1/4, SEC. 16, T. 48N., R. 3W. NORTHERN REGION RECOMMENDS THAT THE LEGAL DESCRIPTION FOR THIS P.O.D. BE NW 1/4 NW 1/4 (GOVT LOT 1), T. 48N., R. 3W.

SPRING IS TRIBUTARY TO AN UNNAMED STREAM AND THEN TO THOMPSON LAKE.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 17 2009

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

SEE MEASUREMENTS**G. VOLUME CALCULATIONS**STANDARD

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days In Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>7/1</u>	<u>12/31</u>	<u>0.02</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.02</u>	<u>1.2</u>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Allen B. Smith Date 10-20-2,000

Reviewer _____ Date _____

SEAL

MICROFILMED

OCT 25 1999

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9010

Reviewed By: dgibson

Date: January 22, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?		X	Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N014070	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		12/14/2000
Date proof due	-	12/01/2000
No. of days late	=	13
Holiday allowance	+	
Priority date	+	03/18/1999
New priority date	=	03/31/1999

Deficiencies of Actions Items

Acknowledge proof, reinstate permit and advance priority to 3/31/99.

RECEIVED

DEC 14 2000

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

CHANGE IN ADDRESS

This form can be used to notify the Department of a change in
Address of the owners of record for the listed water rights.
(Please print or type)

[X] Water Right Number(s): 95-09010

[X] Names(s): George Bomar

[X] Old Mailing Address: 26600 Goodhope Rd.

Athol, ID 83801

[X] New Mailing Address: 26628 Goodhope Rd.

Athol, ID 83801

Telephone Number: (208) 683 - 2258

[X] Signature(s) of Owner(s) X George W Bomar

Glenn Bomar

(Include your title if on behalf of company or organization)

X Date: 12-11-00 MICROFILMED

APR 11 2001

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on 11/16/99

No. 95-09010 Name: Bomas Corp. Officers N/A Ad ok ☒ Govt Lots _____

AREA OF CONCERN: No/Yes _____ Moratorium _____ ~~GWMA~~ TRUST/NON-TRUST _____

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046(P23)
Basin 34 - 085
Irr. w/in WD - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
~~WMD~~
Supp irr (irr = only use) - 065-079
Supp irr (+other uses) - 100-101
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248/Area - P84 (20s-70s, 81-86)
Swan Falls Flag -
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS) N/A
MINING - 054-081(P10)
FISH PROP - 029(70'S only)-007-042-081(P10)
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

BENEFICIAL USE DUE: 12101 12000

MISC CONDITIONS/REMARKS:

~~Protected~~ - 020-W19
Development Period
≤ 1 yr (P16)
→ 1 yr - 26A(P17)
Ownership - 004
~~Non-consumptive~~ - 027
~~Water Quality~~ - 081-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response _____
In/Above MSF - WB9
PLANNING SECTION REVIEW/RESPONSE _____
In-stream development - P52
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)
MUNICIPAL
Restricted area - 022,075
Irr, GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
>1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2400 gpd - meetd domestic definition
i.e. D/convenience store)

Multiple pd's per 1/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)

OTHER CONDITIONS/REMARKS D/I home

COMMENTS numerous messages left to obtain
stock - no replies
470 range cattle

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
APPROVAL APPLICATION ANALYSIS SHEET

WR1
WRA
BCA

NOV 12 1999

APPLICATION # 95-09010

INITIAL REVIEW

Department of Water Resources

APPLICANT: BOMARBY: ABDATE: 3/18/99

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
 - (x) Nature of Proposed Use
 - (x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other water Rights
11. (x) Ownership
12. (x) Map
 - (x) Signature
 - (x) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- Y Field check: by _____
- Y Field report attached
- Y Analysis Supp. attached(>5cfs/500af)
- Y Water delivered by water master?
- Water District # _____

PROCESSING

(Yes) (No) PRIORITY DATE: 3/18/99X (Include Moratorium Remark)X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).ADVERTISE IN: KOOTENAI County

-NOTE- GEORGE WILL SEND EASEMENT FROM O.S.F.S. - MEETING WITH THEM SOON. AB

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()

Groundwater management area

Critical ground water area

Well Drilling Permit required

Well Drilling Application and Fees received

Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

Notice of pending void order issued. Final order response date: / /

Further information required from applicant

Affidavit of publication received

Application published correctly. If not, record action taken: _____

Publication dates and paper recorded on application

Sr. Agent initial ABProtests received, Final protest date: 4/19/99

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB RYADate: 4/21/99

BOMAR WATER PIPELINE
STATE OF IDAHO EASEMENT NO. 6173

