

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 95-09003

Priority: November 20, 1998

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

6.6 AF

This is to certify, that DAVID A ATWOOD

3180 E DODD

HAYDEN LAKE ID 83835 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 20, 1998; and has submitted Proof of Beneficial Use on February 1, 1999. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.04 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (NENE), Sec. 6, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	03W	6	Lot 1 (NENE)	2		2

Total number of acres irrigated: 2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
2. Two points of diversion are located within Lot 1 (NENE), S06, T51N, R3W.
3. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 28TH day of

APRIL, 1999.

Acting for

KARL J. DREHER, Director

MICROFILMED
575 1 1 803

RECEIVED

FEB 03 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-09003 Telephone No. 772-6900
2. Name(s) of Permit Holder(s): DAVID A ATWOOD
3. Mailing Address: 3180 E DODD HAYDEN LAKE ID 83835
4. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. 5 / yr. 85
- a. Well Driller: _____ Drilling Permit Number: _____
- b. OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
1 - HAND DUG WELL - 1966
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 2 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | |
|------------------------|--|--------------------------|
| Measuring Device: | Is a measuring device required? | Yes _____ or No <u>✓</u> |
| | Has the measuring device been installed? | Yes _____ or No <u>✓</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes _____ or No <u>✓</u> |
| | Has the measurement port been installed? | Yes _____ or No <u>✓</u> |
8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: SAME AS ABOVE Telephone Number: _____
Address: _____
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.
- Signature of permit holder: X David A Atwood Date: 2/1/99
(include your title, if on behalf of company or organization)

MICROFILMED

APR 15 1999

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-09003

Proposed Priority: November 20, 1998 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **DAVID A ATWOOD**
3180 E DODD

HAYDEN LAKE ID 83835

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.04 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (NENE), Sec. 6, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	03W	6	Lot 1(NENE)	2.0		2.0

Total number of acres irrigated: 2.0

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 2000.**
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
5. Two points of diversion are located within Lot 1 (NENE), S06, T51N, R03W.
6. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

21st day of January, 1999.

MICROFILMED

APR 15 1999

[Signature]
for Karl J. Dreher, Director

Ident. No. 95-09003

RECEIVED

JAN 13 1999

To appropriate the public waters of the State of Idaho

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant DAVID A. ATWOOD Phone 722-6900
Mailing address 3180 E DODD, HAYDEN LAM, ID 83835
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is Township S1N Range 3W Sec. 6, in the _____ 1/4, NE 1/4, NE 1/4, Govt. Lot 1, B.M., KOOTENAI County;
additional points of diversion if any: (2)
4. Water will be used for the following purposes:
Amount 0.04^{0.02} for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source 2 WELLS - ONE HAND DUG, ONE DRILLED.
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. 1
e. Other; describe fully. _____
- MICROFILMED
APP 15 1980


* max. allowable for in-house use. OK per applicant per Telecom 11/19/99 cz.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC
S10 SW6	D	2 L711
N E	NE NW SW SE	
N W	NE NW SW SE	
S W	NE NW SW SE	
S E	NE NW SW SE	2
TOTALS		

2

Received by	50- JF	Date	11/20/98	Time	9:30	Preliminary check by	JF
Fee \$		Received by	JF			#	2012539
Publication prepared by	P	Date	11/24/98	Published in	CPH Press	Date	12/3+10/98
Publication approved by	P	Date	12/17/98				



PLACE
OF USE

POINTS (2)
OF DIVERSION

MICROFILMED
APR 15 1999

T.S. 14. R. 36.

Rock:
Beac

MEMORANDUM

TO: File 95-09003

FROM: Sharla

DATE: April 22, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 95-09003 are as follows:

H. RECOMMENDATIONS

Irrigation	3/15 – 11/15	0.04 cfs	6.0 afa
Domestic	1/1 – 12/31	0.02 cfs	0.6 afa
	TOTALS	0.04 cfs	6.6 afa

The standard volume/acre for this area is 3.0 af.

Exam Date: February 4, 1999
Examiner: Dave Pagel

MICROFILMED

AUG 11 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-09003 DATE 4/29/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40
W32 (multiple in 1/4)
W36 (overlap)
W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43
W60 (subd. desc)
W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .04 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured ✓ cfs
 Theoretical .07 cfs
 Recommended Total Div Rate .04 cfs

WATER USES	<u>OK</u>	Change (P46)		
<u>Dom</u>	<u>.04</u> cfs	<u>2X3.0</u> af	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
<u>Dom</u>	<u>.02</u> cfs	<u>.6</u> af		supp. gw (WB7/065/079)
				overlap spec. combined rts (W35)
				<1acre (W31)
			Domestic	(W01/WB5/070/071/075)
			Power	(W42 or W43/025/027/R22 or R23)
			Fish (042)	Fire (077) Wtr Quality (081/R07)
TOTALS	<u>.04</u> cfs	<u>6.6</u> af		

Flow rate .04 cfs X 246 days X 1.98 = 19.5 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes ✓ no SRBA Claim N/A Adjust Memo val/ac = 3.0
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 22 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-09003

1. Owner: David A. Atwood Phone No. (208) 772-6900

Current Address: 3180 E. Dodd Rd. Hayden Lake Idaho 83835

2. Accompanied by: David Atwood EXAM DATE: Feb 4, 1999

Address: Same Phone No. _____

Relationship to Permit Holder: self

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1	1		NE	NE	6	51N	3W	Kootenai	USGS 7.5' Quad, Metster G.L. maps
2	1		NE	NE	6	51N	3W	Kootenai	USGS 7.5' Quad, Metster G.L. maps


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	3W	6	01-2 D																2.0

NOT FILMED
JUN 11 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N/A

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Hand dug well		1 Hp	A-67		SKCEJ 38 CY
drilled well		1 HP	30-2135	Gould Submersible	TO 34829

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. N/A

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

AUG 11 1989

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from 2 points of diversion located on this property. Water for irrigation and domestic use is diverted using a 1 horsepower pump at the hand dig well and also a 1 horsepower pump (submersible) from the drilled well.

Approximately 2 acres of lawn and garden is being irrigated. Domestic use is for 1 home.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 11 1993

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached*see theoretical calculations***G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$330 \text{ ft} \times 300 \text{ ft} = 99000 \text{ ft}^2 \text{ (area irrigated)}$$

$$100 \text{ ft} \times 130 \text{ ft} = 13000 \text{ ft}^2 \text{ (less driveway/house)}$$

$$99000 \text{ ft}^2 - 13000 \text{ ft}^2 = 86000 \text{ ft}^2 / 43560 \text{ ft}^2 = 1.97 \text{ acre}$$

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.0 \text{ acre} \times 3.5 \text{ af/acre/season} = 7.0 \text{ afa}$$

$$V_{D.R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04 \text{ cfs} \times 245 \times 1.9835 = 19.44 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R} \text{ and } V_{D.R} = 7.0 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>03/15</u>	<u>11/15</u>	<u>.04 cfs</u>	<u>7.0 afa</u>
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>.02 cfs</u>	<u>.6 afa</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.04 cfs</u>	<u>7.6 afa</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

David A. Rygel

Date

Feb 17, 1999


Reviewer _____

Date _____

SEAL

MICROFILMED

AUG 11 1999



P.D.
P.U.

95-09003
ATwood
T51W R3W
Sec 6

MICROFILMED
AUG 11 1999

HAYDEN 2.3 MI.

CITY
Hayden
Lake

BDY

Beverly Bay


Bay

MC

English Po

MICROFILMED
AUG 11 1999

T 51N
R 3W



THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-09003, ATWOOD (HAND DUG WELL)

DATE: 17-FEB-99

COMPLETE BY: PAGEL

HORSEPOWER = 1

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 50 FEET

SYSTEM PRESSURE = 45 PSI

QUANTITY = 0.04 CFS

MICROFILMED
JUN 11 1999

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-09003, ATWOOD

DATE: 17-FEB-99

COMPLETE BY: PAGEL

HORSEPOWER = 1

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 100 FEET

SYSTEM PRESSURE = 45 PSI

QUANTITY = 0.03 CFS

MICROFILMED
AUG 11 1999

PERMIT # 95-09003

STATE OF IDAHO

SOURCES
POINT
S

Point of Diversion
Hand
Dug
Well



Point of
diversion
Place of
use



95-09003

Place of use



95-09003

MICROFILMED
AUG 11 1999

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-09003 Reviewed by [Signature] Date 3-10-99

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
NO Drilling permit required? per 87
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

NO Required?
50- Amount Submitted
NO Correct?

NO Required?
 / Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Refund \$ 50.00 exam fee since .04 - ground water
Proof Acceptable

DATA ENTRY

New Address X Proof Made 2-1-99

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by Cindy LouNo.: 95-09003 Name: Alwood Date: 1/19/99 Ad OK? ✓ / Gvmt Lts: RT1

AREA OF CONCERN: - No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT:

All wells (✓ WDQ3) - 046/P23

In Basin 34? - 085

Irr. within WD - P05 (new well location)

WMD (✓ MAP) - North / East / West

> 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres - No MD

WMD Supplemental use - 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

> 0.24 cfs/5 acres - 01M (report when notified)

≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - Yes / No; WHEN: _____ RESPONSE: _____

IN/ABOVE MIN. STR. FLOW (✓ MAP) - *WB9

WD (✓ MAP & LISTING) - R04 (WD # _____)

> 0.10 cfs - 01J-P08 (MD & LD)

≤ 0.10 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres - No MD

In-stream dev. - P52 (stream channel alteration)

RIVER BASINS: (*Surface water):

Snake R (01) - *W22 -P04, NA

(02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA

Payette R(65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R(70's) - 029 (fish screens), NA

Weiser R (67) - 086, 087

USE:

Storage (✓ 3 compo.) - 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

Irr ≤ 5 acres - ~~R66~~/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

Stockwater - R37 (BLM/USFS); NA

Mining - 054(req) -081-P10

Fish Propagation - 029(70's only)-007-042(req)-081 (WQ)-P10

Heating/Cooling - R07 (injection well)

Power - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18

Municipal - 022, 075, 004 (+memo?), NA (not in restricted area)

Domestic surface - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area - ~~074-079~~

Fire Protection - 077

LOCATION:

Boise Front LoGeo - 058 (<85° GW temp only)

Mitigation - 120

42-248 area - P84 (in 20/30/40/50/60/70/80 (87) basin)

SWAN FALLS FLAG (See Code Chart)

Trust -

Non-Trust (1) - 051-052-053-P74 (Consumptive Uses), NA

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- 046/P23 2 W32- 2 1/1 2000- Reduce in-house down to 0.02 cfs no change in max div rateOK per telecon w/appr. today

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

WR/ WRA
BCA1

JAN 13 1999

APPLICATION # 95-09003

INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: ATWAD BY: B DATE: 11 / 20 / 98

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
(X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

- (Yes)(No)
- X Field check: by _____
- + Field report attached
- + Analysis Supp. attached(>5cfs/500af)
- + Water delivered by water master?
Water District # _____

PROCESSING

(Yes)(No) PRIORITY DATE: 11 / 20 / 98

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
<u>95 85 N 0020</u>	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()

- X Groundwater management area
- X Critical ground water area
- Well Drilling Permit required
- X Well Drilling Application and Fees received
- X Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

- (Yes)(No)
- Notice of pending void order issued. Final order response date: _____/_____/_____
- Further information required from applicant
- Affidavit of publication received
- Application published correctly. If not, record action taken: _____
- Publication dates and paper recorded on application | Sr. Agent initial AS
- ✓ Protests received, Final protest date: 12 / 21 / 98
- ✓ Measuring device required
- ✓ Measuring port required
- ✓ Special conditions:
- ✓ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: B. C. A.

Date: 12 / 28 / 98