

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09000

Priority: October 28, 1998

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 10.5 AF

It is hereby certified that C R WEAVER And DONNA L WEAVER
6316 S HELENA ST
SPOKANE WA 99223 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated October 28, 1998; and have
submitted Proof of Beneficial Use on January 23, 2001. An examination indicates that the works have a
diversion capacity of 0.26 cfs of water from:

SOURCE

HAYDEN LAKE

Tributary: SINKS

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
FIRE PROTECTION	01/01 to 12/31	0.20 CFS	
IRRIGATION	03/15 to 11/15	0.10 CFS	10.5 AF

LOCATION OF POINT OF DIVERSION:

HAYDEN LAKE	NE $\frac{1}{4}$ SE $\frac{1}{4}$	Sec. 18, Twp 51N, Rge 03W, B.M., KOOTENAI County
HAYDEN LAKE	L9 (SE $\frac{1}{4}$ NE $\frac{1}{4}$)	Sec. 18, Twp 51N, Rge 03W, B.M., KOOTENAI County

PLACE OF USE: FIRE PROTECTION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N 03W 18				X													
				L9													

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N 03W 18				3.5													3.5
				L9													

Total Acres: 3.5

CONDITIONS OF APPROVAL

1. This right authorizes a single point of diversion.
2. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.

MICROFILMED

NOV 25 2003


State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09000

4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 25th day of April, 2003.


for KARL J. DREHER
Director

MICROFILMED

MAY 26 2003

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE)
MEASURING DEVICE CONDITION OF)
APPROVAL FOR PERMIT NO. 95-9000)
IN THE NAME OF C. R. WEAVER &)
DONNA L. WEAVER)
_____)

ORDER

WHEREAS, the Department of Water Resources (department) has issued the above captioned water right permit with a condition of approval requiring the permit holder to install/maintain a measuring device and lockable controlling works as part of the diverting works; and


WHEREAS, the department has determined that the measuring device is not presently needed to measure the water in question;

ORDER

IT IS THEREFORE HEREBY ORDERED that the condition of approval requiring the installation of a measuring device for the above captioned permit is **WAIVED**.

IT IS FURTHER ORDERED that the department retains jurisdiction to reinstate the condition in the future upon a finding of need by the department.

Dated this 25th of January, 2001.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

APR 11 2001

RECEIVED

JAN 23 2001

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-090000 Telephone No. 208 667-4006

2. Name of Permit Holder(s): CR WEAVER & DONNA L. WEAVER

3. Mailing Address: 2999 PONDEROSA LANE

City HAYDEN LAKE State ID Zip 83835

4. Source of Water: HAYDEN LAKE If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
Pump
Well Driller: R.C. WORST Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): EMERGENCY
Irrigation (No. of acres): 3.5 (.10 CFS) Other: FIRE PROTECTION (.20 CFS)

6. Total rate of diversion and/or volume for which proof is submitted: .200 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not** optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Pump CURVE Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: CHARLES E. OAKLAND Telephone Number: 208 667-4006

Address: P.O. Bx. 5205 ODAL ID. 83814-1953

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: X [Signature] Date: 1/12/01
(include your title, if on behalf of company or organization)

MICROFILMED

APR 11 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09000

Proposed Priority: October 28, 1998

Maximum Diversion Rate:

0.20 CFS

This is to certify, that C R WEAVER

DONNA L WEAVER

2999 PONDEROSA LN

HAYDEN LAKE ID 83835

has applied for a permit to appropriate water from:

HAYDEN LAKE

tributary of SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.10 CFS
FIRE PROTECTION	01/01 to 12/31	0.20 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 9 (SENE), Sec. 18, Township 51N, Range 03W
NESE, Sec. 18, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	03W	18	Lot 9 (SENE)	3.5		3.5

Total number of acres irrigated: 3.5

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 2001.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. This right authorizes a single point of diversion.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
6. Prior to diversion of water under this right, the right holder shall install and maintain a measuring device and lockable controlling works of a type acceptable to the Department as part of the diverting works.

MICROFILMED

APR 15 1999

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 95-09000

CONDITIONS OF APPROVAL AND REMARKS

7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
8. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
9. The issuance of this right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29th day of January, 1999.


Karl J. Dreher, Director
for

MICROFILMED

APR 15 1999

Ident. No. 95-09000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

JAN 13 1999

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant CR & Donna L. Weaver Phone 208-772-7782
Mailing address 2999 Ponderosa Lane Hayden Lake Id 83835
2. Source of water supply Hayden Lake which is a tributary of SINKS
3. Location of point of diversion is Township Hayden Lake Range 3 North Section 18 in the SE 1/4, NE 1/4, 1/4, Govt. Lot Lot 09, B.M., Block 1 - Kootenai Co County; additional points of diversion if any: P.O.D. on line between NESE and SENE

4. Water will be used for the following purposes:

- Amount 0.2 for FIRE PROTECTION purposes from Y1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.10 for IRRIGATION purposes from 3/15 to 1/15 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.2 0.10 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source PUMP - LINE IN LAKE

- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet

- d. Is ground water with a temperature of greater than 85°F being sought? ☒

- e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____

- b. Stockwatering; list number and kind of livestock. _____

- c. Municipal; show name of municipality. _____

- d. Domestic; show number of households. 1 home

- e. Other; describe fully. FIRE PROTECTION

MICROFILMED

APR 15 1999

Receipt
NO 12500
\$ 50.00

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? JOAATO DEPT. LAWS / HEP/UC/AL?

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make

THIS FILING: SUBROGATION PERMIT FROM FOX

12. Remarks:

Glout Lot 9 Lot 17 Block 1

40.

20

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Signature of Applicant (and title, if applicable)

APR 15 1999
MICROFILMED

Received by C.M.	Date	Time	Preliminary check by	#	Published in GDS	Date	Publication approved by
	10-28-98	1:05 p.m.	4/3654	10-28-98	11/11/98	12/17/98	
Fee \$ 50.00	Received by	cm	CM	10-28-98	11/11/98	12/17/98	



MICROFILMED
APR 15 1999

X MARKS SPOT

DEPT. LANDS

T51M. R3W.

Clark Point

The Clark House

Clarksville

O'Rowke Bay

ELEVATION 2238 JULY 1958

Sec. 9.


Sec. 16.

Sec. 21.

Sec. 8.


Sec. 17.

Sec. 20.



MICROFILMED
APR 15 1999

THIS IS NOT A SURVEY. THIS PLAN IS SUPPLIED BY PIONEER TITLE COMPANY FOR INFORMATION PURPOSES ONLY AND THE COMPANY ASSUMES NO LIABILITY AS TO ITS ACCURACY.



LICENSE REVIEW CHECKLIST

Permit No. 95-9000 Date: 4-21-03 Reviewer: Kay Walker

Change/OK

Name/Address ok

Source ok
Point of Diversion: ok

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use ok

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): none
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.20 cfs
Fee Limit 0.20 cfs
Measured _____ cfs
Theoretical 0.20 cfs

Recommended Total Diversion Rate 0.20

Water Uses

ok Change (P46)

Season of Use per new Standards

3-15 11-15

Irrigation 0.09 cfs 10.5 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
Fire 0.20 cfs _____ af
Total 0.20 cfs 10.5 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (106/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

Volume Determination

0.09 cfs x 1.9835 x 246 days = 43.9 af (vs) 3.5 acres x 3.0 (FHR) = 10.5 af
2.0(con)

Remarks: _____

Additional Conditions _____ Watermaster Control
_____ GW Measurement/Measuring Device
_____ Other
Trust R56 - remove 051)
Non-trust (048)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes If yes, explain why below.
no

SRBA Claim? Not req'd

Adjust memo yes -

Amend Letters _____ P87, S06 Second Amendment Notice _____ S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 26 2001

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-09000

1. Owner: C.R. & Donna L. Weaver Phone No. (208) 667-4006

Current Address: 2999 Ponderosa Lane, Hayden Lake Id. 83835

2. Accompanied by: Charles Oakland EXAM DATE: 07-24-01

Address: P.O. Box 5205 Coeur d'Alene Id 83814-19 Phone No. (208) 667-4006

Relationship to Permit Holder: Installed system

3. Source: Hayden Lake tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	18	51N	03W	Kootenai	USGS	Quand
Single Point on the Line		NE	SE	18	51N	03W	Kootenai	USGS	

2. Place(s) of Use:

Indicate Method of Determination


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	03W	18				3.5													3.5

MICROFILMED

NOV 26 2003

There are 4 zones, 13 heads
can only run 1 zone
at a time.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Pump Control
Fire Station

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

NOV 18 1997

E. NARRATIVE/REMARKS/COMMENTS

Irrigation is for bushes, shrubs, trees, and to keep green zone

There is a 150 vertical difference from pump to most of irrigated area.

I did a theoretical calculation $\frac{8.8(2)(.075)}{150 + (2.31 \times 41)} = \frac{12.32}{258.57} = .05$

Then I did a 5 gal bucket measurement near garage, that's about $\frac{1}{4}$ of the way to top of irrigated area. I got 5 gal in 12 sec 25 gpm

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

NOV 26 2003

Additional Computation Sheets Attached

5 gal bucket 5 gal in 12 sec = 25 gpm
 $\frac{25 \times .133681}{60} = .055 = .06 \text{ cfs}$

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.5 \times 3 = 10.5$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 245 \times 1.9835 = 2.9$$

$$V = \text{Smaller of } V_{LB} \text{ and } V_{DB} = 10.5$$

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	1.06	10.5
Silt Protection	01-01	12-31	1.06	
Totals:			1.06	10.5

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


Field Examiner's Name Wayne Baldwin Date 08-17-01

Reviewer _____ Date _____

SEAL

MICROFILMED
NOV 26 2003

THIS IS NOT A SURVEY. THIS PLAN IS SUPPLIED BY PIONEER TITLE COMPANY FOR INFORMATION PURPOSES ONLY AND THE COMPANY ASSUMES NO LIABILITY AS TO ITS ACCURACY.




95-09000

MICROFILMED
NOV 26 2003

Dept. LANDS
SHOW DIVERSION Pt.

(X)



95-09000

MICROFILMED
NOV 26 2003

Maped, edited, and published by the Geological Survey

Control by USGS and NOSNOAA

Topography by photogrammetric methods from aerial photographs taken 1958. Field checked 1961



Polyconic projection. 1927 North American Datum. 10,000-foot grid based on Idaho coordinate system, west zone 1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue

To place on the predicted North American Datum 1983, move the projection lines 14 meters north and 77 meters east as shown by dashed corner ticks

Fine red dashed lines indicate selected fence lines

Map photoinspected 1976

No major culture or drainage changes observed




CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929




Heavy-duty
Medium-duty

THIS MAP COMPLETES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

95-09000



PD



Pump House
with controls



PV



PV

MICROFILMED
NOV 26 2003



Pu



Pu

MICROFILMED
NOV 26 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9000

Reviewed By: dgibson

Date: January 25, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		C051980	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?	X	
Name and address same as permit?		X	Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		01/23/2001
Date proof due	-	02/01/2001
No. of days late	=	0
Holiday allowance	+	
Priority date	+	10/28/1998
New priority date	=	10/28/1998


Deficiencies of Actions Items

Acknowledge proof. Find out if a pump curve is a measuring device. *Issue an Order waiving measurement device at this time.*

FLOW RANGE: 18-118 GPM

OUTLET SIZE: 3" NPT

NOMINAL DIA. 6"



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
 4" MOTOR STANDARD, 1.5-5 HP/3450 RPM
 6" MOTOR STANDARD, 7.5-50 HP/3450 RPM.
 Alternate motor sizes available.

Performance conforms to ISO 2548 Annex B
 @ 5 ft. min. submergence.

MICROFILMED

APR 11 2001

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by Cindy LouNo.: 95-09000 Name: Weaver Date: 1/27/99 Ad OK? ☒ ☒ Gvmt Lts: _____

AREA OF CONCERN:

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year

- 26A-P17

≤ 1 year/no proof

- P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT:

All wells (✓ WDQ3)

- 046-P23

In Basin 34?

- 085

Irr. within WD

- P05 (new well location)

WMD (✓ MAP)

- North / East / West

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD Supplemental use

- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

> 0.24 cfs/5 acres

- 01M (report when notified)

≤ 0.24 cfs/5 acres

- No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED:

- Yes / No; WHEN: _____ ? RESPONSE: None

IN/ABOVE MIN. STR. FLOW (✓ MAP)

- *WB9

WD (✓ MAP & LISTING)

- R04 (WD # 95)

> 0.10 cfs

- 01J-P08 (MD & LD)

≤ 0.10 cfs

- 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

In-stream dev.

- P52 (stream channel alteration)

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22-P04, NA

(02/03-irr)

- 007 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's)

- 029 (fish screens), NA

Weiser R (67)

- 086, 087

USE:

Storage (✓ 3 compo.)

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

Irr ≤ 5 acres

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

Stockwater

- R37 (BLM/USFS); NA

Mining

- 054(req)-081-P10

Fish Propagation

- 029(70's only)-007-042(req)-081 (WQ)-P10

Heating/Cooling

- R07 (injection well)

Power

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

Municipal

- 022, 075, 004 (+memo?), NA (not in restricted area)

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area

- 071-070

Fire Protection

- 077

LOCATION:

Boise Front LoGeo

- 058 (<85° GW temp only)

Mitigation

- 120

42-248 area

- P84 (in 20/30/40/50/60/70/80 (87) basin)

SWAN FALLS FLAG (See Code Chart)

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:

OTHER CONDITIONS:

- 004 (PD/PU) Dept. of Lands

STANDARD REMARKS:

- 076

BENEFICIAL USE DUE:

- 2 / 1 / 2001

COMMENTS:

IDAHO DEPARTMENT OF WATER RESOURCES
APPLICATION ANALYSIS SHEET

RECEIVED

JAN 13 1999

WRI
WRA
DCA

APPLICATION # 95-09000

INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: WEAVER

BY: AB

DATE: 10/28/98

ITEM REQUIRED INFORMATION

1. (✓) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- ✓ Field check: by _____
- ✓ Field report attached
- ✓ Analysis Supp. attached (>5cfs/500af)
- ✓ Water delivered by water master?
- Water District # 95-A

PROCESSING

(Yes) (No) PRIORITY DATE: 10/28/98

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA/Thur/ok

ADVERTISE IN: ROOTENAI County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- ✓ Groundwater management area
- ✓ Critical ground water area
- ✓ Well Drilling Permit required
- ✓ Well Drilling Application and Fees received
- ✓ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- ✓ Notice of pending void order issued. Final order response date: 12/7/98
- ✓ Further information required from applicant
- ✓ Affidavit of publication received
- ✓ Application published correctly. If not, record action taken: _____

Publication dates and paper recorded on application | Sr. Agent initial AB

Protests received, Final protest date: 12/7/98

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB

Date: 12/28/98

Memorandum to File

Date: December 28, 1998

From: Beardslee

File: 95-09000

RE: Fish and Game review of surface water Application for Permit

~~~~~  
The Idaho State Fish and Game Department was given the opportunity to review this filing, in addition to our notification of new water right filings list.

Northern Region was given no negative response to the approval of this filing.

MICROFILMED

APR 13 1999