

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08976

Proposed Priority: October 14, 1997 Maximum Diversion Rate: 0.70 CFS

This is to certify, that NEBELS ADDITION WATER & SEWER ASSN
C/O DUANE HEINTZ
1136 BRYDEN
LEWISTON ID 83501

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.40 CFS
DOMESTIC	01/01 to 12/31	0.30 CFS
	Totals	0.70 CFS

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 19, Township 47N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
47N	03W	19	Lot 2 (SENE)	10.0	NESE 10.0	20.0

Total number of acres irrigated: 20.0

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 2003.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED

APR 15 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 95-08976

CONDITIONS OF APPROVAL AND REMARKS

7. The issuance of this right does not grant any right-of-way or easement across the land of another.
8. Point of diversion is located within Lot 13, Nebel's Addition to Conkling Park Subdivision.
9. Place of use is located within Lots 1-14, Blk. 1; Lot 1-5, Blk. 2, Lots 1-8, Blk. 3; and Lots 1-18, Blk. 4; Nebel's Addition to Conkling Park Subdivision.
10. Domestic use is for 41 homes and does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

21st day of August, 1998.


for
Karl J. Dreher, Director

MICROFILMED
APR 15 1998

Note new address to since all correspondence -
Mons. Heintz
1136 Brydon
Lewiston, Idaho 83501

Ident. No. 95-08976

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
AUG 06 1998

To appropriate the public waters of the State of Idaho

AMENDED

Department of Water Resources
743-3834

1. Name of Applicant Nebels Addition Water & Sewer Association Phone 208-686-8002
Mailing address N. 29185 Florida Circle Worley, Idaho 83876

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is Township 47N. Range 3W. Sec. 19 in the _____ 1/4.

NE 1/4, SW 1/4, Govt. Lot 3, B.M., KOOTENAI County;

additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.30 cfs for DOMESTIC purposes from 4/1 to 12/31 (both dates inclusive)
- Amount 0.40 cfs for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated is (a) 0.70 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source 9000 GAL CONC. STORAGE TANKS
6" PVC WATER LINES DIST. SYST. - 5 HP DEEPWELL PUMP -
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is 5 inches; proposed depth of well is 400 ± feet
- d. Is ground water with a temperature of greater than 85°F being sought? NO
- e. If well is already drilled, when? NO; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 41 LOT MAX. - CURRENTLY 7 HOUSEHOLDS USING
- e. Other; describe fully. _____

MICROFILMED

APR 15 1999

a. If water is for irrigation, indicate acreage in each subarea.

7/21/98
MADE CHANGES
INCREASED ON
DECREASED ON
ADDITION
SUBTRACTION

[illegible]

02

10. Describe any other water rights used for the same purposes as described above. CURRENTLY USING WATER FROM CONJUGAL FAIR WATER SYSTEM
11. a. Who owns the property at the point of diversion? THE ASSOCIATION WILL OWN THE LAND
- b. Who owns the land to be irrigated or place of use?
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

12. Remarks: OFFICERS: Duane Heintz - President

Jon Frank - Vice President

~~Donna Nelson - Secretary - phone # 808-289-5957~~

Hazel Nibel - Pres.

SEAN HOUGHTON OF IAS #15 is our Engineer.

Gil Harmond is our general contractor for our well project.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned here-
of the State of Idaho as herein set forth.

MICROFILMED

5664 G 1 8dV

Signature of Applicant (and title, if applicable)

Preliminary check by

Time

Date _____

Received by


Publication prepared by:

Publication approved

Date _____

1	1	1	4	97
---	---	---	---	----

Date 10/16/97



95-08976

95 94

ROAD CLASSIFICATION

Primary highway,
hard surface

Secondary highway,
hard surface

Interstate Route

Light-duty road, hard or
improved surface

Unimproved road

U. S. Route

State Route

Maped, dited, and published by the Geological
Control by USGS and NOS/NOAA
Topography by photogrammetric methods from aerial photogi
taken 1975. Field checked 1976. Map edited 1981
Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 11


MICROFILMED

APR 15 1989

NEBEL'S ADDITION TO KONKLING PARK

PLACE OF
UNPLATTED

POINT OF
DIVERSION



MICROFILMED
APR 15 1999

NEBEL'S ADDITION TO KONKLING PARK

ENGINEER'S CERTIFICATE

OWNERS CERTIFICATE

I, JAMES A. BUFFA, R.P.E. #2539, A REGISTERED ENGINEER UNDER THE LAWS OF THE STATE OF IDAHO, HEREBY CERTIFY THAT IN JANUARY, 1979, THE LAND HEREIN DESCRIBED TO BE KNOWN AS NEBEL'S ADDITION TO KONKLING PARK, KOOTENAI COUNTY, IDAHO WAS SURVEYED UNDER MY DIRECTION, THAT IRON MARKERS WERE PLACED IN THE GROUND ON THIS PLAT AND THAT THIS PLAT IS A TRUE REPRESENTATION OF THAT SURVEY, THAT THE LAND IS LOCATED IN GOVERNMENT LOT 2 AND THE EAST-HALF OF THE NORTH-HALF OF THE SOUTH-HALF OF SECTION 19, TOWNSHIP 47 NORTH, RANGE 3 WEST, BOISE MERIDIAN, KOOTENAI COUNTY, IDAHO, AND IS DESCRIBED AS FOLLOWS:

BEGINNING AT THE EAST QUARTER CORNER OF SECTION 19, THENCE--NORTH 47°00'57" WEST 226.97 FEET TO THE NORTHERMOST CORNER OF HELEN PARK ADDITION AND THE TRUE POINT OF BEGINNING; THENCE--SOUTH 50°50'38" WEST, 159.73 FEET ALONG THE NORTHERN LINE OF HELEN PARK ADDITION AND SAID LINE EXTENDED AND THE NORTH LINE EXTENDED OF TAX NUMBER 9658 TO THE EAST LINE OF GOVERNMENT LOT 3, SECTION 19, THENCE--NORTH 0°13'29" EAST, 759.92 FEET ALONG SAID EAST LINE TO THE SOUTHERMOST CORNER OF LOT 20, BLOCK 2, HARMON'S ADDITION; THENCE--NORTH 50°59'23" EAST, 767.80 FEET ALONG THE SOUTH LINE OF SAID LOT 20 AND SAID LINE EXTENDED TO THE SOUTHWEST RIGHT-OF-WAY LINE OF COUNTY ROAD; THENCE--ALONG SAID SOUTHWEST RIGHT-OF-WAY LINE AS FOLLOWS: SOUTH 61°55'56" EAST, 307.31 FEET; THENCE--SOUTH 71°29'49" EAST, 285.60 FEET; THENCE--SOUTH 51°50'49" EAST, 74.90 FEET TO THE TRUE POINT OF BEGINNING.

JAMES A. BUFFA, R.P.E. #2539



STATE OF IDAHO : ss.
County of Kootenai: ss.
ON THIS 16th DAY OF September, 1979, BEFORE ME PERSONALLY APPEARED JAMES A. BUFFA KNOWN TO ME TO BE THE PERSON WHO EXECUTED THE ABOVE ENGINEER'S CERTIFICATE AND ACKNOWLEDGED TO ME THAT HE SIGNED THE SAME.

Quaker Concrete
NOTARY PUBLIC IN AND FOR THE STATE OF IDAHO
RESIDING IN Quaker Concrete
MY COMMISSION EXPIRES 12-31-80

PANHANDLE HEALTH DISTRICT OFFICER'S APPROVAL
THIS PLAT APPROVED THIS 17th DAY OF March, 1979.

Barry P. Davis
PANHANDLE HEALTH DISTRICT OFFICER

COUNTY SURVEYOR
I HEREBY CERTIFY THIS 18th DAY OF March, 1979, THAT I HAVE EXAMINED THIS PLAT AND APPROVE SAME FOR FILING.

K. C. Davis
KOOTENAI COUNTY SURVEYOR

CONDITIONS OF APPROVAL

THE LAND DESCRIBED IN THE ABOVE ENGINEER'S CERTIFICATE IS TO BE SERVED BY A PRIVATE WATER SYSTEM AND A PRIVATE SEWER SYSTEM, BOTH SYSTEMS TO BE MAINTAINED BY A HOMEOWNERS ASSOCIATION UNTIL CONNECTION TO A PUBLIC TRUNK SYSTEM IS MADE.
LOT OWNERS WILL WAIVE THEIR RIGHT TO OBJECT TO FUTURE MAINTENANCE AND OPERATION OF SUCH SYSTEMS BY A PUBLIC ENTITY, THE STREETS SHOWN HEREON ARE DEDICATED TO THE PUBLIC AS STATED IN THE ABOVE OWNERS' CERTIFICATE.

BE IT KNOWN THAT ME, JERRY F. NEBEL AND BRUCE P. BUDGE ARE THE OWNERS OF THE LAND DESCRIBED IN THE ABOVE ENGINEER'S CERTIFICATE AND HAVE CAUSED THE SAME TO BE SUBDIVIDED INTO LOTS, BLOCKS, AND STREETS AS HEREIN PLATTED TO BE KNOWN AS NEBEL'S ADDITION TO KONKLING PARK, KOOTENAI COUNTY, IDAHO. WE RESERVE SUCH EASEMENTS AS MAY BE NECESSARY FOR PUBLIC UTILITIES AND HEREBY DEDICATE THE STREETS HEREON SHOWN TO THE PUBLIC FOREVER. LOTS 1, 2, 3 AND 4 OF BLOCK 1, ARE RESERVED FOR A COMMUNITY DRAINFIELD UNTIL A CONNECTION TO A TRUNK SEWER IS MADE. LOT 1 OF BLOCK 4, IS RESERVED FOR DRAINAGE PORES.

Jerry F. Nebel
JERRY F. NEBEL
Bruce P. Budge
BRUCE P. BUDGE

STATE OF IDAHO : ss.
County of Kootenai: ss.

ON THIS 5th DAY OF June, 1979, BEFORE ME PERSONALLY APPEARED JERRY F. NEBEL AND BRUCE P. BUDGE, KNOWN TO ME TO BE THE PERSONS WHO EXECUTED THE ABOVE OWNERS' CERTIFICATE AND ACKNOWLEDGED TO ME THAT THEY SIGNED THE SAME.

Quaker Concrete
NOTARY PUBLIC IN AND FOR THE STATE OF IDAHO, RESIDING IN Quaker Concrete
MY COMMISSION EXPIRES 12-31-80

COUNTY TREASURER

I HEREBY CERTIFY THIS 8th DAY OF June, 1979, THAT THE REQUIRED TAXES ON THE HEREIN PLATTED LAND HAVE BEEN PAID. My return is paid thru Dec 31, 1978

James A. Buffa
KOOTENAI COUNTY TREASURER

COUNTY PLANNING COMMISSION

I HEREBY CERTIFY THAT THIS PLAT WAS ACCEPTED BY THE PLANNING COMMISSION OF KOOTENAI COUNTY, THIS 21st DAY OF March, 1979.

Barry P. Davis
CHAIRMAN

COUNTY COMMISSIONERS' APPROVAL

THIS PLAT APPROVED AND ACCEPTED BY THE BOARD OF COUNTY COMMISSIONERS OF KOOTENAI COUNTY, IDAHO, THIS 8th DAY OF June, 1979.

ATTEST: *Donna Davis*
CLERK

Blondell Myrland
CHAIRMAN


COUNTY RECORDER

808161

I HEREBY CERTIFY THAT THIS PLAT WAS FILED FOR RECORD IN THE OFFICE OF THE RECORDER OF KOOTENAI COUNTY, IDAHO, AT THE REQUEST OF James A. Buffa, AND DULY RECORDED IN PLAT BOOK F, PAGE 41.

Donna Davis
KOOTENAI COUNTY RECORDER

NEBEL'S ADDITION TO KONKLING PARK			
SEC. 19, T. 47 N., R. 3 W. 3 E., KOOTENAI COUNTY, IDAHO			
SCALE:	DRAWN: DMK	CHECKED: LAB	SHEET NO.
DATE: 1-18-79			2 OF 2
MEYER ENGINEERING & SURVEYING			
402 IDAHO AVE., COEUR D'ALENE, IDAHO			



Twp. 47 N.R. 3W.B.M.

SCALE: 1 INCH = 2400 FEET

WELL DRILLER: PLEASE COMPLETE FOR VERBAL
IDWR Employee Issuing Verbal: _____
Verbal Issued Date: _____ Time: _____



RECEIVED

AUG 25 1998

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

NORTHERN REGION
IDWR

RECEIVED

1. Applicant (please print): Nebel's add. Conklin Park
2. Mailing Address: 1136 Brydew ave Robt Heintz
City & State Lewiston Idaho Zip Code 83501 Telephone 208-743-3834
[] Well Owner [] Well Operator [☒] Contractor or Other, specify _____
3. Proposed Well Location: Twp. 47N Rge. 3W Sec. 19 1/4 NE 1/4 Sec
Gov't Lot No. 2 County Kootenai Lat. _____ Long. _____
Street Address of Well Site _____ City _____
Lot, block and subdivision Lot 13 Block 1 Nebel's add.

4. Proposed Use of Well:
[] DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
NON-DOMESTIC: [] Irrigation [☒] Municipal [] Industrial
[] Stock [] Test [] Other _____
(Over 1,000 Head) (Describe)
[] INJECTION
[] MONITORING: A well bore schematic and map is required for each blanket permit.
No. of proposed wells: _____

5. Well Construction Information:
A. [☒] New well [] Modify [] Replace
B. Proposed Casing Diameter 6 Proposed Maximum Depth 400
C. Anticipated bottom hole temperature:
☒ 85°F or less [] 85°F to 212°F [] 212° F. or more
(Cold Water Well) (Low Temp. Geo. Well) (Geothermal Well)
6. Construction Start Date: 8-30
7. Anticipated Well Driller: H2O Well Service Inc Driller's Lic. No. 448
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's Signature John Wheeler Date 8-25-98
Title pres
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is approved

Date 8-25-98

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

Robert D. James

Signature of Authorized Department Representative

Regional manager
Title

Receipt No. N012353 Received by CD Fee \$200.00 Date 8-25-98

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

MICROFILMED
APR 15 1999

Ident. No. 95-98-N-0158-000
Well Tag No. D0005349
Water Right No. 95-08976

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR DRILLING PERMIT

1. Name: NEBELS ADDITION CONKLIN PARK O 208-743-3834
Address: 1136 BRYDEN AVE
LEWISTON ID 83501

2. Proposed Well Location: Township 47N, Range 03W, Sec. 19, NESE, Lot 2
KOOTENAI County

Lot, Block, and Subdivision: Lt 13
Blk 1

NEBELS ADDITION

3. Proposed Use of Well: Non-Domestic Municipal

4. Well Construction Information:

A. NEW WELL

B. Proposed Surface Diameter 6 In. Proposed Maximum Depth 400 Ft.

C. Anticipated Bottom Hole Temperature: 85 F or less (Cold water well)

(NOTE: Construction diagrams and/or other information may be requested for monitor, low temperature geothermal, municipal and artesian wells.)

5. Construction Start Date: 8/30/1998

6. Anticipated Well Driller: H2O WELL SERVICE (No. 0448)

NOTE: The actual well driller must be identified to IDWR prior to drilling commencement.

7. Applicant's Signature _____ Date _____

Title _____
(Owner, Firm Representative, Other)

Fee \$ 200.⁰⁰ Received by do No. N012353 Date 8/25/98

MICROFILMED
APR 15 1999

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This permit is **APPROVED**

Date: **8/25/1998**

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. **READ CAREFULLY!**

CONDITIONS OF APPROVAL:

1. This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank. Public Water Supply wells must not be drilled closer than 100' from any drainfield or septic tank.
3. The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (DigLine is a one-call center for utility notification) not less than 2 working days prior to the start of any excavation for this project. The "Dig Line " Number for your area is 1-800-428-4950.
9. Applicant requests issuance of this Drilling Permit prior to approval of a Water Right or Transfer of a Water Right. Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the diversion of water from this well may not ultimately be approved for use.

IOI - conditions of approval

Signature of Authorized Dept. Representative

Title

EXTENSION OF DRILLING PERMIT

Extension Approved by: _____

Approval Date: _____

Expires On: _____

MICROFILMED
APR 15 1999

MEMORANDUM

DATE: August 20, 1998

TO: Water Right File 95-08976

FROM: Shelley W. Keen ^{SWK}

RE: Point of diversion and place of use descriptions

The applicant described the point of diversion and place of use as being in the SW $\frac{1}{4}$ of Section 19, T47N, R3W, B.M. Section 19 is a correction section approximately half as wide as a normal section. Therefore, it has only an east half. The permit should describe the point of diversion and place of use in the SE $\frac{1}{4}$. Readvertisement is not necessary because the applicant has not changed intent; IDWR is simply clarifying the description.

MICROFILMED

APR 15 1999

13

NOFTH

D. A. L. N. D.

147H10

17.000

2000

11. 10. 1950

102

Sep 19

See also

Sec. 2

186

Sec 31

1992

W. C. 6.25 CHS. S.

22

25

TELEPHONE LINE
BROD FROM TIER 2
TO CATCOLET -

95-08976

MICROFILMED
APR 15 1999

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by Cindy Lou

No.: 95-8976 Name: Nebel's Addition W&S Assn Date: 8/14/98 Ad OK? NO Gvmt Lts: ✓

AREA OF CONCERN:

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year

- 26A-P17

≤ 1 year/no proof

- P16**GROUNDWATER: (✓ FLO-CH)****WMD (✓ MAP)**

> 0.24 cfs/5 acres

- North / East / West

≤ 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

WMD Supplemental use

- No MD

> 0.24 cfs/5 acres

- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

≤ 0.24 cfs/5 acres

- 01M (report when notified)

- No MD

DRILLING PERMIT:

All wells (✓ WDQ3)

- 046-P23

In Basin 34?

- 085

Irr. within WD

- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):**IN/ABOVE MIN. STR. FLOW (✓ MAP)**

- *WB9

WD (✓ MAP & LISTING)

> 0.10 cfs

- R04 (WD # _____)

≤ 0.10 cfs

- 01J-P08 (MD & LD)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 01H-P01 (LD), 01P or No MD (in-stream stock)

≤ 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22 -P04, NA

(02/03-irr)

- 007 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's)

- 029 (fish screens), NA

USE:

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area

- 071-070

Fire Protection

- 077

Fish Propagation

- 029-007-042(req)-081 (WQ)-P10

Heating/Cooling

- R07 (injection well)

Irr ≤ 5 acres

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

Mining

- 054(req)-081-P10

Municipal

- 022, 075, 004 (+memo?), NA (not in restricted area)

Power

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

Stockwater

- R37 (BLM/USFS); NA

Storage (✓3 compo.)

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

42-248 area

- P84 (in 20/30/40/50/60/70/80 (87) basin)

Boise Front LoGeo

- 058 (<85° GW temp only)

In-stream dev.

- P52 (stream channel alteration)

Mitigation

- 120

SWAN FALLS FLAG (See Code Chart)

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:- 004 (PD/PU) Home Owners**OTHER CONDITIONS:****STANDARD REMARKS:**

- ① W59 LT 13 ② W60 ③ W85/41

BENEFICIAL USE DUE:

- 8/1/2003

COMMENTS:- * amended application need not be advertised per Bob Hargis.

No. a
4/87-06/92n

U.S. DEPARTMENT OF WATER RESOURCE
APPLICATION ANALYSIS SHEET

RECEIVED

WR1
WRA
BL

AUG 06 1998

APPLICATION # 95-8976

DEPARTMENT OF WATER RESOURCES

***** INITIAL REVIEW *****

APPLICANT: NEBELS ADDITION

BY: AB

DATE: 10/14/97

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

PROCESSING

Yes No

PRIORITY DATE: 10/14/97

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA/shuss/oh

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
X Field report attached
X Analysis Supp. attached (>5cfs/500af)
X Water delivered by water master?
Water District # _____

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
X Well Drilling Application and Fees received
X Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****


(Yes) (No)

- ____ Notice of pending void order issued. Final order response date: ____/____/____
____ Further information required from applicant
11/17/97 11/17/97 Affidavit of publication received
10/29 Application published correctly, If not, record action taken: _____
10/29 Publication dates and paper recorded on application | Sr. Agent initial AB
X Protests received. Final protest date: 11/24/97
X Measuring device required
X Measuring port required
X Special conditions: _____
X Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB

Date: 12/2/97

2/31/98



**PLATE
OF USE**

7/21/98
NOTE:
THIS MAP WAS
SUBMITTED WITH
APPLICATION AND
APPEARS TO BE
INCORRECT.
✓ SEE SURVEY MAP.
B

WELL

MICROFILMED

APR 15 1999

NEBEL'S

T. 47N. R. 3W.

CAMAS PRAIRIE RAILROAD

LEWISTON, IDAHO

Phone (208) 743-2550

Fax (208) 743-4647

DATE: 4-16-98 TIME: 8:15 ATOTAL NO. OF PAGES (INCLUDING COVER): 3To: AK Beardly

ADDRESS: _____

TELEPHONE NO: _____ FAX NO: _____

Noble Water - Sewer
map of well lotFrom: R.D. HeintzLew Ida 208 743 3811 work- 243 3834 Home

MICROFILMED

APR 15 1999