

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 95-08963

Priority: May 12, 1997

Maximum Diversion Rate:
Maximum Diversion Volume:

0.02 CFS
0.6 AF

This is to certify, that ROBERT KUHN
2118 2ND ST

BAKERSFIELD CA 93304 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 12, 1997; and
has submitted Proof of Beneficial Use on August 18, 1997. An examination indicates
that the works have a diversion capacity of 0.030 cfs of water from:

TWIN LAKES

tributary to RATHDRUM CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 9(NWSW), Sec. 5, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 5 Lot 9(NWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95C.
6. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.


MICROFILMED
AUG 25 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 95-08963

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of August, 1998.


Acting for KARL J. DREHER, Director

RECEIVED
AUG 23 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 18 1997

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08963 Telephone No. 805 324-3223

2. Name(s) of Permit Holder(s): ROBERT KUHN

3. Mailing Address: 2118 2ND ST. BAKERSFIELD, CA 93304

4. Source of Water: SURFACE (LAKES) ^{TWIN LAKES} ~~if~~ ^{rather than} ~~GROUNDWATER~~ (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. **OPTIONAL:**
Pump Horsepower: 1 Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): 0

Irrigation (No. of acres): 0 Other:

6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No ✓
Has the measuring device been installed? Yes or No ✓

Flow Measurement Port: Is a flow measurement port required? Yes or No ✓
Has the measurement port been installed? Yes or No ✓

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: ROBERT KUHN Telephone Number: 805 324-3223

Address: 2118 2ND ST, BAKERSFIELD CA

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 8/13/97
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08963

Proposed Priority: May 12, 1997

Maximum Diversion Rate:

0.04 CFS

This is to certify, that ROBERT KUHN

2118 2ND ST

BAKERSFIELD CA 93304

has applied for a permit to appropriate water from:

TWIN LAKES

tributary of RATHDRUM CREEK

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 9(NWSW), Sec. 5, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 5 Lot 9(NWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1998.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 95C.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25th day of July, 1997.

Karl J. Dreher

Karl J. Dreher, Director

for

Ident. No. 95-08963

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

JUL 14 1997

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant ROBERT KUHN Phone 805 324-3223
Mailing address 2118 2ND ST, BAKERSFIELD CA 93304
2. Source of water supply ~~Lower~~ Twin Lake which is a tributary of RATHBURN CREEK
3. Location of point of diversion is Township S2 NORTH Range 4 WEST Sec. 5, in the SW 1/4, NW 1/4, SW 1/4, Govt. Lot 9, B.M., KOOTENAI COUNTY County;
additional points of diversion if any: 300 FT EAST OF
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source 1 HP SUBMERSIBLE PUMP
+ PIPE TO HOUSE
 - b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet
 - c. Proposed well diameter is NA inches; proposed depth of well is NA feet
 - d. Is ground water with a temperature of greater than 85° F being sought? NO
 - e. If well is already drilled, when? NA; Drilling firm NA;
Well was drilled for (well owner) NA; Drilling Permit No. NA
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. 1
 - e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	4W	5																	2085

Total number of acres to be irrigated 010. Describe any other water rights used for the same purposes as described above. RIPARIAN?

11. a. Who owns the property at the point of diversion? ROBERT + MICHAEL Kuhn APPLICANT
- b. Who owns the land to be irrigated or place of use? SAME APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: WATER IS FOR DOMESTIC USE IN A VACATION CABIN. IT IS SITUATED ON ROCK AND THERE WILL BE NO LAWN OR LANDSCAPING.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.




Signature of Applicant (and title, if applicable)

Received by db Date 5/12/97 Time 3:00 P Preliminary check by _____
 Fee \$ 50.00 Receipted by db # N011177 Date 5/12/97
 Publication prepared by db Date 5/23/97 Published in CAA Press 6/5 + 1/12/97
 Publication approved db Date 6/11/97

SEP 16 1997

Portions of

Kootenai County, Idaho



SUPERVISOR'S CERTIFICATION


1. J. CHRIS PRAHL P.L.S. 4456 STATE OF CALIF.
DO HEREBY CERTIFY THAT THIS PLAN REPRESENTS
A SURVEY DONE BY ME OR UNDER MY SUPERVISION
AND THAT REQUIREMENTS OF CHAPTER 13, TITLE
53, IDARIO CODE HAVE BEEN MET.

BASIS OF BEARING


COLLOCATED LINE FROM THE WEATHER CATCHER ON THE SOUTH SIDE OF LOWER FOX LAKE. THE LINE OF SECTION B TO THE SOUTHWEST CORNER OF BLOCK 8 OF EXHIBITOR EACH WAY IS 38105.17M.

(NOT IN SUBDIVISION)

SCALE 1" = 150'



MICROFILMED
SEP 16 1997




10, SEC 6

SEC 5

LOWER TWIN LAKES

EX. 1/2" x 5" PIPE ARC
S 53° 10' W - 26.2' - 18" CEDAR
S 10° E - 42.76' - 14" CEDAR



MICROFILMED
SEP 16 1997

PLAT OF SURVEY OF A PORTION OF CONT LOT 9, SEC. 5;
T. 52N. R. 4W., B.M., KOOTENAI COUNTY, IDAHO

DRAWN	CHECKED	SCALE 1" = 100'	REVISIONS	DATE
LEC				

EX. 1/2" x 5" PIPE ARC

MEMORANDUM

TO: File 95-08963

FROM: Sharla

DATE: July 31, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit No. 95-08963 are as follows:

H. RECOMMENDATIONS

Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
----------	-------------	----------	---------

The use is in-house only; the rate has been adjusted accordingly.

Exam Date: July 6, 1998
Examiner: David David Pagel

REC'D 12/1/98
AUG 25 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08963 DATE 8/3/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (P39 /P47) ☐ Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK ☐ Change (P41/P47) ☐ Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .04 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured .03 cfs
 Theoretical .03 cfs @ 100' lift and 40 psi
 Recommended Total Div Rate .02 cfs

WATER USES	Change (P46)		
<u>Dom</u>	<u>.02</u> cfs	<u>.6</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
_____	_____ cfs	_____ af	supp. gw (WB7/065/079)
_____	_____ cfs	_____ af	overlap spec. combined rts (W35)
_____	_____ cfs	_____ af	<1acre (W31)
_____	_____ cfs	_____ af	Domestic (W01/WB5/070/071/075)
TOTALS	<u>.02</u> cfs	<u>.6</u> af	Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .02 cfs X 365 days X 1.98 = 14.5 af

REMARKS _____

ADD'L CONDITIONS P04 Watermaster Control WD# 95L
☐ GW Measurement/Measuring Device
☐ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ☒ yes ☐ no SRBA Claim _____ Adjust Memo date
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 13 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08963

1. Owner: Robert Kuhn Phone No. (805) 324-3223

Current Address: 2118 2nd St. Bakersfield CA 93304

2. Accompanied by: Robert Kuhn EXAM DATE: July 6, 1998

Address: Same Phone No. _____

Relationship to Permit Holder: Self

3. Source: Twin Lakes tributary to Rathdrum Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	09		NW	SW	5	52N	4W	Kootenai	USGS 7.5' Quad., Metsker, Gov't. Lot Index

2. Place(s) of Use:


Indicate Method of Determination USGS 7.5' Quad., Metsker

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	4W	5																	

MICROFILMED

AUG 25 1998

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale 1" = 100'

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

✓ Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1		Grundfos	16510-10

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket/stopwatch					4 gal.	

2. Measurements:

4 gal / 40 sec, Taken from 1/2" hose

Aug 25 1998

MICROFILMED

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from Twin Lakes for domestic use, using a 1-horsepower pump. Water is being pumped through approximately 100 ft. x 2" (i.d.) pvc pipe into a in-house filter system at a rate of .03 cfs (13.46 gpm). = Theoretical Calculation

I recommend .03 cfs as the diversion rate based on the Theoretical Pump Efficiency Calculation and the annual volume of .6 afa due to the domestic use only with no irrigation of lawn or landscaping.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

AUG 25 1998

F. FLOW CALCULATIONS

Measured Method:

$$4 \text{ gal.} = \frac{40 \text{ sec.}}{60 \text{ sec.}} \times \frac{240}{40} = 240 \text{ } \cancel{\text{sec.}} \text{ } \cancel{\text{sec.}} = 6 \text{ gal./min.}$$

See Theoretical Calculation

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: V_A

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

Period of Use

From

To

01/01
12/31

Rate of Diversion

Q (cfs)

.03

Annual Volume

V (afa)

.6

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

David A. Regal

Date

July 7, 1998


Reviewer

Date

SEAL

AUG 25 1998

MICROFILM




Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial
photographs taken 1958 and planetable surveys 1961


Polyconic projection. 1927 North American datum



(HAYDEN)
2679 IV SE
SCALE 1:24 000

FROM SALE BY
METSKER MAPS
111 SOUTH JONES ST., SPOKANE, IDAHO
1030 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 52N., RANGE 4W. B. M.
KOOTENAI COUNTY, IDAHO



TO SPOKANE

TO SHAL

TO SPOKANE

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08963, R. KUHN
DATE: 7-JUL-98
COMPLETE BY: PAGEL

HORSEPOWER = 1

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 60 FEET

SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.03 CFS

RECEIVED
ADA 25 1998

PERMIT # 95-08963


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



Place of USE

Pressure/
Filter
System



Point of
diversion

RECEIVED
AUG 25 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-0 8963 Reviewed by Jy Date 8-19-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

dom.

yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☒ Drilling permit required?

☒ Copy in the file? Drilling Permit No. _____

☒ Amount paid for permit

_____ Correct?

☒ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

no Required?

50- Amount Submitted

1 Installed?

yes Correct?

_____ Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

_____	-	_____
_____	=	_____
_____	+	_____
_____		_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 8-19-97

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by Cindy Lee

No.: 95-8963 Name: Kuhn Date: 7/23/97 Ad OK? ☒ / Gvmt Lts: 9

AREA OF CONCERN?**PROTESTED:****SYSTEM COMPLETED:**

Yes/proof filed
1 year/no proof
+1 year

GROUNDWATER: ☒ FLO-CH

+ 0.24 cfs
=/- 0.24 cfs
+ 5 a.

DRILLING PERMIT:

Existing well
Included w/permit
No WD permit?
irr. in WD

SURFACE WATER ☒ FLO-CH (Surface water that doesn't sink is regulated):

Source in/below Min. Str. Flow?

Water District (dom. inc.)

> 0.20 cfs
≤ 0.20 cfs

Water Measurement District

> 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

Springs/sink, inactive WD, & Rest of State

> 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

RIVER BASINS (*Surface water):

Snake R (01)
(02/03-irr)
Boise River (63)
Payette River (65)

USE:

Domestic (surface)
Domestic (multi in concern area)
Fish Propagation
Irr <POU> ≤ 5 acres
> 5 acres
Mining
Municipal (in restricted areas)
Power
Storage (✓3 compo.)

LOCATION:

42-248 area
Boise Front LoGeo
In-stream dev.
Irr Dist/Canal Co.
Swan Falls Flag
Trust
Non-Trust <1>

OWNERSHIP: Non-owner**OTHER CONDITIONS:****STANDARD REMARKS:****BENEFICIAL USE DUE:****COMMENTS:**

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

- NA
- P18
- 28A-P17

- 01M (report when notified) or _____ (if in MD, must report)
- No MD
- 01M; 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

- NA (pre 7/1/87; ✓ WDQ3)
- Permit No. _____, P99
- 048-46B-P23 (post 7/1/87)
- P05 (new well location)

- <SEE MAP & LISTING> (modify remark *WB9)
- R04 (req) WD # 95C <SEE MAP & LISTING>
- 01J (MD)-P08
- 01H (ILD & MD)-P01 or No MD (in-stream stock)

- _____ or No MD (in-stream stock or power)
- No MD

- 01M or No MD (in-stream stock or power)
- No MD

- 11A-P04, NA
- 007-P07 (w/ remark *WB9 if above Weiser), NA
- 05A (if WD), 11E (not 42-111 use), NA
- *W22 (regulated uses), 047-P04 (Payette Lake), NA

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- 070-071
- 07A-042 (req)-09E (WQ)-P10; 044 (North of 1000 Springs)
- 057 (0.03 cfs/acre)
- 03A (0.02 cfs/acre)
- 054 (req) & 09E-P10
- 022, 075, 004 (+memo?)
- 17K-08A-025-01F(P19)-028-09E(P10); 027 (if no other cons. use);
17G (FERC) or 17M (FERC); 18B-P09; +25 cfs-P18
- 080 (req); 18A (multiple MD within district), 18B-P09 (+10' dam),

- P84 (if in 20/30/40/50/60/70/80 (87) basin)
- 058 (-85° GW temp only)
- P52 (stream channel alteration)
- 023 (Twin Falls area)
- <SEE CODE CHART>
- 051-052-053-P74 (Consumptive Uses), NA
- 048-049 (Consumptive Uses), NA
- 004 (PD/PU) Ads

- ① woi/1

- 8/1/1998

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

JUL 14 1997

WRJ
WRA
BC

APPLICATION # 95-08963

DEPARTMENT OF WATER RESOURCES

***** INITIAL REVIEW *****

APPLICANT: KUHN BY: AB DATE: 5/12/97

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
13. (X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y () N ()

PROCESSING

Yes No PRIORITY DATE: 5/12/97
X (Include Moratorium Remark)
X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

CA/zhw/ah

LETTERS SENT REQUESTING:

() Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information
() Power Information () Other: N/A

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
J Field report attached
J Analysis Supp. attached(>5cfs/500af)
J Water delivered by water master?
Water District # 95-C

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ____ Groundwater management area
____ Critical ground water area
____ Well Drilling Permit required
____ Well Drilling Application and Fees received
____ Well Drilling Application approved?
____ Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

____ Notice of pending void order issued. Final order response date: ____/____/____

____ Further information required from applicant

6/10 ____ Affidavit of publication received

6/11 ____ Application published correctly, If not, record action taken: _____

5/16 ____ Publication dates and paper recorded on application

____ Protests received. Final protest date: 6/23/97

____ Measuring device required

____ Measuring port required

____ Special conditions: _____

____ Special conditions of approval supplement and/or cover letter attached:

Sr. Agent initial AB

Approval Recommended by: AB RAO

Date: 6/30/97