State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08937

Priority: January 12, 1996 Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

This is to certify, that BEVERLY S KULINK
1413 E 15TH
SPOKANE WA 99203 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 12, 1996; and has submitted Proof of Beneficial Use on January 13, 1997. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

HAYDEN LAKE tributary to **SINKS**

source, and a water right has been established as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION	ANNUAL VOLUME
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 10(NENE), Sec. 18, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN	RGE	SEC	
51N	03W	18	Lot 10(NENE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
6. Domestic use is for 1 home.

MICROFILMED
APR 03 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08937

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of FEBRUARY, 1978.

Acting for KARL J. DREHER, Director

MICROFILMED

Form No. 217
7/94

FOR OFFICE USE ONLY
Amt. of Fee $: 50.00
Receipt No. C027513
Receipt By: Kit
Date Receipted: 1-13-97

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08937 Telephone No. 509-533-1895

2. Name(s) of Permit Holder(s): Beverly S. Kulink

3. Mailing Address: P.O. [redacted] 8101 E.1413 15th Spokane, WA. 99203

4. Source of Water: Hayden Lake If **GROUNDWATER** (well), Date Drilled: mo.____ / yr.____

a. Well Driller: ____ Drilling Permit Number: ____-____-____-____

b. *OPTIONAL:*
Pump Horsepower: ____ Pressure (psi): ____ Dynamic pumping level (ft): ____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): ____

Irrigation (No. of acres): ____ Other: ____

6. Total rate of diversion and/or volume for which proof is submitted: ____ cfs OR ____ acre feet

7. Measuring Device Requirement: **(refer to the approval conditions on your permit and respond accordingly)**
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes ____ or	No X
	Has the measuring device been installed?	Yes ____ or	No ____
Flow Measurement Port:	Is a flow measurement port required?	Yes ____ or	No X
	Has the measurement port been installed?	Yes ____ or	No ____

8. Fee Enclosed: $ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Beverly Kulink Telephone Number: 509-533-1895

Address: 1413 E. 15th Spokane WA 99203

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Beverly S. Kulink Date: 1-9-97
(include your title, if on behalf of company of organization)

RECEIVED
JAN 13 1997

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08937

Proposed Priority: January 12, 1996 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **BEVERLY S KULINK**
1413 E 15TH
SPOKANE WA 99203
has applied for a permit to appropriate water from:
HAYDEN LAKE tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 10(NENE), Sec. 18, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN	RGE	SEC	
51N	03W	18	Lot 10(NENE)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1997.**
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 95A.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this

11th day of March, 1996

for L. Glenn Saxton
Karl J. Dreher, Director

MAR 29 1996

RECEIVED
MAR 0 1 1996
Department of Water Resources

Ident. No. 95-8937

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Beverly S. Kulink Phone 509-533-1895

   Post office address 1413 E. 15th, Spokane WA 99203

2. Source of water supply Hayden Lake which is a tributary of SINKS

3. Location of point of diversion is ____ ¼ of NE ¼ of NE ¼, Govt. Lot 10

   Sec. 18 Township 51N Range 03W B.M. KOOTENAI County; additional

   points of diversion if any: ____

   ★ Berven Bay – Lot 37B.

4. Water will be used for the following purposes:

   Amount 0.04 (cfs or acre-feet per annum) for Domestic household purposes from 5/1 1/1 to 10/15 Summer 12/31 * (both dates inclusive)

   Amount ____ (cfs or acre-feet per annum) for ____ purposes from ____ to ____ (both dates inclusive)

   Amount ____ (cfs or acre-feet per annum) for ____ purposes from ____ to ____ (both dates inclusive)

   Amount ____ (cfs or acre-feet per annum) for ____ purposes from ____ to ____ (both dates inclusive)

5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) ____ acre feet per annum

6. Proposed diverting works:

   (a) Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPELINE

   b. Height of storage dam ____ feet; active reservoir capacity ____ acre-feet; total reservoir capacity ____ acre-feet; period of year when water will be diverted to storage: ____ to ____ inclusive.

   c. Proposed well diameter is ____ inches; proposed depth of well is ____ feet.

   d. Is ground water with a temperature of greater than 85°F being sought? ____

   e. If well is already drilled, when? ____; Drilling firm ____;

   Well was drilled for *(well owner)* ____

7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 years *(minimum 1 year)*.

   * per Telecon, 3/6/96 ejz.

8. Description of proposed uses (*if irrigation only, go to item 9*):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. (one Summer cabin)

e. Other; describe fully. _____

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
51N	3W	18	D																
			H.L. 10																

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? APPLICANT / DEPT. LANDS

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

MAR 2 9 1996

12. Remarks: We have previously had our water supplied by the City of Hayden Lk. We are at the end of the line and cannot receive water that will not freeze. We chose not to pay the LID since we could not improve our service. Our cabin is usable only in Summer so we felt pumping from the lake is a better alternative.

THE TOBLER MARINA, Inc.



SURVEY OF PARCELS 1, 2 & 3, LOT 37, WRIGHT'S PARK
SEC. 18 - T 51 N - R 3 W B.M. - KOOTENAI COUNTY, IDAHO

SCALE 1" = 100	REVISIONS	BY	DATE
DATE 5-22-78			
DR'N DMK CKD			
APVD			

TITLE

MECKEL ENGINEERING & SURVEYING
402 Idaho Avenue
Coeur d'Alene, Idaho 83814

NO SH. 1 OF 1

KUCINK

Cabin is small (600 sq feet). one bath and a kitchen. No clothes washing.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Beverly J. Kulesa
(Applicant)

Received by AS Date 1/12/96 Time 10:15 Preliminary check by AS

Fee $ 50 as/no Receipted by AS # N-9805 Date 1/12/96

Publication prepared by CK Date 1/24/96 Published in CDA Press 2/4 & 2/11

Publication approved do Date 2/9/96

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

   c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

   d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

   e. Other:

FEB 29 1996


Block 32
Block 31
Hayden
Fence
Butter Zone
ALLEY
SEE SE 1/4 7-51-3W
BERVEN BAY TERRACE
BERVEN BAY TERRACE II
V-10650-000-
COMMON AREA
EXEMPT
#10854
LESS r/w 4.649 AC
000-036-A
#10853
LESS r/w 4.652 AC
000-036-B
#11186
#11187
#11190
#11189
LESS r/w
#11188
EX TAX #5
#12775
#12776
#13059
#13058
LT 37
EX R/W
#8603
LESS r/w
1.781 AC ±
#8602
LESS r/w
1.826 AC ±
#8601
LESS r/w
1.902 AC ±
CABIN
Berven Bay
PUMP
WRIGHTS PARK
LOTS 36, 37, 38
V-9600-
Public access
K.C.
787 lot owners
Sub-D
Mont Hayden
Drive
KOLINSK
T 51 N., R 3 W.
RECEIVED
MAR 29 1996


T5N
R3W
Sec. 7.
Sec. 8.
Sec. 9.
Sec. 17.
Sec. 16.
Sec. 18.
HAYDEN
RULINK
T. 5 N., R. 3 W.

MEMORANDUM

TO: File 95-08937

FROM: Sharla

DATE: February 17, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 95-08937 are as follows:

H. RECOMMENDATIONS

Domestic	1/1 - 12/31	0.04 cfs	1.2 afa

The standard volume for domestic use of 1 home is 1.2 afa.

Examiner: David Pagel
Exam Date: July 14, 1997

MICROFILMED
APR 03 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08937 DATE 2/13/98 REVIEWER: *SHARLA*

	Change	OK
NAME	__	__
SOURCE	__	✓
POINT OF DIV	__	✓
PLACE OF USE	__	✓

Address Change __ use P.O. Box 8101

Is change clarification of originally intended source? __
If not, prepare Notice of Intent to Void __
Amendment required NO

Amendment required NO

Does map agree with written description? ✓ yes __ no

ck govt. plat / looks like lot 8 to me

OVERLAPS __ P/D __ P/U
Overlap file pulled & reviewed ____

RATE OF DIV

Permitted Rate	.04	cfs
Fee limit	.20	cfs $50.00
Measured	~	cfs
Theoretical	.04	cfs

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/ NATURE OF USES __ ✓

Use	cfs	Volume Calc	
~~DOM~~	.04	1.2	af
			af
			af
			af
SUBTOTAL	.04	1.2	af

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af
Total volume recommended 1.2 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS D/I home.

CONDITIONS R04 Watermaster Control WD# 95A
___ GW Measurement/Measuring Device
___ Overlap
___ Use-specific conditions
Advancement of Priority Date Required ___ yes ___ no

SRBA Claim Filed N/A
Adjustment Memo std dom.
~~DATABASE~~ VOL

1st Amend Letter N/A
2nd Amend Letter

Form 219
6/92

RECEIVED
JAN 27 1998
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

Permit No. 95-08937

A. GENERAL INFORMATION

1. Owner: Beverly S. Kulink Phone No. (509) 533-1895

Current Address: 1413 E. 15th Spokane WA 99203

2. Accompanied by: Beverly S. Kulink EXAM DATE: 7-14-97

Address: _____ Phone No. _____

Relationship to Permit Holder: Same

3. Source: Hayden Lake tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-00008

2. Other water rights with the same point of diversion: 95-00008

C. DIVERSION AND DELIVERY SYSTEM

1. **Point(s) of Diversion:**

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	10 D		NE	NE	18	51N	3W	Kootenai	USGS 7.5 min. Quad. / Govt. lot map

2. **Place(s) of Use:** Indicate Method of Determination _____

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	2W	18	D																

MICROFILMED
APR 13 1998

3. **Delivery System Diagram**: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

_____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1		Star	94J110

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** _____

MICROFILMED
APR 0 9 1998

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from Hayden Lake, for domestic use, through a 1.5" plastic pipe approx. 100 ft. in length. The water is lifted approximately 75 feet by a 1 Hp pump.

Have conditions of permit approval been met? ✓ yes ___ no

MICROFILMED
APR 0 9 1998

F. FLOW CALCULATIONS

Measured Method:

See Theoretical

____ Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = _____

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = _____

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = _____

2. Volume Calculations for Other Uses:

4 people x 50 gpd x 365 days = 73000 gpy

$\frac{73000 \text{ gal.}}{325851 \text{ g/af}} = .224$ afa

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	Period of Use To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	01/01	12/31	.04	.224
		Totals:	.04	.224

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ✓ None

___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name David A. Rigel Date 7-23-97

Reviewer _____ Date _____

SEAL

MICROFILMED
APR 0 3 1998

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08937
DATE: 23-JUL-97
COMPLETE BY: D. PAGEL

HORSEPOWER = 1

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 75 FEET

SYSTEM PRESSURE = 40 PSI

QUANITY = 0.04 CFS

MICROFILMED
APR 0 9 1998

PERMIT # 95-08937

STATE OF IDAHO
URCES
NT
S

1 hp pump

Point of diversion

Place of use

MICROFILMED
APR 09 1998



MICROFILMED
APR 0 9 1998

95-08937

T.51N., R.03W., Sec.18

KULINK, BEVERLY


T5N
R3W
Sec. 7.
Sec. 8.
Sec. 9.
Sec. 18.
Sec. 17.
Sec. 16.
EAST
WEST
MICROFILMED
APR 09 1998
T.5N. R.03W. Sec8
95-08937
KULINK, BERRY

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08937 Reviewed by [illegible] Date 1-23-97

GENERAL CONSIDERATIONS

~~no~~ yes Name same as permit?

~~no~~ yes Address same as permit?

yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

dom.

Correct Uses? yes

SOURCE OF WATER

✓ Surface water source

____ Ground water source
____ Drilling permit required?
____ Copy in the file? Drilling Permit No. ____
____ Amount paid for permit ____ Correct?
____ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50 Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

____ Installed?

____ Waiver requested?

PRIORITY CALCULATION

Date proof received	____	____
Date proof due	____ -	____
No. of days late	____ =	____
Priority Date	____ +	____
New Priority Date	____	____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address ____ Proof Made 1-13-97

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8937 **Name:** Kulenk **Date:** 3/5/96 **Ad OK?** ✓
Correct Fee? ✓ **Receipt #:** N9805 **Priority:** 1/12/96 ✓ **Gvmt Lts:** ✓

AREA OF CONCERN? - No/Yes _____Mor _____GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - **P16**
+1 year - 26A-**P17**
GROUNDWATER: <✓ *FLO-CH*>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. ___-___-__-_____-____, **P99**
No WD permit? - 046-46B-**P23** (post 7/1/87)
irr. in WD - **P05** (new well)
SURFACE WATER <✓ *FLO-CH*>(Surface water that *doesn't sink* is regulated):
Water District(~~dom~~) - 005 (*req*) WD # 95A <SEE MAP & LISTING>
+ 0.2 cfs - 01J(meas dev)-**P08**
=/- 0.2 cfs - 01H(lock dev)-**P01** or No MD
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water*):
Snake R (01) - 11A-**P04**, NA
(02/03-irr) - 007-**P07** (w/remark WB9-↑ Weiser), NA
Boise R (63) - 05A (if ~~WD~~), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-**P04**(Payette Lake), NA
USE:
Domestic *(surface)* - 021(Boise R ↑ Star Bridge); 27A(Payette R); NA
Fish Propagation - 07A-042(*rq*)-010/06A/09E(WQ)-**P10**;044(N 1000 Spr)
Irr <*POU*> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (*req*) & 06A/010/09E-**P10**
Power - 08A-17K-025-027-01M-01F(**P19**)-09E(**P10**);
+25 cfs-**P18**; 17G(FERC) or 17M(~~FERC~~); 18B-**P09**
Storage(✓ *3 compo.*) - 18A(multi MD in WD), 18B-**P09** (+10' dam), NA
LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - (**P52**) (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - Blank <SEE CODE CHART>
Trust - 051-052-053-**P74** (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU) Dept of Lands.
OTHER CONDITIONS: -
STANDARD REMARKS: - ① W01/1 ⑤ PU = LT 378, Berven Bay Subd.
BENEFICIAL USE DUE: - 3-1-1997
COMMENTS: -

No. a
4/87-06/92n

I[illegible] DEPARTMENT OF WATER RESOURCE[illegible]
APPR[illegible]IATION APPLICATION ANALYSIS SH[illegible]

APPLICATION # 95- 8937

- WRI
- WRA
- BC

********** INITIAL REVIEW **********

APPLICANT: KULINK BY: [illegible] DATE: 1/12/96

ITEM	REQUIRED INFORMATION
1.	(Y) Name and Address
2.	(Y) Source
3.	(Y) Point of Diversion & County
4.	(Y) Quantity
	(Y) Nature of Proposed Use
	(Y) Period of Use
5.	(Y) Total Quantity
6.	(Y) Description of diverting works
7.	(Y) Time required for b/u
8.	(Y) Proposed use
9.	(Y) Place of use or acres irrigated
10.	(Y) Other Water Rights
11.	(Y) Ownership
13.	(Y) Map
	(Y) Signature
	(Y) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y( ) N( )

PROCESSING

Yes No PRIORITY DATE: 1/12/96

__ Y (Include Moratorium Remark)

__ Y Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA(Shasta) d

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: N/A

ADDITIONAL INFORMATION

Yes No

__ Y Field check: by _____
__ __ Field report attached
__ __ Analysis Supp. attached(>5cfs/500af)
__ __ Water delivered by water master?
Water District # 95A 2/26/96

INFORMATION RECEIVED:

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: N/A

********** GROUNDWATER SECTION **********

(Yes)(No)

__ Y Groundwater management area
__ __ Critical ground water area
__ __ Well Drilling Permit required
__ __ Well Drilling Application and Fees received
__ __ Well Drilling Application approved?
Well Drilling Application Number ___-___-___

Checked by: _____ Date: __/__/____

Remarks: _____

********** FINAL REGIONAL PROCESSING/REVIEW **********

(Yes)(No)

__ __ Notice of pending void order issued. Final order response date: __/__/____
__ __ Further information required from applicant
2/9/96 __ Affidavit of publication received
2/9 __ Application published correctly, If not, record action taken: _____
1/24/96 Publication dates and paper recorded on application | Sr. Agent initial
__ V Protests received. Final protest date: 2/20/96
__ V Measuring device required
__ V Measuring port required 2/26 DONE 2/27 Add WaterDist 95A
__ V Special conditions: _____
__ V Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: [signature] Date: 2/20/96

RECEIVED
MAR 0 1 1996
Department of Water Resources