





13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Leatrice n Bunn
(Applicant)

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS
☒ Copy of USGS Quadrangle Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Aerial Photo Attached (required for irrigation of 10+ acres)
☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WD #1	Gravity Fed				1" PVC Pipe

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


2. Measurements:

MICROFILMED

SEP 16 1997

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

92-08850



95-08920

T. 50N., R. 05W., Sec. 22

BUNN, STANLEY

T. 50N.

T. 49N

MICROFILMED

SEP 16 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REPORT SUPPLEMENT
PHOTOGRAPH

PERMIT # 95-08920



Spring outcrop lands
Please use



Spring outcrop lands
Please use



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08920

Priority: July 6, 1995

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that LEATRICE BUNN
STANLEY BUNN

W 10800 BUNN RD

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 6, 1995; and has submitted Proof of Beneficial Use on July 10, 1996. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSWSE, Sec. 22, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 05W 22

SESE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

SEP 16 1997


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08920

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 26TH
day of JUNE, 1997.


Acting for KARL J. DREHER, Director



REPROFILMED
SEP 16 1997

JUL 12 1996

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Signature of permit holder: Leatrice M. Bunn Date: 7-10-96
(include your title, if on behalf of company or organization)

ENC - 2396

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08920

Proposed Priority: July 6, 1995

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **STANLEY BUNN**
LEATRICE BUNN
W 10800 BUNN RD
COEUR D ALENE ID 83814

has applied for a permit to appropriate water from:
SPRING tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSWSE , Sec. 22, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC
50N 05W 22 SESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1996.**
2. Subject to all prior water rights.
3. Domestic use is for 1 home.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17th day of August, 1995

[Signature]
for
Karl J. Dreher, Director

RECORDED

AUG 28 1995



Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8920

To appropriate the public waters of the State of Idaho

1. Name of applicant STANLEY & LEATRICE BUNN Phone 208-667-1130
Post office address W10800 BUNN RD CdA ID 83814
2. Source of water supply SPRING which is a tributary of SINKS
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 22 Township 50N. Range 5W. B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from Y1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. SPRING + PIPELINE
TO HOME
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm Leatrice n Bunn;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

AUG 28 1995

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

11. a. Who owns the property at the point of diversion? Applicant

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other, describe fully.


d. Domestic; show number of households.

c. Municipal; show name of municipality.


b. Stockwatering; list number and kind of livestock.

a. Hydropower, show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Leatrice n Bunn
(Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by AS Date 7/6/95 Time 2:24 Preliminary check by AS
 Fee \$ 50.00/mo Received by AS # 10-9162 Date 7/6/95
 Publication prepared by AS Date 7/12/95 Published in GAJL 7/20/95
 Publication approved AS Date 8/2/95

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:



AUG 28 1995

RECEIVED

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08920

DATE 6/23/97

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE Change ✓

Is change clarification of originally intended source? ✓

POINT OF DIV Change ✓

If not, prepare Notice of Intent to Void ✓
Amendment required NO

PLACE OF USE Change ✓

Amendment required NO

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .04 cfs

Fee limit .20 cfs \$50.00

Measured ✓ cfs

Theoretical 7. cfs 1" pipe flow @ 5fps V = .03 cfs
Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/
NATURE OF USES

✓ Use Dom

Volume Calculation 1.2 af

 af
 af
 af
SUBTOTAL 1.2 af

Flow rate .02 cfs X 365 days X 1.98 ~~af~~ = 14.5 af

Total volume recommended 1.2 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/I home.

CONDITIONS Watermaster Control WD#

 GW Measurement/Measuring Device

 Overlap

 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed NA
Adjustment Memo

1st Amend Letter NA
2nd Amend Letter

RECEIVED
JUN 12 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

95-08920

A. GENERAL INFORMATION

Permit No.

1. Owner: Stanley & Leatrice Bunn Phone No. (208)-667-1130
Current Address: W. 10800 Bunn Rd Coeur d'Alene Id. 83814
2. Accompanied by: Stanley Bunn EXAM DATE: 5-15-97
Address: SAME AS ABOVE Phone No. SAME AS ABOVE
Relationship to Permit Holder: Permit Holder
3. Source: Spring tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
PD #1		NW	SW	SE	22	50N	05W	Kootenai	USGS 7.5' QUAD; site visit

2. Place(s) of Use:


Indicate Method of Determination Site Visit

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	05W	22																D	Domestic

MICROFILMED

SEP 16 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N.T.S.

☒ Copy of USGS Quadrangle Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Aerial Photo Attached (required for irrigation of 10+ acres)
☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DD #1	Gravity Feed				1" PVC Pipe

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

System Consist of of 5 gallon Bucket Buried @ Spring
With one inch ~~2~~ screened intake Pipe. Water is Gravity fed.
Approximately 250' down hill to a 300 gallon stainless steel Holding
Tank. From the Tank the water line Runs another 650' to
the single domestic Home. The 1" Black P.V.C. Water line
is buried.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JAN 16 1977

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} =$$

2. Volume Calculations for Other Uses:

1 domestic home @ .02 cfs

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

1-01

Period of Use

To

12-31

Rate of Diversion

Q (cfs)

.02

Annual Volume

V (afa)

1.2

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above

None
Other

I. AUTHENTICATION

Field Examiner's Name

William A. Sample


Date

5-19-97

Reviewer

Date

SEAL



95-08920

T. 50N., R. 05W., Sec. 22

BUNN, STANLEY

T. 50N.


T. 49N

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REPORT SUPPLY
PHOTOGRAPH

PERMIT # 95-08920



Spring outlet and disk
Place of case



Spring outlet
Place of case



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08920 Reviewed by Jy Date 7-31-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	- = +	_____
Date proof due	_____		_____
No. of days late	_____		_____
Priority Date	_____		_____
New Priority Date	_____		_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 7-10-96

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8920 Name: Benn Date: 8/16/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: 19162 Priority: 7/6/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes Mor GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. , P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink in WD):

Water District(~~dem~~) - 005 (req) WD # <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP:Non-land owner - 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

Q woi/i

9-1-1996

RECEIVED
AUG 14 1995

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95-8920

WR
WRAPS
BC

AUG 14 1995

***** INITIAL REVIEW *****

Department of Water Resources
APPLICANT: BOWN

BY: AB

DATE: 7/6/95

ITEM REQUIRED INFORMATION

1. ☒ (X) Name and Address
2. ☒ (X) Source
3. ☒ (X) Point of Diversion & County
4. ☒ (X) Quantity
☒ (X) Nature of Proposed Use
☒ (X) Period of Use
5. ☒ (X) Total Quantity
6. ☒ (X) Description of diverting works
7. ☒ (X) Time required for b/u
8. ☒ (X) Proposed use
9. ☒ (X) Place of use or acres irrigated
10. ☒ (X) Other Water Rights
11. ☒ (X) Ownership
12. ☒ (X) Map
☒ (X) Signature
☒ (X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached (>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 7/6/95

☒ (X) (Include Moratorium Remark)

☒ (X) Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA/Churn/OR

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____
Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☒ Notice of pending void order issued. Final order response date: ____/____/____
☒ Further information required from applicant
☒ Affidavit of publication received
☒ Application published correctly, If not, record action taken: _____
☒ Publication dates and paper recorded on application
☒ Protests received. Final protest date: 8/7/95 | Sr. Agent initial AB
☒ Measuring device required
☒ Measuring port required
☒ Special conditions: _____
☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB Ryt

Date: 8/3/95