



4W
To Rathdrum

T50N
R4W B32





MICROFILMED
NOV 08 1996

POU.
POD

95-08906
Sims, Darrell
T. 50N., R. 04W., Sec. 8

COUGAR BAY

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08906

Priority: April 11, 1995

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

5.7 AF

This is to certify, that DARRELL SIMS

5645 E CHIO MATCH RD

POST FALLS ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 11, 1995; and has submitted Proof of Beneficial Use on November 30, 1995. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from:

SPOKANE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	5.7 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NWNW), Sec. 8, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	8	Lot 1(NWNW)	1.9		1.9

Total number of acres irrigated: 1.9

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.


MICROFILMED


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08906

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6th
day of November, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED
NOV 08 1996

RECEIVED

NOV 13 1995

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. 3034010
Receipt By GW
Date Received: 11-30-95

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. L-95-S-4146 ⁹⁵⁻⁰⁸⁹⁰⁶ Telephone No. 667-3710 ^{Home} 765-5005 ^{Work}

2. Name(s) of Permit Holder(s): Darrell Sims

3. Mailing Address: 5645 E Ohio Match Rd Post Falls Id 83854

4. Source of Water: Spokane River If GROUNDWATER (well), Date Drilled: mo. — / yr. —

a. Well Driller: — Drilling Permit Number: —

b. **OPTIONAL:**
Pump Horsepower: 1 HP Pressure (psi): 60 Dynamic pumping level (ft): —

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): —

Irrigation (No. of acres): 2 Other: —

6. Total rate of diversion and/or volume for which proof is submitted: — cfs OR — acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes — or No ✓

Has the measuring device been installed?

Yes — or No ✓

Flow Measurement Port: Is a flow measurement port required?

Yes — or No ✓

Has the measurement port been installed?

Yes — or No ✓

8. Fee Enclosed: \$ — (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Darrell Sims Telephone Number: 208-765-5005

Address: 5645 E Ohio Match Rd Post Falls Id 83854

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Darrell Sims Date: 11-7-95
(include your title, if on behalf of company or organization)

JAN 8 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08906

Proposed Priority: April 11, 1995 Maximum Diversion Rate: 0.06 CFS

This is to certify, that **DARRELL SIMS**
5645 E OHIO MATCH RD
POST FALLS ID 83854
has applied for a permit to appropriate water from:
SPOKANE RIVER tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NWNW), Sec. 8, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	8	Lot 1(NWNW)	2.0		2.0


Total number of acres irrigated: 2.0

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 1996**.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

23rd day of May, 1995.


for Karl J. Dreher, Director

RECEIVED

MAY 31 1995

RECEIVED
MAY 19 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8906

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Darrell Sims Phone 208-667-3710
Post office address 5645 EOHio MATCH R Post Falls Id
2. Source of water supply SPOKANE RIVER which is a tributary of COLUMBIA RIVER
3. Location of point of diversion is _____ 1/4 of NW 1/4 of NW 1/4, Govt. Lot 1
Sec. 8 Township 80N Range 4W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.06 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.06 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPELINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

MAY 31 1995

10. Describe any other water rights used for the same purposes as described above.
11. a. Who owns the property at the point of diversion? **IOAHO STATE DEPT LANDS**
b. Who owns the land to be irrigated or place of use? **APPLICANT**
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.
12. Remarks:

Total number of acres to be irrigated.

[illegible]

8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____
9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

6
5
7
8

100'

U. S. A. Pumping Plant

3250
1.217 Ac.

Darrell Sims

3200
3.565 AC

3185
1.177 AC

#14051

3175

#11650
42,060 #
.966 AC

90'

100'

90'

100'

14.60

RECORDED

MAY 31 1995

TAX NO. 14051

PG 1 OF 1

INSTRUMENT REFERENCE: QUIT CLAIM DEED

RECORDATION INFO: INSTR. NO. 1138225 DATE 1-3-82

A portion of land lying in Government Lot 1, Section 8, Township 4 North, Range 4 West, Boise Meridian, Kootenai County, Idaho, more particularly described as follows:

Commencing at the Northwest corner of said Government Lot 1;

thence southerly 400 feet along the North line of said Government Lot 1 to the point of beginning;

thence continuing along said North line 90 feet to the Northwest corner of that property described in Instrument No. 829075, Records of Kootenai County, Idaho;

thence southerly along the West line of the aforementioned property to the high water line of the Spokane River;

thence westerly along said high water line 100 feet, more or less, to a point;

thence northerly along a straight line and parallel to the West line of the property described in Instrument No. 829075 to the point of beginning.

MAY 31 1985

[illegible]

31 1995

X Daniel Svir _____
(Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

RECEIVED
MAY 3 1 1995

Received by _____ Date 4/11/95 Time 122P
Fee \$ 50.00
Received by _____ # N 008788 Date 4/11/95
Publication prepared by _____ Date 4/12/95
Published in Ada Press 4/20+27/95
Publication approved _____ Date 4/28/95

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08906

DATE 10/28/96

REVIEWER: S H A R L A

NAME Change OK Address Change No
 SOURCE Change ✓ Is change clarification of originally intended source? ✓
 If not, prepare Notice of Intent to Void
 POINT OF DIV Change ✓ Amendment required No
 PLACE OF USE Change ✓ Amendment required No
 Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .06 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured cfs
 Theoretical .06 cfs
 Recommended Total Div Rate .06 cfs

1" pipe @ slope = .03 cfs

45' = .05

1 x 8.8 x .7 / 50 + (2.31 x 60) = .03

ANNUAL VOLUME/ NATURE OF USES

 Use Dr. Volume Calculation
1.9 x 3.0 = 5.7 af
 af
 af
 af
 SUBTOTAL 6.7 af

Flow rate .06 cfs X 245 days X 1.98 = 29.1 af
 Total volume recommended 5.7 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

R44 Overlap

 Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A
 Adjustment Memo acres
amts.

1st Amend Letter N/A
 2nd Amend Letter

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. **95-08906**

1. Owner: Darrell Sims Phone No. 667-3710

Current Address: 5645 E. OTTOMATCH Rd, POST FALLS, ID. 83854

2. Accompanied by: Darrell Sims EXAM DATE: 9-9-96

Address: Same as above Phone No. Same as above

Relationship to Permit Holder: Permit Holder

3. Source: SPOKANE RIVER tributary to COLUMBIA RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: 95-04055; 95-04241; 95-04236;
95-07019; 95-07424

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	01		NW	NW	08	50N	04W	Kootenai	U.S.G.S. 7.5' QUAD; Site Visit

2. Place(s) of Use:

Indicate Method of Determination


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	08						2.0											2.0

MICROFILMED

NOV 08 1996

Total - 2.0

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = 15'

X Copy of USGS Quadrangle Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached of (required for irrigation of 10+ acres)

X Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Division #1		1.0	Submersible	Grundfos	1" Black P.V.C.

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

MICROFILMED

NOV 0 8 1986

E. NARRATIVE/REMARKS/COMMENTS

System Consist of 1 hp. Grundfos Submersible pump with a 1" inch P.V.C. distribution pipe. Two (2) irrigated acres consist of Lawn Area of 318' X 240'. Landscape area is 105' X 75'.

$$\begin{array}{r}
 318' \\
 \times 240' \\
 \hline
 76,320 \\
 \hline
 43,560
 \end{array}
 \begin{array}{r}
 105' \\
 75' \\
 \hline
 7875 \\
 \hline
 43,560
 \end{array}
 = (.18)
 \begin{array}{r}
 1.75 \\
 .18 \\
 \hline
 1.93 \text{ ACRES}
 \end{array}$$

Home is on a well for domestic water.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

2000 R 1996

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

* See Theoretical Calculation!

not attached to exam ???

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.0 \times 3.5 = 7.0$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 245 \times 1.9835 = 29.2$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 7.0$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRRIGATION

From 3-15

To 11-15

Period of Use

Rate of Diversion
Q (cfs)
.06

Annual Volume
V (afa)
7.0

2. Recommended Amendments

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☒ None
☐ Add P.U. as reflected above
☐ Other

I. AUTHENTICATION

Field Examiner's Name

William F. Spang

Date

9-10-96

Reviewer

Date

SEAL

MICROFILMED

NOV 0 8 1956

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT


PERMIT #

95-08906

PHOTOGRAPHS



1" Black P.V.C.
Intake & Power
extends approx.
30' into River



Filter on
system;
PRESSURE
GAUGES

MICROFILMED

NOV 08 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT
PHOTOGRAPH




LANDSCAPED
FOR EROSION CONTROL

PLACE OF USE
LAWN AREA

UNRECORDED
INDEXED

T50N
R4W
B32



PAID



95-08906
Sims, Darrell
7.5 DU. R. 0463 Sec 8

NOV 8 1956

COUGAR BAY

Permit No. 95-08906 Reviewed by [Signature] Date 11-16-95

TYPES OF USE

Dom, Jr

Correct Uses? yes

If not, complete calculation below.

✓ Surface water source

_____ Ground water source

1 Drilling permit required?

 Copy in the file? Drilling Permit No.

	Amount paid for permit
--	------------------------

Well log in the file?

 Well log in the file?

MEASURING DEVICE

YES Required?

no Required?

~~0~~ Amount Submitted

Installed?

no **Correct?**

 Waiver requested?

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

Request 50⁰⁰ exam fee
11/30 - Fee received / Proof acceptable

New Address _____ Proof Made 11-13-95

Proof Made 11-13-95

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8906 Name: Sims Date: 5/22/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: 28788 Priority: 7/11/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Prehearing agreement) or W19(See Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
- 0.2 cfs - No MD
+ 5 a. (POU cmp) - 01M, 803(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink):
Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J-P08 or 01M
- 0.2 cfs - 01H-P01 or No MD
+ 5 a. irr. - 01M (POU cmp)
~~In-WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
+ 5 a. irr. - 01M (POU cmp)

RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:
Domestic (surface) - 021(Boise R ↑ L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr - 5 acres - 057 (0.03 cfs/A)
+ 5 acres - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU) _____

OTHER CONDITIONS: _____

STANDARD REMARKS: _____

BENEFICIAL USE DUE: - 6-1-1996

COMMENTS: _____

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
MAY 19 1995

Department of Water Resources.

APPLICATION # 95-8906

***** INITIAL REVIEW *****

APPLICANT: SIMS BY: AB DATE: 4/11/95

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached (>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 4/11/95

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA Jhus ok

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: n/a

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: n/a

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

4/28/95 Affidavit of publication received

4/28/95 Application published correctly, If not, record action taken: _____

4/28/95 Publication dates and paper recorded on application

Sr. Agent initial AB

☒ Protests received. Final protest date: 5/18/95

☒ Measuring device required

☒ Measuring port required

☒ Special conditions: _____

☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB

Date: 5/12/95