

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08903

Priority: April 3, 1995

Maximum Diversion Rate:
Maximum Diversion Volume:

0.15 CFS
15.0 AF

This is to certify, that KENNETH L WAY
6255 W RIVERVIEW DR
POST FALLS ID 83854

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 3, 1995; and
has submitted Proof of Beneficial Use on May 24, 1996. An examination indicates
that the works have a diversion capacity of 0.150 cfs of water from:

SPOKANE RIVER tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.15 CFS	15.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 9(NWSE), Sec. 12, Township 50N, Range 06W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	06W	12	Lot 9(NWSE) 2	SWSE 3		5

Total number of acres irrigated: 5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.

MICROFILMED

NOV 08 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08903


CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6th day of November, 1996.

Acting for

KARL J. DREHER, Director



MICROFILMED

NOV 08 1996

RECEIVED

MAY 28 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08903 Telephone No. (208) 777 8702
2. Name(s) of Permit Holder(s): KENNETH L. WAY
3. Mailing Address: 6255 W. RIVERVIEW DR. P.F. IDAHO 83854
4. Source of Water: SPOKANE RIVER GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
- a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____
- b. OPTIONAL:
Pump Horsepower: 5 Pressure (psi): 40 Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 5 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.15 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | |
|---|--------------------------|
| Measuring Device: Is a measuring device required? | Yes <u>X</u> or No _____ |
| Has the measuring device been installed? | Yes <u>X</u> or No _____ |
| Flow Measurement Port: Is a flow measurement port required? | Yes _____ or No _____ |
| Has the measurement port been installed? | Yes _____ or No _____ |
8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: KENNETH L. WAY Telephone Number: 208 777 8702
Address: 6255 W. RIVERVIEW DR. P.F. ID 83854
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Kenneth L. Way
(include your title, if on behalf of company or organization)

Date: MAY 24 95

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08903

Proposed Priority: April 3, 1995 Maximum Diversion Rate: 0.15 CFS

This is to certify, that **KENNETH L WAY**
6255 W RIVERVIEW DR
POST FALLS ID 83854
has applied for a permit to appropriate water from:
SPOKANE RIVER tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.15 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 9(NWSE), Sec. 12, Township 50N, Range 06W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	06W	12	Lot 9(NWSE) 2.0	SWSE 3.0		5.0

Total number of acres irrigated: 5.0

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1996.
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

24th day of May, 1995

Karl J. Dreher
for Karl J. Dreher, Director
MICROFILMED

MAY 31 1995

RECEIVED
MAY 19 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95 8903

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant KENNETH L. WAY Phone ²⁰⁸ 777 8702
Post office address 6255 W. RIVERVIEW DR. POST FALLS ID 83854
2. Source of water supply SPOKANE RIVER which is a tributary of COLUMBIA RIVER
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SE 1/4, Govt. Lot 9
Sec. 12 Township 50N. Range 6W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.15 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.15 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP IN RIVER

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? NO
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

MAY 31 1995

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? #1 KENNETH C. WAT
b. Who owns the land to be irrigated or place of use? #1 KENNETH C. WAT
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

9

[illegible]

ponding place of use below. See instructions for standard symbols.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

9. Description of place of use:

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

8. Description of proposed uses (if irrigation only, go to item 9):

54.3.

२५५

Sec. 10.

Sec. II.

Sec. 15.

Sec. 14.

Sec: 13.

Sec. 12.

54

SHINGTON


BETW. IDAHO & WASHINGTON

Previous Survey

TIMBER

MERIDIAN

MAY 31 1995




INDEXED

MAY 31 1995

#23076
APPROVED

By *[Signature]*

KOOTENAI COUNTY PLANNING DEPT.
STORMWATER REVIEW ONLY



THE OWNER OR AUTHORIZED AGENT, by his signature hereby acknowledges that this site plan is a true and accurate representation of the site. The owner assumes all responsibility for any inaccuracies contained herein.

Andrew S. [Signature]
Owner/Authorized Agent

Date *5/2/94*




APPROVED

By *[Signature]*

KOOTENAI COUNTY

MICROFILMED
MAY 31 1995



PRAIRIE

5285

Interstate

T 51 N
T 50 N

T 51 N
T 50 N

ALLS 3.2 MI.
D'ALENE 12 MI.

IDAHO

2080

2084

36

East Farms

WT 31
Wells

26 N
25 N

RIVER

POINT OF DIVERSION

12

LOT 9

PLACE OF USE

Mile 98

Abandoned Bridge

Pleasant View

ROAD

PLEASANT VIEW

WASHINGTON

IDAHO

12

13

Skalan

LOOP

MAY 31 1995

WAY

T. SON., R. 6 W.

A large grid of graph paper. The main grid is 10 units wide and 10 units high. In the bottom right corner, there is a smaller grid that is 10 units wide and 10 units high, starting from the 8th column and 8th row of the main grid.

RECEIVED

31 1995

Kenneth L. Way
(Applicant)

RECEIVED
MAY 31 1995

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	AS	Date	4/3/95	Time	3:00	Preliminary check by	AS
Fee \$	50.00	Received by	AS	Date	4/12/95	#	N-8752
		Publication prepared by	AS	Date	4/12/95	Published in	Idaho 4/20+27/95
		Publication approved	AS	Date	4/28/95		

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08903

DATE 10/28/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO
 SOURCE ✓ Is change clarification of originally intended source? ✓
 If not, prepare Notice of Intent to Void
 POINT OF DIV ✓ Amendment required NO
 PLACE OF USE ✓ Amendment required NO
 Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .15 cfs
 Fee limit .20 cfs \$5000
 Measured ✓ cfs
 Theoretical .15 cfs
 8 sprinkler heads
 3" pipe @ 5fps = .25 cfs
 Recommended Total Div Rate .15 cfs

ANNUAL VOLUME/ NATURE OF USES

500 X 350 = 4.0 ac.
900 = 4.6 ac.

Use Dr. Volume Calculation
5 X 3.0 = 15.0 af
 af
 af
 af
 SUBTOTAL 15.0 af

Flow rate .15 cfs X 245 days X 1.98 af = 72.8 af
 Total volume recommended 15.0 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS Watermaster Control WD#

R49 GW Measurement/Measuring Device

Overlap

 Use-specific conditions AM

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

Adjustment Memo Volume

1st Amend Letter N/A

2nd Amend Letter

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08903

1. Owner: Kenneth L. Way Phone No. (208) 777-8702

Current Address: 6255 W. Riverview Dr. Post Falls Id. 83854

2. Accompanied by: Ken Way EXAM DATE: 8-29-96

Address: Same Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spokane River tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-02078 95-07017

2. Other water rights with the same point of diversion: 95-02078

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	9		NW	SE	12	50N	6W	Kootenai	U.S.G.S. Topo, Metes & bounds lot maps

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	6W	12															Irr. 2 acres	Irr. 3 acres	5

RECEIVED
NOV 9 8 1996

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from Spokane River by means
of a 5 h.p. pump, is distributed to 5 acre lot through
600 ft. of 3 inch irrigation pipe.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 08 1996

F. FLOW CALCULATIONS

Measured Method:

See Theoretical calculation

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 3.5 = 17.5$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .15 \times 245 \times 1.9835 = 72.89$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 17.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Irrigation

From
3-15

To
11-15

Rate of Diversion
Q (cfs)

.15

Annual Volume
V (ata)

17.5

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

D. Regal

Date

8-29-96


Reviewer

Date

SEAL

NOT A SEAL
MICROFILMED

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



4. _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ Aerial Photo Attached _____
 _____ Photo of Diversion and System Attached _____
 _____ (required for irrigation of 10+ acres)

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Raw Flow	5	2095		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

NOV 8 8 1960
 MICHOI (MEL)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 95-08903

P H O T O G R A P H S




Point of
diversion



Place of use

MICROFILMED
NOV 08 1996



THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: KENNETH L. WAY 95-08903

DATE: 29-AUG-96

COMPLETE BY: PAGEL

HORSEPOWER = 5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 110 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.15 CFS

MICROFILMED
1995 SEP 15

TELEPHONE CONVERSATION MEMORANDUM

Permit No. 95-08903 Name of Contact Ken Way

Employee _____

Date set for examination: 8-29-96Time 11:00 a.m.

Where _____

Are all the uses on the permit developed? _____

Are there existing water rights used for the same purpose? _____

How many points of diversion are used? _____

If multiple uses are listed, are all supplied by one system? _____ If not, note specifics, i.e. HP, estimated flow, irrigated acres, # of livestock, kind) _____

What is the estimated flow at each point of diversion? _____

* Acres irrigated by each P/D? 5Size of Motor used for each P/D? 5 hp Raw Flow Model # 12 W5-2
Serial # 2095Estimate of depth to water? 30How many laterals are used? 2Length and size of mainline? 3" 600' (350' now)

Pressure at well? _____

Pressure at sprinkler head? _____

Have conditions of approval been complied with? _____

NOTED
8/30/96
8/30/96

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08903 Reviewed by [Signature] Date 6-13-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? Jrr
yes Address same as permit? _____
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
_____ Ground water source
_____ Drilling permit required?
_____ Copy in the file? Drilling Permit No. _____
_____ Amount paid for permit _____ Correct?
_____ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required? no Required?
50- Amount Submitted _____ Installed?
yes Correct? _____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	- = +	_____
Date proof due	_____		_____
No. of days late	_____		_____
Priority Date	_____		_____
New Priority Date	_____		_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 5-24-96

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8903 Name: Way Date: 5/22/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: 305796 Priority: 4/3/95 / Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes Mor GWMA Trust/Non-trust
PROTESTED: - 020(Prehearing agreement) or W19(See Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
- 0.2 cfs - No MD
+ 5 a. (POU cmp) - 01M, 803(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. , P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink):
Water District(~~dem~~) - 005 (req) WD # <SEE MAP & LISTING>
+ 0.2 cfs - 01J-P08 or 01M
- 0.2 cfs - 01H-P01 or No MD
+ 5 a. irr. - 01M (POU cmp)
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
+ 5 a. irr. - 01M (POU cmp)

RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:
Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr - 5 acres - 057 (0.03 cfs/A)
+ 5 acres - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP:Non-land owner - 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE: 6-1-1996

COMMENTS:

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS

RECEIVED
MAY 19 1995

APPLICATION # 95-8903

Department of Water Resources

***** INITIAL REVIEW *****

APPLICANT: WJAY BY: JS DATE: 4/3/95

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
+ Field report attached
+ Analysis Supp. attached(>5cfs/500af)
+ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 4/3/95

(Include Moratorium Remark)

Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA Shurs OK

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- + Groundwater management area
+ Critical ground water area
+ Well Drilling Permit required
+ Well Drilling Application and Fees received
+ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

4/28/95 Affidavit of publication received

4/28/95 Application published correctly, If not, record action taken: _____

4/12/95 Publication dates and paper recorded on application | Sr. Agent initial JS

+ Protests received. Final protest date: 5/8/95

+ Measuring device required

+ Measuring port required

+ Special conditions: _____

+ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: BRA

Date: 5/12/95