





(4-6754.)

T51N.

Range No 3 West of the Boise Meridian

d D c C b B





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08887

Priority: September 27, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that JOHN R PETERSON

W 128 SUMNER

SPOKANE WA 99204

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 27, 1994; and has submitted Proof of Beneficial Use on October 30, 1995. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

HAYDEN LAKE

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5(NWSE), Sec. 10, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 03W 10 Lot 5(NWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
6. Domestic use is for 1 home within Lots 3 & 4, Gem Shores Subdivision.

MICROFILMED
NOV 6 8 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08887

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29TH
day of OCTOBER, 19 96.


Acting for KARL J. DREHER, Director



MICROFILMED
NOV 5 1996

SIDE LOCATION 11945 N COLUMBIA POINT RD

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

HAYDEN LAKE ID

RECEIVED

OCT 30 1995

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08887 Telephone No. 509-531-5774

2. Name(s) of Permit Holder(s): BARRY K. JONES & CAROL J. JONES

3. Mailing Address: 1914 E 25th AVE SPOKANE WA 99203-3812

4. Source of Water: HAYDEN LAKE If **GROUNDWATER** (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - - -

b. **OPTIONAL:**
Pump Horsepower: 3/4 Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock):

Irrigation (No. of acres): Other:

6. Total rate of diversion and/or volume for which proof is submitted: 1.04 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No

Has the measuring device been installed? Yes or No

Flow Measurement Port: Is a flow measurement port required? Yes or No

Has the measurement port been installed? Yes or No

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: BARRY K. JONES Telephone Number: 509-747-3121

Address: 1914 E 25th AVE SPOKANE WA 99203-3812

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 10/26/95
(include your title, if on behalf of company or organization)

NOV 16 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08887

Proposed Priority: September 27, 1994 Maximum Diversion Rate: 0.04 CFS

This is to certify, that JOHN R PETERSON
W 128 SUMNER
SPOKANE WA 99204

has applied for a permit to appropriate water from:

HAYDEN LAKE tributary of SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 5(NWSE), Sec. 10, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC


TWN RGE SEC
51N 03W 10 Lot 5(NWSE)

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1995.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 95A.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Point of diversion is located within Lot 3, Gem Shores Subdivision.
6. Place of use is located within Lots 3 & 4, Gem Shores Subdivision. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

28th day of November, 1994.


for R. Keith Higginson, Director

DEC 21 1994

Ident. No. 95-08887STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant John R. Peterson Phone 509-747-1413
Post office address W. 128 SUMNER SPOKANE, WA. 99204
2. Source of water supply Hayden Lake which is a tributary of SINKS
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 5
Sec. 10 Township 51 N Range 3 W B.M. Kootenai County; additional
points of diversion if any: AKA Lots 3 & 4 Gem Shores Subdivision #3
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from JAN 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Pump in Lake
 - b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NA
 - e. If well is already drilled, when? NA; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 YR. years (minimum 1 year).

12. Remarks:

applicant to make this filing.

50m.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion? Edith Doyle at her house.

10. Describe any other water rights used for the same purposes as described above.

NA

Total number of acres to be irrigated.

۷۸

[illegible]

4

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.


d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower, show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):



TSIN
R03W
95-8887


DEC 21 1994

ELEVATION 2238 JULY 1958


Clark Point
the Clark House


(4-675a.)

T51 N.
go N° 3 West of the Boise Meridian

$$d \qquad D \qquad c \qquad C \qquad b \qquad B$$


monuments.





COEUR D'ALENE NATIONAL FOREST

CLARKSVILLE

Hayden Lake

Wright's Lake

HAYDEN

14

16

17

23

24

13

12

11

10

9

8

7

6

5

4

3

2

1

0

-1

-2

-3

-4

-5

-6

-7

-8

-9

-10

-11

-12

-13

-14

-15

-16

-17

-18

-19

-20

-21

-22

-23

-24

-25

-26

-27

-28

-29

-30

-31

-32

-33

-34

-35

-36

-37

-38

-39

-40

-41

-42

-43

-44

-45

-46

-47

-48

-49

-50

-51

-52

-53

-54

-55

-56

-57

-58

-59

-60

-61

-62

-63

-64

-65

-66

-67

-68

-69

-70

-71

-72

-73

-74

-75

-76

-77

-78

-79

-80

-81

-82

-83

-84

-85

-86

-87

-88

-89

-90

-91

-92

-93

-94

-95

-96

-97

-98

-99

-100

-101

-102

-103

-104

-105

-106

-107

-108

-109

-110

-111

-112

-113

-114

-115

-116

-117

-118

-119

-120

-121

-122

-123

-124

-125

-126

-127

-128

-129

-130

-131

-132

-133

-134

-135

-136

-137

-138

-139

-140

-141

-142

-143

-144

-145

-146

-147

-148

-149

-150

-151

-152

-153

-154

-155

-156

-157

-158

-159

-160

-161

-162

-163

-164

-165

-166

-167

-168

-169

-170

-171

-172

-173

-174

-175

-176

-177

-178

-179

-180

-181

-182

-183

-184

-185

-186

-187

-188

-189

-190

-191

-192

-193

-194

-195

-196

-197

-198

-199

-200

-201

-202

-203

-204

-205

-206

-207

-208

-209

-210

-211

-212

-213

-214

-215

-216

-217

-218

-219

-220

-221

-222

-223

-224

-225

-226

-227

-228

-229

-230

-231

-232

-233

-234

-235

-236

-237

-238

-239

-240

-241

-242

-243

-244

-245

-246

-247

-248

-249

-250

-251

-252

-253

-254

-255

-256

-257

-258

-259

-260

-261

-262

-263

-264

-265

-266

-267

-268

-269

-270

-271

-272

-273

-274

-275

-276

-277

-278

-279

-280

-281

-282

-283

-284

-285

-286

-287

-288

-289

-290

-291

-292

-293

-294

-295

-296

-297

-298

-299

-300

-301

-302

-303

-304

-305

-306

-307

-308

-309

-310

-311

-312

-313

-314

-315

-316

-317

-318

-319

-320

-321

-322

-323

-324

-325

-326

-327

-328

-329

-330

-331

-332

-333

-334

-335

-336

A large grid of graph paper, consisting of 20 columns and 20 rows of squares. In the bottom right corner, there is a date stamp that reads "DEC 21 1994". The stamp is slightly tilted and has a faded, ink-like appearance. The grid lines are thin and black, and the background is white.


(Applicant)

RECEIVED
FEB 10 1994

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by DEW Date 9/27/94 Time 11:50 Preliminary check by _____

Fee \$ 5000 Received by DEW # 118278 Date 9/27/94

Publication prepared by DEW Date 9/28/94 Published in IDAHO PHASE 10/6/94

Publication approved DEW Date 10/17/94

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08887

DATE 10/28/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO - permit has not been assigned to B. Jones

SOURCE Change ✓ Is change/clarification of originally intended source?
If not, prepare Notice of Intent to Void

POINT OF DIV Change ✓ Amendment required NO

PLACE OF USE Change ✓ Amendment required NO

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .04 cfs

Fee limit .20 cfs \$5000

Measured cfs

Theoretical .04 cfs

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/ NATURE OF USES

Use <u>Dom</u>	Volume Calculation <u>1.2 standard</u> af
<u> </u>	<u> </u> af
<u> </u>	<u> </u> af
<u> </u>	<u> </u> af
<u> </u>	<u> </u> af
SUBTOTAL	<u>1.2</u> af

Flow rate .04 cfs X 365 days X 1.98 af = 29.0 af

Total volume recommended 1.2 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1 home - lots 3 & 4, Ben Shores
Subd.

CONDITIONS

Ref Watermaster Control WD# 95A

 GW Measurement/Measuring Device

 Overlap

 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo

1st Amend Letter N/A

2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 15 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08887

1. Owner: Barry K. Jones Phone No. (509) 535-5774

Current Address: 1914 E. 25th Ave. Spokane WA.

2. Accompanied by: _____ EXAM DATE: 7-19-96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Hayden Lake tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	5		NW	SE	10	51N	3W	Kootenai	USGS, Metzger maps

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	3W	10														D			

MICROFILMED
NOV 8 1996

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


See Theoretical

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4			

4.

Scale: 1" = _____
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

WATER IS DIVERTED FROM HAYDEN LAKE WITH 3/4 H.P.
PUMP TO HOME LAWN + GARDEN

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 08 1996

SEAL

Reviewer

Date _____

Field Examiner's Name _____

Date 4-14-96

David A. Paege

I. AUTHENTICATION

Change P.D. as reflected above

Change P.U. as reflected above

_____ Add P.D. as reflected above	_____ Add P.U. as reflected above
_____ None	_____ Other

2. Recommended Amendments

Domestic

Beneficial Use

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

$V_{D.R.} =$ Smaller of $V_{I.R.}$ and $V_{D.R.} =$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$
$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS

Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: BARRY JONES 95-08887

DATE: 24-JUL-96

COMPLETE BY: DAVID PAGEL

HORSEPOWER = .75

PUMP EFFICIENCY = 75%

DYNAMIC LIFT = 40 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.04 CFS

MICROFILMED
NOV 14 1996

PERMIT # _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S




Point of use.

No photo for point of diversion available

MICROFILMED

NOV 08 1996



T51N
R3W

ELEVATION 2238 JULY 1958


SCALE 1:24 000

Barry Jones
95-08887

T51N R3W Sec 10

MICROFILMED
NO 116
B 1996

T51W
R3W
A



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08887 Reviewed by [Signature] Date 11-3-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
/ Drilling permit required?
/ Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?
no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	<u>/</u>
Date proof due	_____ - _____	
No. of days late	_____ = _____	
Priority Date	_____ + _____	
New Priority Date	_____	

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address 1914 E. 25th ave Proof Made 10-30-95
Spokane, WA 99203-3812

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8887 Name: Peterson Date: 11/25/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - 01G (new), 01K (existing), No MD

- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99

Existing well - NA (pre 7/1/87)

No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. 95A

*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° GW temp only)

Swan Falls Flag - B <SEE CONDITION CODE CHART>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA

Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)

Irrigation - 03A/057, 803(if GW use SW 1st)(+5A PU comp), NA

Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021(Boise R ↑ L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner

PROTESTED:

- 004 (PD/PU) Idaho Dept. of Lands
- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

- ① P/D/14 3, Gem Shores Subd.
- ② P/U/14 3 & 4 Gem Shores Subd.
- ③ woi/1

BENEFICIAL USE DUE:

- 12-1-1995

COMMENTS:

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95 - 08887

***** INITIAL REVIEW *****

APPLICANT: PETERSON BY: BS DATE: 9/28/94

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached(>5cfs/500af)
☒ Water delivered by water master?
Water District # 95-A

PROCESSING

Yes No

PRIORITY DATE: 9/27/94

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

☒ Notice of pending void order issued. Final order response date: ____/____/____

☒ Further information required from applicant

☒ Affidavit of publication received

☒ Application published correctly, If not, record action taken: _____

☒ Publication dates and paper recorded on application | Sr. Agent initial BS

☒ Protests received. Final protest date: 10/24/94

☒ Measuring device required

☒ Measuring port required

☒ Special conditions: _____

☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: BS

NOV 01 1994

Date: 10/26/94

Department of Water Resources