





(4-675a.)

ge N^o 3 West of the Boise Meridian


$$d \qquad D \qquad c \qquad C \qquad b \qquad B$$


ENGINEER &
SCALE
ASTRONOM

ON HAYDEN
KOOTENAI COUN


IN LOT 5, SECTION 10, T.51N.

GEM SHORES SUBDIVISION



monuments.

REGISTERED
DEC 21 1994



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08886

Priority: September 27, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that JOHN R PETERSON

W 128 SUMNER

SPOKANE WA 99204

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 27, 1994; and has submitted Proof of Beneficial Use on October 26, 1995. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

HAYDEN LAKE

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5(NWSE), Sec. 10, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 03W 10 Lot 5(NWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
6. Domestic use is for 1 home within Lots 1 & 2, Gem Shores Subdivision.

MICROFILMED
NOV 8 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08886

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of OCTOBER, 1976.


Acting for KARL J. DREHER, Director



MICROFILMED

FOR OFFICE USE ONLY
 Amt. of Fee \$: 50.00
 Receipt No. C033798
 Receipt By: JW
 Date Received: 10-27-95

RECEIVED
OCT 26 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08886 Telephone No. 509-747-1413
2. Name(s) of Permit Holder(s): John R. Peterson
3. Mailing Address: W. 128 SUMNER. SPOKANE, WA. 99204
4. Source of Water: Hayden Lake If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
- a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____ - ____
- b. **OPTIONAL:**
Pump Horsepower: 3/4 Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 1.07 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- Measuring Device:** Is a measuring device required? Yes _____ or No ✓
Has the measuring device been installed? Yes _____ or No ✓
- Flow Measurement Port:** Is a flow measurement port required? Yes _____ or No ✓
Has the measurement port been installed? Yes _____ or No ✓
8. Fee Enclosed: \$ 500 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: John R. Peterson Telephone Number: 509-747-1413
Address: W. 128 SUMNER SPOKANE, WA. 99204
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

(include your title, if on behalf of company or organization)

Date: 10/20/93

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08886

Proposed Priority: September 27, 1994 Maximum Diversion Rate: 0.04 CFS

This is to certify, that JOHN R PETERSON
W 128 SUMNER
SPOKANE WA 99204
has applied for a permit to appropriate water from:

HAYDEN LAKE tributary of SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	0.04 CFS
----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 5(NWSE), Sec. 10, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC


51N 03W 10 Lot 5(NWSE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1995.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 95A.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Point of diversion is located within Lot 1, Gem Shores Subdivision.
6. Place of use is located within Lots 1 & 2, Gem Shores Subdivision. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

28th day of November, 1994


R. Keith Higginson, Director

for

DEC 21 1994

RECEIVED
NOV 01 1994

Ident. No. 95-08886

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant John R. Peterson Phone 509-747-1413
Post office address W. 128 SUMNER SPokane, WA. 99204
2. Source of water supply HAYDEN LAKE which is a tributary of SINKS
3. Location of point of diversion is N/W $\frac{1}{4}$ of S/E $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Govt. Lot 3
Sec. 10 Township 51 N Range 3 B.M. Keetonai County; additional
points of diversion if any: AKA Lots 1 & 2 Gem Shores Subdivision #3
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from JAN to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Pump in Lake
 - b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NA
 - e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 yr. years (minimum 1 year).

DEC 21 1994

8. Description of proposed uses (if irrigation only, go to item 9):

9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

- b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.


ponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated — 11 A

10. Describe any other water rights used for the same purposes as described above. NA
11. a. Who owns the property at the point of diversion? Idaho Dept. of Lands
b. Who owns the land to be irrigated or place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filling. Same

12. Remarks:



Sportsmens
Park

33

3

35

4

Rockaway
Beach

Harris
Landing

McLeans
Bay

Slammer
Bay

Chicken
Point

Mokin's Bay

Mokin's
Slough

Mokin's Bay
Campground

Evernade Point

Lees Point

Preston
Beach

English Point

Yellowstone
Point

15

14

O'Rourke
Bay

Yellow

Clark Point

the Clark
House


ELEVATION 2238 JULY 1958

1994

(4-6754.)

gc N° 3 West of the Boise Meridian

d D c C b B




ENGINEER &
SCALE
ASTRONOM

ON HAYDEN
KOOTENAI COUN


IN LOT 5, SECTION 10, T.51N.

GEM SHORES SUBDIVISION



monuments

DEC 21 1934



Hayden Lake

Wright's Lake

CLARKSVILLE

HAYDEN

CHICKEN

Sandbar GS.

COEUR D'ALENE NATIONAL FOREST

DEC 2

DEC 21 1984


(Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by PAH Date 9/27/94 Time 11:50
Fee \$ 50.00 Received by PAH # U 8278 Date 9/27/94
Publication prepared by PAH Date 9/28/94 Published in WR 324 10/6 & 13/94
Publication approved PAH Date 10/17/94

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

DEC 21 1994
WR 324 10/6 & 13/94

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08886

DATE 10/28/96

REVIEWER: S H A R L A

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	✓	Is change clarification of originally intended source? <u>—</u> If not, prepare Notice of Intent to Void <u>—</u>
POINT OF DIV	—	✓	Amendment required <u>NO</u>
PLACE OF USE	—	✓	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.04</u>	cfs	
Fee limit	<u>.20</u>	cfs	<u>\$5000</u>
Measured	<u>—</u>	cfs	
Theoretical	<u>.04</u>	cfs	<u>ms</u>

Recommended Total Div. Rate .04 cfs

ANNUAL VOLUME/ NATURE OF USES	—	✓	Use <u>Dom</u>	Volume Calculation <u>1.2 standard</u> af
				af
				af
				af
				af
				af
				af

SUBTOTAL — af

Flow rate .04 cfs X 365 days X 1.98 ~~ms~~ = 29.0 af

Total volume recommended 1.2 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS D/I home - lots 1 & 2, Mem Shores
Subd.

CONDITIONS POA Watermaster Control WD# 95A

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo —

1st Amend Letter N/A

2nd Amend Letter —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 15 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08886

1. Owner: John R. Peterson Phone No. (509) 747-1413

Current Address: W. 128 Sumner Spokane WA. 99204

2. Accompanied by: _____ EXAM DATE: 7-19-96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Hayden Lake tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NO

2. Other water rights with the same point of diversion: NO

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	5		NW	SE	10	51N	3W	Kootenai	U.S.G.S. map

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	3W	10														D			
																6LS			

MICROFILMED

NOV 08 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

See Theoretical

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

E. NARRATIVE/REMARKS/COMMENTS

WATER IS PUMP FROM HAYDEN LAKE BY 3/4 H.P. PUMP
TO HOME LAWN & GARDEN.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 08 1996

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

1-1

Period of Use

To

12-31

Rate of Diversion

Q (cfs)

.04

Annual Volume

V (afa)

1.2

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name

David A. Boyd

Date


7-19-96

Reviewer

Date

IMPROVED SEAL

NOV 5 8 1996



16

2500

2500

2600

33

4

Evermade Point

Harris Landing

2569

Rockaway Beach

2528

MC

Sportsmens Park

34

McLeans Bay

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

MC

Lees Point

P.D.

Chicken Point

Pu.

Mokins Slough

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Mokins Bay Campground

Peterson

T 51 N R 3 W

95- F88C

Sec 10

MICROFILMED

NOV 08 1985

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: JOHN PETERSON 95-08886

DATE: 24-JUL-96

COMPLETE BY: DAVID PAGEL

HORSEPOWER = .75

PUMP EFFICIENCY = 75%

DYNAMIC LIFT = 40 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.04 CFS

MICROFILMED
NOV 8 1996

PERMIT # _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Point of Use

Point of Diversion



MICROFILMED

NOV 08 1996

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08886 Reviewed by [Signature] Date 11-3-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☒ Drilling permit required?
☒ Copy in the file? Drilling Permit No. _____
☒ Amount paid for permit _____ Correct?
☒ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?
no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	<u>/</u>	_____	
Date proof due	_____		-	_____
No. of days late	_____		=	_____
Priority Date	_____		+	_____
New Priority Date	_____			_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 10-26-95

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8886 Name: Peterson Date: 11/25/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - 01G (new), 01K (existing), No MD

- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99

Existing well - NA (pre 7/1/87)

No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. 95A

*Surface water - 005 (req) 01J-P08 <FLOW CHART>

(doesn't sink) or 01H-P01 <FLOW CHART>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° GW temp only)

Swan Falls Flag - B <SEE CONDITION CODE CHART>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA

Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10

044 (N 1000 Spr)

Irrigation - 03A/057, 803(if GW use SW 1st)(+5A PU comp), NA

Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;

+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021(Boise R + L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner

- 004 (PD/PU) Idaho Dept of Lands.

PROTESTED:

- 020(Prehearing agreement)✓W19(See Order)

OTHER CONDITIONS:

REMARKS:

- ① woi/1

- ② P/D/Lt.1, Gem Shores Subd.

- ③ P/D/Lt.1 & 2, Gem Shores Sub.

BENEFICIAL USE DUE:

- 12-1-1995

COMMENTS:

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95-08886

***** INITIAL REVIEW *****

APPLICANT: PETERSON BY: AB DATE: 9/28/94

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
+ Field report attached
+ Analysis Supp. attached(>5cfs/500af)
+ Water delivered by water master?
Water District # 95 A

PROCESSING

Yes No

PRIORITY DATE: 9/27/94

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- X Groundwater management area
+ Critical ground water area
+ Well Drilling Permit required
+ Well Drilling Application and Fees received
+ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ____ Notice of pending void order issued. Final order response date: ____/____/____
+ Further information required from applicant
+ Affidavit of publication received
+ Application published correctly, If not, record action taken: _____
+ Publication dates and paper recorded on application | Sr. Agent initial AB
+ Protests received. Final protest date: 10/24/94
+ Measuring device required
+ Measuring port required
+ Special conditions: _____
+ Special conditions of approval Supplement and or cover letter attached:

Approval Recommended by: AB

NOV 01 1994

Date: 10/26/94

Department of Water Resources