

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08884

Priority: August 29, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

7.2 AF

This is to certify, that BEAUTY BAY HOMEOWNERS WATER USERS ASSN
PO BOX 2047

HAYDEN ID 83835-2047

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 29, 1994; and has submitted Proof of Beneficial Use on November 9, 1995. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	4.8 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	2.4 AF
	Totals	0.04 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (NENE), Sec. 11, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	12	NENW 0.4	NWNW 1.2		1.6

Total number of acres irrigated: 1.6

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED
NOV 08 1996

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-08884

CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Use of this right with Right 95-08818 is limited to a total combined diversion rate of 0.04 cfs.
7. Domestic use is for 4 homes.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
9. Place of use is located within Lots 7 and 10, Blk. 1, Lot 2, Blk. 2, and Lot 6, Blk. 3, Beauty Bay Estates First Addition.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of AUGUST, 1976.

Acting for

KARL J. DREHER, Director



MICROFILMED

NOV 02 1976

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-08884	)	ORDER OF REINSTATEMENT
	)	
IN THE NAME OF BEAUTY BAY HOMEOWNERS WATER)		
USERS ASSOCIATION	)	
_____	)	

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before December 1, 1995; and,

WHEREAS, the Department notified the permit holder on September 30, 1995, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, on November 9, 1995, the permit holder submitted and acceptable proof and field examination to the Northern Regional Office; and,

WHEREAS, on December 8, 1995, the Department lapsed the permit in error; and,


WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause; and,

WHEREAS, the permit holder provided a reasonable showing why the permit should be reinstated by submitting the proof on November 9, 1995; and,

MAR 29 1996


IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-08884
be REINSTATED with no advance in priority.

Dated this 5th day of March, 1996.



L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED
MARCH 20 1996



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

FEB 28 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) ^{Department of Water Resources} has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08884 Telephone No. 666-1524
^{Lake}
2. Name(s) of Permit Holder(s): BEAUTY BAY HOME OWNERS ASSN. Water Users.
3. Mailing Address: PO Box 2047 HAYDEN ID 83835-2047
4. Source of Water: LAKE Cd'A If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
 - a. Well Driller: _____ Drilling Permit Number: _____
 - b. **OPTIONAL:**
Pump Horsepower: 2 1/2 Pressure (psi): 85 Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 4 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.10 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No _____
	Has the measuring device been installed?	Yes _____ or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No _____
	Has the measurement port been installed?	Yes _____ or No _____
8. Fee Enclosed: \$ 50 ⁰⁰/₁₀₀ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: JERRY WELCH Telephone Number: 666-1524
Address: PO Box 2047 HAYDEN ID 83835-2047
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: X Jerry R. Welch Date: 11/8/95
(include your title, if on behalf of company or organization)

FEB 28 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08884

Proposed Priority: August 29, 1994 **Maximum Diversion Rate:** 0.16 CFS

This is to certify, that **BEAUTY BAY HOMEOWNERS WATER USERS ASSN**
PO BOX 2047
HAYDEN ID 83835-2047
has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary of **SPOKANE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.09 CFS
DOMESTIC	01/01 to 12/31	0.16 CFS
	Totals	0.16 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 11, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	12	NENW 0.8	NWNW 0.8		1.6

Total number of acres irrigated: 1.6

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1995.**
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Place of use is located within Lots 3, 7, & 10, Blk. 1, and Lots 2, 3, 5, & Tax #7227, Blk. 2, Beauty Bay Estates First Addition.
6. Domestic use is for 7 homes.
7. The domestic use authorized under this permit shall not exceed 13,000 gallons per day per dwelling in accordance with Section 42-111, Idaho Code.

DEC 21 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08884

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

22nd day of November, 1994.

R. Keith Higginson
for R. Keith Higginson, Director

18.0000
1081794

RECEIVED
OCT 19 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8884

Department of Water Resources

To appropriate the public waters of the State of Idaho

- WATER USERS ASSN
- Name of applicant BEAUTY BAY HOMEOWNERS Phone 772-6201
667-8652
Post office address PO BOX 2047 HAYDEN ID 83835-2047
 - Source of water supply COGUR DALENE LAKE which is a tributary of SPOKANE RIVER
 - Location of point of diversion is _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot 1
Sec. 11 Township 49N Range 03E B.M. 1607EWA1 County; additional
points of diversion if any: _____
 - Water will be used for the following purposes:
Amount 0.16 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.09 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 - Total quantity to be appropriated is (a) 0.16 and/or (b) _____
cubic feet per second acre feet per annum
 - Proposed diverting works:
 - Description of ditches, flumes, pumps, headgates, etc. PUMP IN LAKE
 - Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - Is ground water with a temperature of greater than 85°F being sought? _____
 - If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
 - Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).


DEC 21 1994


- THE NUMBER OF HOMES TO A TOTAL OF 11 WHEN COMBINED WITH 95-08818. 1/4 ACRE OF ~~ERRATA~~ PER HOME, FOR A TOTAL OF 1.5 ACRES.

(4-6752)

Range No 3 West of the Boise Meridia

E D C B





LAKE

BM 2145 Light
BM 2142

WOLF LODGE

+ Mile 4

Boat Ramp
BM 2160

BAY

Blue

COEUR D'ALENE

ELEVATION 2125

LAKE + Mile 5

WOLF LODGE

BAY + Mile 6

Moscow Bay

Moscow

ROAD

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

Picnic Area

Beauty Bay

[illegible]

DEC 8 1964

X Jerry R. Weld
(Applicant)

DEC 23 1994
Bureau of Reclamation

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	<i>JS</i>	Date	8/29/94	Time	8:45	Preliminary check by	<i>JS</i>
Fee \$	50.00	Received by	<i>JS</i>	#	10-8136	Date	8/29/94
Publication prepared by	<i>JS</i>	Date	9/8/94	Published in	<i>AA News</i>	Date	9/27/94
Publication approved	<i>JS</i>	Date	9/27/94				

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MEMORANDUM

TO: File 95-08884

FROM: Sharla

DATE: August 8, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 95-08884 are based on information gathered in a phone conversation with Jerry Welch of the Beauty Bay Homeowners Assn. This information was obtained while reviewing Right 95-08818 for licensing. In that conversation, Mr. Welch confirmed that the pump (1½ hp, not 2½) was rated at 0.04 cfs and this rate is an accurate description of the capacity of the system. That permit was licensed for 0.04 cfs; Permit 95-08884 will contain a condition to limit the rate of diversion under both rights to 0.04 cfs.

C. DIVERSION AND DELIVERY SYSTEM

2. Place of Use:

NENW, S12, T49N, R3W (0.4 acres)
NWNW, S12, T49N, R3W (1.2 acres)

Each lot is approximately .4 acres and based upon their locations, three of the lots are in the NWNW, the remaining lot is in the NENW.

A condition was placed on the permit limiting the domestic use to 13,000 gpd/dwelling and authorizing irrigation of ½ acre within each lot with a domestic dwelling. The irrigation use component is for the lots. Licensing conditions will be appropriately modified to separate the irrigation of any lawn, garden, etc. from the domestic component.

Examiner: Wayne Baldwin
Exam date: August 30, 1995

MICROFILMED
NOV 08 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08884

DATE 8/8/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO
 SOURCE Change OK Is change clarification of originally intended source? NO
 If not, prepare Notice of Intent to Void NO
 POINT OF DIV Change OK Amendment required NO
 PLACE OF USE Change OK Amendment required NO
 Does map agree with written description? yes no
 OVERLAPS Change OK P/D P/U

RATE OF DIV
 Permitted Rate .16 cfs
 Fee limit .20 cfs \$5000
 Measured SEE FILE 95-08818
 Theoretical SEE FILE 95-08818
 Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/
 NATURE OF USES Change OK Use Dom. Volume Calculation
Dom. 1.6 x 3.0 = 4.8 af
Dom. 4 x .6 = 2.4 af
Dom. 4 x .6 = 2.4 af
Dom. 4 x .6 = 2.4 af
 SUBTOTAL 7.2 af

Flow rate .04 cfs X 245 days X 1.98 19.4 af
 Total volume recommended 7.2 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS Limited to .04 comb w/ 8818.
4 home - inv. not incl.

CONDITIONS Watermaster Control WD#
GW Measurement/Measuring Device
R49 Overlap

Use-specific conditions
 Advancement of Priority Date Required yes no

SRBA Claim Filed N/A 1st Amend Letter N/A
 Adjustment Memo 95-08818 2nd Amend Letter N/A
comb.
plu

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion	Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

4.

Scale:



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipeline id. as applicable.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 22 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-0884

1. Owner: BEAUTY BAY HOMEOWNER ASSN (Lake water users) Phone No. (208) 666-1524

Current Address: P.O. Box 2047 Hayden ID. 83835-2047

2. Accompanied by: Jerry Welch EXAM DATE: 8-30-95

Address: SAME AS ABOVE Phone No. _____

Relationship to Permit Holder: _____

3. Source: LAKE COEUR D'ALENE tributary to SPOKANE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-0818

2. Other water rights with the same point of diversion: 95-0818

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>1</u>		<u>NE</u>	<u>NE</u>	<u>11</u>	<u>49N</u>	<u>03W</u>	<u>Kootenai</u>	<u>U.S.G.S. 7.5 min Quad</u>

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>49N</u>	<u>03W</u>	<u>12</u>					<u>D</u>	<u>D</u>											
							<u>.8</u>	<u>.8</u>					<u>.</u>						<u>1.6</u>

MICROFILMED

NOV 8 1996

E. NARRATIVE/REMARKS/COMMENTS

Block 1, Lot 10

Block 1, Lot 7

Block 2, Lot 2

Block 3, Lot 6

No picture with this exam. This exam filed due to under filing of 95-08818

Water is pumped from Lake Coeur d'Alene to a 1500 gal storage 280 ft above lake then gravity to houses

THE PUMP IS A 2.5 H.P. SUBMERSIBLE PUMP.

DOMESTIC USE FOR 4 HOMES.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 08 1996

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 106 \times 3 = 4.8$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04 \times 245 \times 1.9835 = 19$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 4.8$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic
Domestic

From

05-01
03-15

To
Period of Use

12-31
11-15

Rate of Diversion

Q (cfs)
.04

Annual Volume

V (afa)
4.8

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Wayne J. Sisk
Date 11-7-95

Reviewer

Date

SEAL

RECEIVED

NOV 10 1995

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08884

DATE: 7-MAY-96

COMPLETE BY: WAYNE BALDWIN

HORSEPOWER = 2.5


PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 280 FEET

SYSTEM PRESSURE = 60 PSI

QUANTITY = 0.04 CFS

MICROFILMED
NOV 18 1996



BM 2145
Light

BM 2142

Boat Ramp

BM 2160

BAY

COEUR D'ALENE
ELEVATION 2125

LAKE x Mile 5

WOLF LODGE

BAY + Mile 6

Moscow Bay

Moscow

x 2748

Beauty Bay
Pld

PLACE OF
USE
REFERENCE POINT

Mine

Picnic Area

NATIONAL

FOREST

Boat Ramp

BM 2140

x 2782

2200

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

BM 2454

BM 2536

BM 2568

x 2860

BM 2408

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

2800

Borrow Pit

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

Twp. 49 N.
R6E 3W.

Mount
Coeur d'Alene
Lookout Tower

Caribou

Gray Wolf Mine

Carbon Mine

Beauty Creek
Grpground

BM 2113

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

95-0884

MICROFILMED
NOV 08 1996

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08884 Reviewed by [Signature] Date 3-4-96

GENERAL CONSIDERATIONS

TYPES OF USE

Yes Name same as permit? Dom.
Yes Address same as permit?
Yes Proof timely received? Correct Uses? Yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
/ Drilling permit required?
/ Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

Yes Required?
50- Amount Submitted
Yes Correct?
no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Reinstate w/ no advance in priority per memo.
Proof acceptable.

DATA ENTRY

New Address _____ Proof Made 11-9-95

MEMORANDUM

DATE: February 23, 1996

FROM: Allen Beardslee

TO: Julie Yarbrough

RE: 95-08884

new box
RECEIVED
FEB 28 1996
Department of Water Resources

~~~~~

This Proof of Beneficial Use form was found in a field examination file for another Permit of Beauty Bay Home Owners Association, which had been put there inadvertently. It has been here at Northern Region since November 9, 1995.

Since this file has lapsed, we request that it be reinstated without advancement of the priority date.

Sorry for the mix-up and thank you for the assistance with this matter.

FEB 29 1996

APPLICATION FOR PERMIT  
STATE OFFICE REVIEW  
by Cindy Zimmerman

No.: 95-8884 Name: Beauty Bay HOA Date: 11/15/95 Correct Fee? ☒

AREA OF CONCERN? - No/Yes \_\_\_\_\_ Mor \_\_\_\_\_ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17  
Complete in 1 year - P16

Yes

Proof not submitted - P16  
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD  
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. \_\_\_\_\_, P99  
Existing well - NA (pre 7/1/87)  
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. \_\_\_\_\_  
\*Surface water - 005 (req) 01J-P08 <FLOW CHART>  
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD  
Groundwater - P05 (new irrigation well)  
In stream channel - 030 (stream channel alteration)  
Irr Dist/Canal Co. - 023 (Twin Falls area)  
Drainage Districts - 024  
Flood Control Dist. - 063  
Boise Front (63) - 058 (-85° GW temp only)  
Swan Falls Flag - B <SEE CONDITION CODE CHART>  
Trust - 051-052-053-P74 (Consumptive Uses), NA  
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (\*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA  
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA  
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10  
044 (N 1000 Spr)  
Irrigation - 03A/057, 803(if GW use SW 1st)(+5A PU comp), NA  
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;  
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09  
Mining - 054 (req) & 06A/010/09E-P10  
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA  
Domestic (surface) - 021(Boise R ↑ L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner

PROTESTED:

OTHER CONDITIONS:

REMARKS:

- ① WO 1/6 ② WO4 ③ PU/Ls 2,3,5, & Tax # 7227, BK 2; &  
13, 7, 10, BK 1;

BENEFICIAL USE DUE:

COMMENTS:

- 12-1-1995

- Corp off.

No. a  
4/87-06/92n

IDA DEPARTMENT OF WATER RESOURCES  
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 94-8884

\*\*\*\*\* INITIAL REVIEW \*\*\*\*\*

APPLICANT: BEAUTY BAY BY: B DATE: 8/29/94

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity  
(X) Nature of Proposed Use  
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map  
(X) Signature  
(X) Fee (Amt, recpt, acknowlegment)

\*\*\* Send info sheet Y( ) N( )

ADDITIONAL INFORMATION

Yes No

- X Field check: by \_\_\_\_\_  
X Field report attached \_\_\_\_\_  
X Analysis Supp. attached(>5cfs/500af) \_\_\_\_\_  
X Water delivered by water master? \_\_\_\_\_  
Water District # \_\_\_\_\_

PROCESSING

Yes No

PRIORITY DATE: 8/29/94

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- ( ) Dam Information ( ) Fish Information  
( ) Power Information ( ) Other: N/A

INFORMATION RECEIVED:

- ( ) Dam Information ( ) Fish Information  
( ) Power Information ( ) Other: N/A

\*\*\*\*\* GROUNDWATER SECTION \*\*\*\*\*

(Yes) (No)

Checked by: \_\_\_\_\_ Date:   /  /  

Remarks: \_\_\_\_\_

- X Groundwater management area  
X Critical ground water area  
X Well Drilling Permit required  
X Well Drilling Application and Fees received  
X Well Drilling Application approved?  
Well Drilling Application Number \_\_\_\_\_

\*\*\*\*\* FINAL REGIONAL PROCESSING/REVIEW \*\*\*\*\*

(Yes) (No)

- Notice of pending void order issued. Final order response date:   /  /    
   Further information required from applicant  
X Affidavit of publication received  
X Application published correctly, If not, record action taken: \_\_\_\_\_  
X Publication dates and paper recorded on application | Sr. Agent initial B  
X Protests received. Final protest date: 10/31/94  
X Measuring device required  
X Measuring port required  
X Special conditions: \_\_\_\_\_  
X Special conditions of approved supplement and/or other letter attached: \_\_\_\_\_

Approval Recommended by: B RGA

OCT 19 1994

Date: 10/14/94

Department of Water Resources