


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.





BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George T. Rountree
(Applicant)

95-08883

LAKE COEUR D'ALENE



GKP 7-29-89

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08883

Priority: August 30, 1994

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.3 AF

This is to certify, that GEORGE K PRENTISS

18150 S WOODLAND SHORES DR

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 30, 1994; and has submitted Proof of Beneficial Use on September 14, 1995. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	0.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SWNE), Sec. 18, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04W	18	Lot 3(SWNE)	0.1		0.1

Total number of acres irrigated: 0.1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs nor more than 0.3 afa for the land described above.


MICROFILMED
JUN 8 2 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08883

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29TH
day of OCTOBER, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED

NOV 08 1996

RECEIVED

SEP 18 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08883 Telephone No. 664-1996

2. Name(s) of Permit Holder(s): George K. Prentiss

3. Mailing Address: 18150 S. Woodland Shores Dr. CDA 83814

4. Source of Water: Coeur d'Alene Lake If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 0.1 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.02 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No ☒
Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No ☒
Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 50. (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: George K. Prentiss Telephone Number: 664-1996

Address: 18150 S. Woodland Shores Dr.

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: George K. Prentiss Date: Sept. 12, 1995
(include your title, if on behalf of company of organization)

OCT 16 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08883

Proposed Priority: August 30, 1994 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **GEORGE K PRENTISS**
18150 S WOODLAND SHORES DR
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary of **SPOKANE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 18, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04W	18	SWNE	0.1		0.1


Total number of acres irrigated: 0.1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1995**.
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

21st day of November, 1994


R. Keith Higginson, Director

for

DEC 21 1994

RECEIVED
OCT 19 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8883


Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant George K. Prentiss Phone 664-1996
Post office address 18150 S. Woodland Shores Drive, Coeur d'Alene, ID 83814
2. Source of water supply Lake Coeur d'Alene which is a tributary of SPOKANE RIVER
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NE 1/4, Govt. Lot _____
Sec. 18 Township 48N Range 4W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.02 for irrigation purposes from June 1 to Sept 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.02 cubic feet per second and/or (b) 0.5 acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Submersible electric pump at lake and 300 ft - 400 ft of 1" polyethylene pipe feeding drip and ~~spr~~ spray system.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? No
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 year years (minimum 1 year).

DEC 8 1994

787 12 030

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George A. Rutter
(Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

DEC 21 1994

DEC 21 1994

Previous Survey

by W. Clayton


Miller in

1894

Sec. 6.

Sec. 7.

Sec. 8.



LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08883

DATE 10/28/96

REVIEWER: S H A R L A

NAME	Change	<u>OK</u>	Address Change <u>NO</u>
SOURCE		<u>✓</u>	Is change clarification of originally intended source? <u>✓</u>
			If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV		<u>✓</u>	Amendment required <u>NO</u>
PLACE OF USE		<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate	<u>.02</u>	cfs	
Fee limit	<u>.20</u>	cfs	<u>\$5000</u>
Measured	<u> </u>	cfs	
Theoretical	<u>.03</u>	cfs	$548.8 \times .7 / 35 + (2.31 \times 25) = .03$
			Recommended Total Div Rate <u>.02</u> cfs

ANNUAL VOLUME/ NATURE OF USES

Use <u> </u>	Volume Calculation	
<u> </u>	<u>.3</u>	af
<u> </u>	<u> </u>	af
<u> </u>	<u> </u>	af
<u> </u>	<u> </u>	af
SUBTOTAL		<u>.3</u> af

Flow rate .01 cfs X 243 days X 1.98 ~~af~~ = 4.8 af

Total volume recommended .3 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W31 (.01, .3)

CONDITIONS

 Watermaster Control WD#
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo amt rate

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08883

1. Owner: George K. Prentiss Phone No. 664-1996
Current Address: 18150 S. Woodland Shores Coeur d'Alene, Id. 83814
2. Accompanied by: George K. Prentiss EXAM DATE: 8-30-96
Address: Same as Above Phone No. Same
Relationship to Permit Holder: Permit Holder
3. Source: Coeur d'Alene LAKE tributary to SPOKANE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	18	48N	04W	Kootenai	U.S.G.S. TOPO; Site Visit


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	04W	18			0.1														0.1

MICROFILMED
NOV 8 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 1' _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Division # 1	Sears	1/2		Sears	390, 285510

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

NOV 8 8 1968

E. NARRATIVE/REMARKS/COMMENTS

The System consist of a Sears Submersible pump mounted on a boat dock. 3/4" Black P.V.C Pipe carries water up approx. 35' ft. to the level ground. From a Spigot, Garden hoses are used to irrigate Lawn & garden.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 8 8 1986

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.1 \times 3.0 = 0.3$$

$$V_{DR} = [\text{Diversion Rate (cts)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 245 \times 1.9835 = 9.72$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 0.3$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRRIGATION

Period of Use

From 3-15
To 11-15

Rate of Diversion

Q (cts)
.02

Annual Volume

V (ata)
0.3

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

William J. Spang

Date

9-3-96

Reviewer



Date

SEAL

MICROFILMED
NOV 8 1986

95-08883

LAKE COEUR D'ALENE



PERMIT # 95-08883

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPP



SUBMERGIBLE PUMP ON
DOCK WATER SPIGOT



WATER OPERATION
FROM PUMP, WATER PUSHED
UP DOCK





LANDSCAPE
FRUIT BUSHES

MAINTAINED
8/30/1996




LAWN AROUND HOUSE
GARDEN GREENHOUSE



PERMIT # 95-08883

15492 R425



MICROFILMED
NOV 08 1996

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08883 Reviewed by [Signature] Date 9-25-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?
no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 9-14-95

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8883 Name: Prentiss Date: 4/15/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(dem) - WD No. _____
*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - P2 <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 03A/057, 803(if GW use SW 1st)(+5A PU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R + L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner

PROTESTED:

OTHER CONDITIONS:

REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

12-1-1995

No. a
4/87-06/92n

IDA DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95-8883

***** INITIAL REVIEW *****

APPLICANT: PRENTISS BY: AB DATE: 8/30/94

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
5. ☒ Period of Use
6. ☒ Total Quantity
7. ☒ Description of diverting works
8. ☒ Time required for b/u
9. ☒ Proposed use
10. ☒ Place of use or acres irrigated
11. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

- Yes No
- ☒ Field check: by _____
- ☒ Field report attached
- ☒ Analysis Supp. attached(>5cfs/500af)
- ☒ Water delivered by water master?
- Water District # _____

PROCESSING

Yes No PRIORITY DATE: 8/30/94

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No) Checked by: _____ Date: ____/____/____

Remarks: _____

☒ Groundwater management area

☒ Critical ground water area

☒ Well Drilling Permit required

☒ Well Drilling Application and Fees received

☒ Well Drilling Application approved?

Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

☒ Notice of pending void order issued. Final order response date: ____/____/____

☒ Further information required from applicant

☒ Affidavit of publication received

☒ Application published correctly, If not, record action taken: _____

☒ Publication dates and paper recorded on application | Sr. Agent initial AB

☒ Protests received. Final protest date: 10/3/94

☒ Measuring device required

☒ Measuring port required

☒ Special conditions: _____

☒ Special conditions of approval _____ per letter attached:

Approval Recommended by: AB **RECEIVED** OCT 19 1994 Date: 10/14/94