




R 4 W

INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1982
508000mE 509 116°52'30"

ROAD CLASSIFICATION

- Primary highway, hard surface
- Light-duty road, hard or improved surface
- Secondary highway, hard surface
- Unimproved road
- Interstate Route
- U. S. Route
- State Route




QUADRANGLE LOCATION

POST FALLS, IDAHO
NW/4 COEUR D'ALENE IS QUADRANGLE
N4737.5-W11652.5/5

DEC 21 1994

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = 115'

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

X Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
POD #1	Briggs & Stratton	5.0	16643DL		(1) one inch

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

MICROFILMED

SEP 16 1997



T. 50N
T. 49N.

95-08882
T. 50N, R. 04W, Sec. 30

IRVINE, MIKE

SEP 16 1997

R 4 W

INTERIOR GEOLOGICAL SURVEY, RESTON, VIRGINIA—1982
508900mE 509

116°52'30"

ROAD CLASSIFICATION

Primary highway, hard surface
Secondary highway,
Light-duty road, hard or improved surface

(MCA BAY)
2079 III SE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08882

Priority: August 31, 1994

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that MIKE IRVINE
W 7950 COUGAR GULCH

COEUR D ALENE ID 83814

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 31, 1994; and
has submitted Proof of Beneficial Use on November 20, 1996. An examination indicates
that the works have a diversion capacity of 0.130 cfs of water from:

SPRING

tributary to COUGAR CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSWSW , Sec. 30, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

50N 04W 30

ACRES

SWSW

1

ACRES

ACRES

TOTAL

1

Total number of acres irrigated:

1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95B.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.



State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-08882

CONDITIONS OF APPROVAL AND REMARKS

7. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of JUNE, 1997.


Acting for KARL J. DREHER, Director

RECEIVED

OCT 15 1996

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. 037025
Receipt By: KL
Date Received: 11-20-96

JDW3

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08882 Telephone No. 208-667-0128
2. Name(s) of Permit Holder(s): Mike Irvine
3. Mailing Address: W. 7950 Cougar Gulch CPA ID 83814
4. Source of Water: Irrigation pond If **GROUNDWATER** (well), Date Drilled: mo. 6 yr. 1
 - a. Well Driller: 6 Drilling Permit Number: 6
 - b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): 6
Irrigation (No. of acres): 1 Other: 0
6. Total rate of diversion and/or volume for which proof is submitted: 0.07 cfs OR 1 acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>X</u>
	Has the measuring device been installed?	Yes _____	or	No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>X</u>
	Has the measurement port been installed?	Yes _____	or	No <u>X</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Mike OR Bette Irvine Telephone Number: 208-667-0128
Address: W. 7950 Cougar Gulch CPA ID
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.
Signature of permit holder: [Signature] Date: 10-11-96
(include your title, if on behalf of company of organization)

MAILED
DEC 12 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08882

Proposed Priority: August 31, 1994 Maximum Diversion Rate: 0.07 CFS

This is to certify, that **MIKE IRVINE**
W 7950 COUGAR GULCH
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:

SPRING tributary of **COUGAR CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSWSW , Sec. 30, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	30	SWSW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this right is subject to control by the watermaster of State Water District No. 95B.
5. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
7. Domestic use is for 1 home.

DEC 21 1994


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08882

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

28 day of November, 1994.


R. Keith Higginson, Director

for

RECEIVED
OCT 11 1994

RECEIVED
NOV 01 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8882

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Mike Irvine Phone 667-0128
Post office address W. 7950 Cougar Gulch CDA ID 83814
COUGAR CREEK
2. Source of water supply NATURAL SPRING which is a tributary of COUGAR CREEK
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 30 Township 50N Range 04W B.M. ROOTENAL County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.03 for IRRIGATION purposes from 3/5 to 11/5 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for DOMESTIC purposes from Y1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.07 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. NATURAL CULVERT & PUMP
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed ~~well~~ Spring diameter is 8-10 feet CULVERT inches; proposed depth of Spring well is 15 feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? No
 - e. If well is already drilled, when? No; Drilling firm N/A
Well was drilled for (well owner) N/A
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
2 years (minimum 1 year).

OFC 81 1994

a. Hydropower; show total feet of head and proposed capacity in KW.

b. Stockwatering; list number and kind of livestock.

c. Municipal; show name of municipality.

d. Domestic; show number of households.

e. Other, describe fully.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated.

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion?

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

applicant to make this filing.

12. Remarks:

Remarks: we want to develop a spring (from one that stays damp year round) for our yard.

T. 50N
R. 4W



ROAD CLASSIFICATION

- Primary highway, hard surface
- Light-duty road, hard or improved surface
- Secondary highway, hard surface
- Unimproved road
- Interstate Route
- U. S. Route
- State Route




QUADRANGLE LOCATION

POST FALLS, IDAHO
NW/4 COEUR D'ALENE 15 QUADRANGLE
M4737.5-W11052.8/7.5

DEC 21 1994


Sec no: 30 00 00 Township 30 N Range 24 W 0914

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

02031 1994

E. P. 1994

e. Other:

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	8/31/94	Time	4:55	Preliminary check by	AS
Fee \$	50.00	Received by	AS	#	AJ-8162
Publication prepared by	RLC	Date	9/8/94	Published in	Idaho Falls 9/15/94
Publication approved	RLC	Date	10/17/94	Date	10/6/94

MEMORANDUM

TO: File 95-08882

FROM: Sharla Curtis

DATE: June 30, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 95-08882 are based on the following:

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.03 cfs	3.0 afa
------------	--------------	----------	---------

The standard annual volume/acre for this area is 3.0 af.

Examiner: Herman Spangle
Exam Date: May 7, 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08882

DATE 6/23/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.07</u> cfs
Fee limit	<u>.20</u> cfs \$ <u>50.00</u>
Measured	<u>—</u> cfs
Theoretical	<u>.13</u> cfs

Recommended Total Div Rate .03 cfs

ANNUAL VOLUME/
NATURE OF USES —

✓ Use Mr.

Volume Calculation	
<u>1X3.0.</u>	af
<u>—</u>	af
<u>—</u>	af
<u>—</u>	af
<u>—</u>	af
SUBTOTAL	<u>3.0</u> af

Flow rate .03 cfs X 245 days X 1.98 = 14.6 af
 Total volume recommended 3.5 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS R04 Watermaster Control WD# 95B
R02 GW Measurement/Measuring Device R02
R49 Overlap

— Use-specific conditions
 Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed <u>N/A</u>	1st Amend Letter <u>N/A</u>
Adjustment Memo <u>volume</u>	2nd Amend Letter <u>N/A</u>

RECEIVED

JUN 12 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No.

95-08882

1. Owner: Mike IRVINE Phone No. (208)-667-0128

Current Address: W. 7950 Cougar Gulch Rd. Coeur d'Alene, Id. 83814

2. Accompanied by: Mike IRVINE EXAM DATE: 5-7-97

Address: SAME AS ABOVE Phone No. (208)-667-0128

Relationship to Permit Holder: Permit Holder

3. Source: SPRING tributary to COUGAR CREEK

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1		SW	SW	SW	30	50N	04W	Kootenai	USGS Topo Map: Site Visit


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	30											1.0						1.0

SEP 14 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached of (required for irrigation of 10+ acres)

X Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
ROD #1	Bridge Station	5.0	16643DL		(1) one inch

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

E. NARRATIVE/REMARKS/COMMENTS

System consist of 5 hp. Briggs & Stratton Pump with a 1 1/4" intake line and a 2" inch output line. Dredge of irrigated grass through 1" pvc pipe with 2 impact sprinklers. No Culvert was put in.

Permit describes domestic water use, however Permittee has not developed this portion of the permit.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

** See Theoretical Calculations*

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(1.0)(3.5)}{3.5 \text{ acre ft.}} = 14.55$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{(1.03)(245)(1.9835)}{3.5 \text{ acre ft.}} = 14.55$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.5 \text{ acre ft.}$$

2. Volume Calculations for Other Uses:

NONE

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRRIGATION

Period of Use

From 3/15 To 11/15

Rate of Diversion

.03 cfs

Annual Volume

3.5

2. Recommended Amendments

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ Other
☐ None

ONLY IRRIGATION

I. AUTHENTICATION


Field Examiner's Name

Date

Reviewer

SEAL

5-7-97



PERMIT # 95-08882

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REPORT SUPPLEMENT

T O G R A



5 HP Briggs & Stratton
Place of use.



Spring location
Place of use



THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08882
DATE: 14-MAY-97
COMPLETE BY: HERM

HORSEPOWER = 5.0

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 80 FEET

SYSTEM PRESSURE = 70 PSI

QUANTITY = 0.13 CFS

80 MAY 97

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08882 Reviewed by Jy Date 11-8-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
0 Amount Submitted
no Correct?
yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	/	_____
Date proof due	_____		_____
No. of days late	_____		_____
Priority Date	_____		_____
New Priority Date	_____		_____

DEFICIENCIES OR ACTION ITEMS

*Request \$50.00 lic. exam fee.
Fee received, Proof acceptable*

DATA ENTRY

New Address _____ Proof Made 10-15-96

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8882 Name: Irvine Date: 11/25/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
SYSTEM COMPLETED:

No - 26A-~~P17~~
Complete in 1 year - P16

Yes
Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - 01G (new), 01K (existing), No MD
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

~~SURFACE WATER:~~ not in WD - T17 (+.2 w/pump), ~~No MD~~ <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. 95B
*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-~~P01~~ <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - 3 <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 03A/057, 803(if GW use SW 1st)(+5A PU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R ↑ L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU) _____

PROTESTED:

- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

- ① woi/1

BENEFICIAL USE DUE:

- 12-1-1996

COMMENTS:

No. a
4/87-06/92n

ID DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 15-8882

***** INITIAL REVIEW *****

APPLICANT: IRVINE BY: JS DATE: 8/31/94

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
- (X) Nature of Proposed Use
- (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
- (X) Signature
- (X) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ___ (X) Field check: by _____
- ___ (X) Field report attached
- ___ (X) Analysis Supp. attached(>5cfs/500af)
- ___ (X) Water delivered by water master?
- ___ Water District # 95-13

PROCESSING

Yes No

PRIORITY DATE: 8/31/94

___ (X) (Include Moratorium Remark)

___ (X) Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ___/___/___

Remarks: _____

- ___ (X) Groundwater management area
- ___ (X) Critical ground water area
- ___ (X) Well Drilling Permit required
- ___ (X) Well Drilling Application and Fees received
- ___ (X) Well Drilling Application approved?
- ___ Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ___ Notice of pending void order issued. Final order response date: ___/___/___
- ___ Further information required from applicant
- ✓ (X) Affidavit of publication received
- ✓ (X) Application published correctly, If not, record action taken: radv. 9/28/94
- ✓ (X) Publication dates and paper recorded on application
- ___ Protests received. Final protest date: 10/13/94
- ___ Measuring device required
- ___ Measuring port required
- ___ Special conditions: _____
- ___ Special conditions of approval: _____

Sr. Agent initial JS

RECEIVED

Approval Recommended by: JS NOV 01 1994 Date: 10/26/94

Department of Water Resources

95-08882

IRVINE, MIKE
WEST 7950 COUGAR GULCH
COEUR D ALENE, ID 83814

Source: SPRING

Tributary: COUGAR CREEK

Diversion Pt: SWSWSW Sec 30 T 50N R 04W in KOOTENAI County.

Use: IRRIGATION	(.030 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.070 CFS)

Date Filed: 8/31/1994

In: KOOTENAI County
T50N R04W S30 SWSW

1.0 ACRES TOTAL