

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-08880

Priority: August 26, 1994

Maximum Diversion Rate:

0.94 CFS

Maximum Diversion Volume:

199.1 AF

This is to certify, that IDAHO VENEER CO

PO BOX 339

POST FALLS ID 83854-0339

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 26, 1994; and has submitted Proof of Beneficial Use on December 11, 1997. An examination indicates that the works have a diversion capacity of 0.940 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.94 CFS	199.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SENEW, Sec. 2, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

50N 05W 2

SWNW

SENEW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
6. Commercial use is for soaking decked logs.


MICROFILMED
OCT 28 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 95-08880

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of OCTOBER, 1978.


Acting for KARL J. DREHER, Director



RECORDED
OCT 28 1978

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
DEC 11 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08880 Telephone No. 1-208-773-4511

2. Name(s) of Permit Holder(s): Idaho Veneer Company

3. Mailing Address: P. O. Box 339 Post Falls, Idaho 83877

4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. 3 / yr. 95

a. Well Driller: United Drilling Drilling Permit Number: 95 - 94 - N - 185

b. **OPTIONAL:**
Pump Horsepower: 60 HP Pressure (psi): 230 Dynamic pumping level (ft): 200

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): n/a Stockwater (No. and type of stock): n/a

Irrigation (No. of acres): 43 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 1.3 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No x

Has the measuring device been installed? Yes _____ or No x

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No x

Has the measurement port been installed? Yes _____ or No x

8. Fee Enclosed: \$ 125.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Elmer L. Mattila Telephone Number: 773-4511 ext 319

Address: P.O. Box 339 704 E. 4th Street Post Falls, Idaho 83877

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Elmer L. Mattila Director of Personnel Date: 12/9/97
(include your title, if on behalf of company or organization)

FEB 13 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

DEC 18 1995

Department of Water Resources

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 95-08880Name(s) of Permit Holder: IDAHO VENEER COMPANYMailing Address: P.O. BOX 339 POST FALLS, IDAHO 83854Date Proof is Due: JANUARY 1, 1996 Telephone No. 1-208-773-4511

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

THE WELL DRILLING WAS COMPLETED IN MARCH 1995.Costing \$ 14,125.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The current lumber market is very poor, severely
restricting cash flow. As conditions improve the well
will be completed.

Permit holder(s) request an extension to December 31, 1997.

FEE: \$50.00

Elmer L. Matulis
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1998.

Signed this 21st day of December, 19 95J. M. Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08880

Proposed Priority: August 26, 1994 Maximum Diversion Rate: 7.37 CFS

This is to certify, that IDAHO VENEER CO
PO BOX 339

POST FALLS ID 83854-0339

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 09/30	0.67 CFS
COMMERCIAL	01/01 to 12/31	6.70 CFS
	Totals	7.37 CFS

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 2, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	05W	2	SWNW 23.0	SENW 20.0		43.0

Total number of acres irrigated: 43.0

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1996.
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Commercial use is for manufacturing wood products.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

12th day of January, 1995

RECEIVED
JAN 13 1995

for 
R. Keith Higginson, Director

RECEIVED
OCT 19 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8880

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Idaho Veneer Company Phone 773-4511
Post office address P.O. Box 339 Post Falls, Idaho 83854
2. Source of water supply ground water which is a tributary of n/a
3. Location of point of diversion is S.E. ^{SE} 1/4 of N.W. ^{NW} 1/4 of Govt. Lot
Sec. 2 Township 50 N Range 5 W B.M. Kootenai County; additional
points of diversion if any: n/a
4. Water will be used for the following purposes:
Amount .678 for irrigation purposes from 4/1 to 9/30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 6.70 for commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 7.37 ^{7.67} and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Drilled 12" well with 6"
column, pump and motor.
b. Height of storage dam n/a feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage
_____ to _____ inclusive.
c. Proposed well diameter is 12" inches; proposed depth of well is 400 feet.
d. Is ground water with a temperature of greater than 85°F being sought? no
e. If well is already drilled, when? n/a; Drilling firm _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
one (1) years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- | | |
|----|--|
| 9. | <p>a. Hydropower; show total feet of head and proposed capacity in KW.</p> <p>b. Stockwatering; list number and kind of livestock.</p> <p>c. Municipal; show name of municipality.</p> <p>d. Domestic; show number of households.</p> <p>e. Other; describe fully.</p> <p>Commercial use in the manufacture of veneer and lumber for Idaho Veneer Company and fire protection as a secondary reason.</p> |
|----|--|

and lumber for Idaho Veneer Company and fire protection as a secondary reason.

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated 43 acres


10. Describe any other water rights used for the same purposes as described above. _____

 See water permit, identification # 95-7141
 11. a. Who owns the property at the point of diversion? _____ Idaho Veneer Company
 b. Who owns the land to be irrigated or place of use? _____
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

 12. Remarks: _____

applicant to make this filing.

12. Remarks:



Well 2245

DIVERSION POINT
Commercial
Irrigation

Well 2225

Well 2223

Well 2207

P R A I R I E

Well 2210

Well 2192

Well 2181

MUNICIPAL
MAR 30 1995

SPOKANE

RIVER

Water Tank

Gravel Pit

Substation

Berean Church

Post Falls

Jr HS

Library

City Hall PO

Powerhouse Dam

Boat Ramp

River Park

Ford Rock

Black Bay

Borrow Pits

Trailer Park

Trailer Park

Trailer Park

Trailer Park

Trailer Park

Trailer Park

Trailer Park


Trailer Park

Trailer Park

Trailer Park

Trailer Park

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Miller
(Applicant)
President operations

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by RSC/AC Date 8/18/94 Time 1:20 p
Fee \$ 200.00
Received by RSC # N 8091 Date 8/15/94
Publication prepared by RSC Date 9/8/94 Published in IDA BUREAU 8/15/94 10/20/94 12/13/94
Publication approved _____ Date _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____
1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____


MAR 30 1995

CERTIFICATE OF MAILING

I hereby certify that on the 22nd day of **October, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 95-08880

IDAHO VENEER CO
PO BOX 339
POST FALLS ID 83854-0339


Kari Lynn Townsend
Secretary

MICROFILMED

OCT 28 1998

MEMORANDUM

TO: File 95-08880

FROM: Sharla

DATE: October 7, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 95-08880 are as follows:

H. RECOMMENDATIONS

Commercial	1/1 - 12/31	0.94 cfs	199.1 afa
------------	-------------	----------	-----------

In a telecon with Elmer Matilla (Director of Personnel, accompanied examiner at time of field inspection), he confirmed that this well is the second production well they use for watering the log decks. A previous license, 95-07141 was licensed for 0.69 cfs (commercial use) in 1974 for the well drilled in 1971 in the SWNW, Section 2 for soaking logs in the SENE, Section 3. The well is still used for this purpose. The well drilled under 95-08880 in 1995 is used to soak logs in the S $\frac{1}{2}$ NW $\frac{1}{4}$, Section 2. The use "irrigation" was erroneously listed on the permit to identify the land base of the log decks. Mr. Matilla confirmed that there was no irrigation occurring from the well, only the soaking of the log decks. The rate of diversion to be shown on the license reflects the pump test made by Worst Co. and is close to the pump test done at the time the well was drilled. The reason the rate had been limited by the examiner to 0.67 cfs was that the use was still being treated as irrigation.

Mr. Matilla said the water is usually used from April 1 to October 31. Depending on the weather, it could be a little earlier or a little later either way with diversion about 12 hrs. of the day. Volume has been calculated on 214 days of use, 12 hrs/day.

Exam Date: July 23, 1998
Examiner: David Pagel

NOT RECORDED
OCT 28 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08880 DATE 9/23/98 REVIEWER: S H A R L A

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (P39 /P47) ☐ Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK ☐ Change (P41/P47) ☐ Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate 7.37 cfs
 Fee limit 2.00 cfs \$125.00
 Measured 94 cfs pump test
 Theoretical 1.03 cfs .75 @ 259' pump set level and 100 psi
 Recommended Total Div Rate _____ cfs

WATER USES	Change (P46)	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
<u>Comm</u>	<u>94</u> cfs	<u>199.1</u> af	supp. gw (WB7/065/079)
			overlap spec. combined rts (W35)
			<1acre (W31)
			Domestic (W01/WB5/070/071/075)
			Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)
TOTALS			

Flow rate 94 cfs (13 hrs/day) 265 days X 1.98 = 199.1 af

REMARKS C/soaking decked logs.

ADD'L CONDITIONS ☐ Watermaster Control WD# _____
☒ GW Measurement/Measuring Device
☐ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ☐ yes ☒ no SRBA Claim NA Adjust Memo use/rate
 Amend letters _____

95-07141 filed for .67 irr./6.7 comm.
 1971 well drilled SWNW, S2 for DU SENE, S3
 210' deep .69 cfs comm. use (licensed) 1974 prod 1973

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 17 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08880

1. Owner: Idaho Veneer Co. Phone No. (208) 773-4511

Current Address: P.O. Box 339 Post Falls Id. 83854-0339

2. Accompanied by: Elmer Mattila EXAM DATE: July 23, 1998

Address: Same Phone No. Same

Relationship to Permit Holder: Director of Personnel

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	02	50N	5W	Kootenai	USGS 7.5' Quad., aerial Photo


2. Place(s) of Use:

Indicate Method of Determination aerial Photo, Planimeter

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	5W	2							19	17									36

MICROFILMED
OCT 28 1998

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

✓ Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
95-94-N-185-000	Franklin	60		Crown	74-400-6

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: received copy of pump test completed by R.C. Worst Co. of Coeur d'Alene, Id. = at 100 psi the output is 420 gpm (.936 cfs)

E. NARRATIVE/REMARKS/COMMENTS

Ground water is being diverted at a ^{maximum} rate of 462 gpm (1.03 cfs).

Place of use for irrigation is 36 acres of land that is used to store logs. Water is pumped from well through a 3" pvc line and is used to soak decked logs to reduce the fire hazard.

There is no existing beneficial use for commercial.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

OCT 28 1988

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

See Theoretical Calculation, Pump test results from R.C. Worst Co.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 36 \text{ acres} \times 3.5 \text{ af/acre/season} = 126 \text{ afa}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .67 \text{ cfs} \times 192 \text{ days} \times 1.9835 = 255 \text{ afa}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 126 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Irrigation

Period of Use

From

04/01

To

09/30

Rate of Diversion

Q (cfs)

.67

Annual Volume

V (afa)

126

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Other

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

I. AUTHENTICATION

Field Examiner's Name

David A. Leys

Date

Aug 13, 1998

Reviewer

Date

SEAL

RECEIVED
AUG 13 1998

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08880, IDAHO VENEER
DATE: 23-JUL-98
COMPLETE BY: PAGEL

HORSEPOWER = 60


PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 150 FEET

SYSTEM PRESSURE = 90 PSI

QUANTITY = 1.03 CFS

MICROFILMED
OCT 28 1998



7

33

4

NON AG

NON AG


③ 10.7

P.D.

Schneid
1187
④ 62.1

NON AG

P.D.






Expect the Best from Worst

(208) 664-2133 / 625 Best Avenue / Coeur d'Alene, Idaho 83814
FAX (208) 667-8775

Established 1953

WATER PUMPS and SUPPLIES
SEWAGE PUMPS and SUPPLIES
SEWAGE TREATMENT EQUIPMENT
WATER TREATMENT EQUIPMENT
MOTORS and MOTOR SUPPLIES

IDAHO VENEER
PUMP TEST



MOTOR 60 HP 3 PHASE 480 FRANKLIN
PUMP END 7H-400-6 CROWN

STATIC WATER LEVEL
PUMP SET LEVEL

146 FEET
259 FEET

TIME	PSI	FLOW	AMPS
12:36	230	DEADHEAD	62.0
1:07	220	DEVELOPING FLOW	63.5
1:14	210	" "	65.3
1:23	200	" "	67.6
1:29	190	" "	70.3
1:35	180	" "	72.2
1:40	170	" "	74.3
1:45	160	" (approx. 350)	76.2
1:50	150	" (approx. 375)	77.0
1:55	130	" (approx. 390)	79.2
2:00	110	?	80.1
2:01	100	420 GPM	80.3
2:02	50	525 GPM	78.3
2:05	0	580 GPM	75.8
(STATIC 157 FT. AFTER 1/4 HOUR @ 580 GPM)			
2:35	0 PSI	580 GPM	75.6
	50 PSI	510 GPM	76.6
	100 PSI	440 GPM	80.1
	150 PSI	340 GPM	77.2
	200 PSI		67.8
	225 PSI	DEADHEAD	60.8

MICROFILMED

OCT 28 1998

PERMIT # 95-08880

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

Place
of
use

95-08880

Place
of
use

95-08880

Point
of
diversion

MICROFILMED
OCT 28 1998

95-08880

'98 723

Permit No. 95-08880 Reviewed by [Signature] Date 2-5-98

TYPES OF USE

Jrr.

Correct Uses? *WCS*

SOURCE OF WATER

✓ Ground water source

NO Copy in the file?

Drilling Permit No. 95-94-N-01 & S-000

7.00 - Amount paid for permit

Yes Correct?

WLS Well log in the file?

MEASURING DEVICE

No Required?

1 Installed?

Waiver requested?

Date proof received		
Date proof due	-	
No. of days late	=	
Priority Date	+	
New Priority Date		

Proof acceptable

New Address Y Proof Made 12-11-97

Proof Made 12-11-97

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 95-08880 Reviewed by [Signature] Date 12-20-95

BASIC INFORMATION

12-18-95 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN *Recommend extend to Jan. 1, 1998, on basis of due diligence.*

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X _____
Change Proof Due Date 1-1-98 _____
Change Priority Date X _____

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8880 Name: Ed. Vaneer Co Date: 11/15/94 ^{11/11/95} Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD ~~MD~~
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. 95-94-1-0185-000, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. _____
*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 03A/057, 803(if GW use SW 1st)(+5A PU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R + L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner

PROTESTED:

OTHER CONDITIONS:

REMARKS:

Commercial use is for the manufacture of wood products.

BENEFICIAL USE DUE:

COMMENTS:

12-1-1995 1/1/96

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95-08880

***** INITIAL REVIEW *****

APPLICANT: IDAHO VENEER BY: AS DATE: 8/26/94

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
X Field report attached
X Analysis Supp. attached(>5cfs/500af)
X Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 8/26/94

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes)(No)

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
Well Drilling Application and Fees received
Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: 1/1/94

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes)(No)

- X Notice of pending void order issued. Final order response date: 1/1/94
X Further information required from applicant
X Affidavit of publication received
X Application published correctly, If not, record action taken: Rev. 10/13/94
X Publication dates and paper recorded on application | Sr. Agent initial AS
X Protests received. Final protest date: 10/31/94
X Measuring device required
X Measuring port required
X Special conditions:
X Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS Date: 10/13/94

Department of Water Resources