

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08846

Priority: January 24, 1994

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.5 AF

This is to certify, that LARRY STONE
NANCY STONE

4261 OAKWOOD AVE

LA CANADA CA 91011

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 24, 1994; and has submitted Proof of Beneficial Use on February 13, 1996. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	1.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWNE), Sec. 13, Township 49N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	04W	13	Lot 2 (SENW)	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs nor more than 1.5 afa for the land described above.

MICROFILMED


JAN 24 1997


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08846

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13th
day of December, 1996


Acting for KARL J. DREHER, Director



MICROFILMED

JAN 24 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

FEB 12 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder ^{has} ~~has not~~ completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08846 Telephone No. (818) 790 7861
2. Name(s) of Permit Holder(s): LARRY & NANCY STONE
3. Mailing Address: 4261 OAKWOOD AVE LA CANADA, CA 91011
CDA LAKE / TRIBUTARY OF
4. Source of Water: SEKANE RIVER If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
 - a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____
 - b. OPTIONAL: Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): .5 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .02 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>X</u>
	Has the measuring device been installed?	Yes _____ or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>X</u>
	Has the measurement port been installed?	Yes _____ or No _____
8. Fee Enclosed: \$.02 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: M/C COMPANY DORIC CREAGER Telephone Number (208) 769 7388
Address: W. 1011 27th SPOKANE, WA 99203
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

* Signature of permit holder: [Signature] Date: 2-5-96
(include your title, if on behalf of company of organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08846

Proposed Priority: January 24, 1994

Maximum Diversion Rate:

0.02 CFS

This is to certify, that **LARRY STONE**
NANCY STONE
4261 OAKWOOD AVE
LA CANADA CA 91011
has applied for a permit to appropriate water from:

COEUR D ALENE LAKE

tributary of **SPOKANE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	05/15 to 09/15	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWNE), Sec. 13, Township 49N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	04W	13	SENW	0.5		0.5

Total number of acres irrigated: 0.5


CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1996**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

10 day of *March*, 19*94*

MAILED 1994

for 
R. Keith Higginson, Director

APR 21 1994

RECEIVED
FEB 28 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8846

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Larry & Nancy Stone Phone (818) 790-7861
Post office address 4261 Oakwood Ave.; La Canada, CA 91011

2. Source of water supply Lake Coeur d'Alene which is a tributary of Spokane River

3. Location of point of diversion is SE $\frac{1}{4}$ of NW * $\frac{1}{4}$, Govt. Lot 2
Sec. 13 Township 49N Range 4W B.M. Kootenai County; additional
points of diversion if any: N/A

4. Water will be used for the following purposes:

Amount 0.02 cfs for irrigation purposes from May 15 to Sept. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.02 and/or (b)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1.0 - 1.5 hp pump and motor with 2"
diameter pipe line.

b. Height of storage dam feet; active reservoir capacity acre-feet; total
reservoir capacity acre-feet; period of year when water will be diverted to storage:
 to inclusive.

c. Proposed well diameter is inches; proposed depth of well is feet.

d. Is ground water with a temperature of greater than 85°F being sought?

e. If well is already drilled, when? ; Drilling firm APR 21 1994;
Well was drilled for (well owner)

7. Time required for the completion of the works and application of the water to be proposed beneficial use is
two years (minimum 1 year).

* per applicant's map 3/2/94 c.28.

12. Remarks:

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? Larry and Nancy Stone

11. a. Who owns the property at the point of diversion? _____
State of Idaho

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated 0.5 acre

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other, describe fully.


d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):



Section 13, T49N, R4W
Kootenai County, Idaho

From USGS Map Mica Bay, Idaho

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sam S. Money Store
(Applicant)

APR 2 1 1994

Unrecorded

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	Date	Time	Preliminary check by
<i>[Signature]</i>	1/24/94	1:30 PM	
Fee \$	30.80		
Received by	Date	#	Date
<i>[Signature]</i>	1/26/94	N 7298	1/24/94
Publication prepared by	Date	Published in	Date
<i>[Signature]</i>	1/26/94	2/3/94	2/12/94
Publication approved	Date		
<i>[Signature]</i>	2/12/94		

MEMORANDUM

DATE: May 19, 1998

TO: Water Right File 95-08846

FROM: Shelley W. Keen *SWK*

RE: Point of diversion description

Although the field examiner determined subsequent to the license that the point of diversion can be more accurately described as the Lot 2 (*SENW*), S13, T49N, R4W, the govt. lot designation is the true legal description. Therefore, the point of diversion description on the license, which indicates Lot 2 (*SWNE*), is correct.

MICROFILMED
JUN 12 1998



P.D.
P.U.


Driftwood Point
Light

L
A
K
E

Turner Bay

MICROFILMED
JUN 12 1998

95-08846
STONE, LARRY
T. 49N., R. 04W. Sec. 13



MICROFILMED
JUN 12 1998

95-08846

MEMORANDUM

TO: File 95-08846

FROM: Sharla

DATE: November 6/December 13, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 95-08846 are based on the following:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

Gov. Lot 2 (SWNE), S13, T49N, R4W

H. RECOMMENDATIONS

1. Recommended Amounts

Irrigation	3/15 - 11/15	0.02 cfs	1. 5afa
------------	--------------	----------	---------

There are several variations in the legal descriptions for this right identified on numerous maps. I contacted the Kootenai County Assessor's office to see if they could narrow down the identification for me, however, they do not show Larry or Nancy Stone owning any property in the entire section. Using the subdivision plat attached to the field exam and the government plat from our microfilm, the description for both the point of diversion and place of use will be listed on the license as Gov. Lot 2, SWNE. *List POW as SENW as recommended by the examiner. No amendment necessary. S.W. Keen 12/13/96*

An amendment will not be solicited because the map attached to the original application for permit identified Gov. Lot 2 as part of the legal description.

The original application was filed for irrigation of 1/2 acre; the license will be issued accordingly, thereby removing the need for an amendment.

In response to my letter, Larry contacted me on December 13 and confirmed that use of water from the lake is for irrigation of landscape; a well serves the in-house needs. He also stated that the property is still owned by him, thus the license will be issued in his name.

Examiner: D. Pagel

Exam Date: August 22, 1996

100000-110100
JAN 24 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08846

DATE 10/22/96

REVIEWER: S H A R L A

NAME Change OK

Address Change No

SOURCE Change OK

Is change clarification of originally intended source? Yes

If not, prepare Notice of Intent to Void Yes

POINT OF DIV Lot 2 OK

Amendment required No

PLACE OF USE Lot 2 written on map

Amendment required No

Does map agree with written description? yes no adj. memo

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .02 cfs

Fee limit .20 cfs \$5000

Measured — cfs

Theoretical .03 cfs

Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/
NATURE OF USES Yes

Use adj. memo

Volume Calculation

.5 x 3.0 = 1.5 af

— af

— af

— af

— af

SUBTOTAL 1.5 af

Flow rate .02 cfs X 245 days X 1.983 = 9.7 af

Total volume recommended 1.5 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS W31 (.02, 1.5)

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

Overlap

Use-specific conditions


Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

1st Amend Letter —

Adjustment Memo use legal

2nd Amend Letter —



Accepted by letter "E," dated

MICROFILMED

JAN 24 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08846

1. Owner: Larry + Nancy Stone Phone No. (818) 790-7861

Current Address: 4261 Oakwood Ave. LA Canada, CA 91011

2. Accompanied by: Doric Creager EXAM DATE: 8-22-96

Address: W. 1011 27th Spokane, WA 99203 Phone No. (208) 769-7388

Relationship to Permit Holder: Contractor - m/c Company

3. Source: Coeur d'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: 95-04021, 95-07614

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2		SW	NE	13	49N	4W	Kootenai	U.S.G.S. Topo map, metered sout. lot map

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N	4W	13								6.6									

MICROFILMED

JAN 24 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from Coeur d'Alene Lake by means of a $\frac{3}{4}$ h.p. Submersible pump through a 2" line that enters the water about 25 ft. below the place of use.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JAN 26 1987

F. FLOW CALCULATIONS

Measured Method: _____

See Theoretical

Additional Computation Sheets Attached _____

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses: _____

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

Period of Use
To

Q (cfs)

Rate of Diversion

V (afa)

Annual Volume

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name

D. Regel

Date

8-22-96

Reviewer

Date

SEAL

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: LARRY STONE
DATE: 22-AUG-96
COMPLETE BY: PAGEL

HORSEPOWER = .75

PUMP EFFICIENCY = 60%

DYNAMIC LIFT = 20 FEET

SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.03 CFS

MICROFILMED
JAN 24 1997

PERMIT # 95-08846

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S




Place of use



Point of diversion

MICROFILMED
JAN 24 1997



TELEPHONE CONVERSATION MEMORANDUM

Permit No. 95-08846 Name of Contact Doric Creager

Employee _____

Date set for examination: 8-22-96

Time 12:00

Where Wolf hole by 13 mi RY. gravel Rd. access 20 homes
only under Brown metal Roof single siding

Are all the uses on the permit developed? _____

Are there existing water rights used for the same purpose? 95-04021, 95-07614

✓ How many points of diversion are used? 1

If multiple uses are listed, are all supplied by one system? _____ If not, note specifics, i.e. HP, estimated flow, irrigated acres, # of livestock, kind) _____

What is the estimated flow at each point of diversion? _____

Acres irrigated by each P/D? .5

✓ Size of Motor used for each P/D? 3/4 h.p.

✓ Estimate of depth to water? 20'

How many laterals are used? _____


✓ Length and size of mainline? 2 "

Pressure at well? _____

Pressure at sprinkler head? _____

Have conditions of approval been complied with? _____

RECEIVED
 APR 24 1997



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08846 Reviewed by [Signature] Date 2-22-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? Jrr.
yes Address same as permit? _____
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
_____ Ground water source
_____ Drilling permit required?
_____ Copy in the file? Drilling Permit No. _____
_____ Amount paid for permit _____ Correct?
_____ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required? no Required?
50- Amount Submitted _____ Installed?
yes Correct? _____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Crossed out] Proof Made 2-13-96

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

Application #: 95-8846 Name: Stone Date: 3/2/94

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes
Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <flo-ch> - T17 (new), 01K (existing), No MD
- 0.2 cfs - No MD <flow chart>

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - ____-P_ (+.2 w/pump), No MD <flow chart>

LOCATION:

Water District(dem) - WD No. _____
*Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° Groundwater temp)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (req), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 803(if GW use SW 1st)(+5A do POU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R ↑ L Peak), 27A(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU) _____

PROTESTED:

Prehearing agreement- 020

OTHER CONDITIONS:

REMARKS:

BENEFICIAL USE DUE:

- 3-1-1996

COMMENTS:

- ① Div Desc.

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
FEB 28 1994

APPLICATION # _____

Department of Water Resources

***** INITIAL REVIEW *****

APPLICANT: Olson BY: AB DATE: 1/12/94

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
12. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
+ Field report attached
+ Analysis Supp. attached(>5cfs/500af)
+ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 1/24/94

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- X Groundwater management area
+ Critical ground water area
+ Well Drilling Permit required
+ Well Drilling Application and Fees received
+ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

+ Affidavit of publication received

+ Application published correctly, If not, record action taken: _____

Publication dates and paper recorded on application | Sr. Agent initial AB

+ Protests received. Final protest date: 2/22/94

Measuring device required

Measuring port required

Special conditions: _____

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB

Date: 2/23/94